

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/310611022>

Time Series Classification from Scratch with Deep Neural Networks: A Strong Baseline

Article · November 2016

CITATIONS

41

READS

1,283

3 authors:



Zhiguang Wang

Microsoft

20 PUBLICATIONS 287 CITATIONS

[SEE PROFILE](#)



Weizhong Yan

GE Global Research

71 PUBLICATIONS 771 CITATIONS

[SEE PROFILE](#)



Tim Oates

University of Maryland, Baltimore County

218 PUBLICATIONS 2,882 CITATIONS

[SEE PROFILE](#)

Some of the authors of this publication are also working on these related projects:



Global Collaboration Engine (GLOBE) [View project](#)



Deep learning for IIoT applications [View project](#)

Time Series Classification from Scratch with Deep Neural Networks: A Strong Baseline

Zhiguang Wang, Weizhong Yan
GE Global Research
{zhiguang.wang, yan}@ge.com

Tim Oates
Computer Science and Electric Engineering
University of Maryland Baltimore County
oates@umbc.edu

Abstract—We propose a simple but strong baseline for time series classification from scratch with deep neural networks. Our proposed baseline models are pure end-to-end without any heavy preprocessing on the raw data or feature crafting. The FCN achieves premium performance to other state-of-the-art approaches. Our exploration of the very deep neural networks with the ResNet structure achieves competitive performance under the same simple experiment settings. The simple MLP baseline is also comparable to the 1NN-DTW as a previous golden baseline. Our models provides a simple choice for the real world application and a good starting point for the future research. An overall analysis is provided to discuss the generalization of our models, learned features, network structures and the classification semantics.

I. INTRODUCTION

Time series data is ubiquitous. Both human activities and nature produces time series everyday and everywhere, like weather readings, financial recordings, physiological signals and industrial observations. As the simplest type of time series data, univariate time series provides a reasonably good starting point to study such temporal signals. The representation learning and classification research has found many potential application in the fields like finance, industry, and health care.

However, learning representations and classifying time series are still attracting much attention. As the earliest baseline, distance-based methods work directly on raw time series with some pre-defined similarity measures such as Euclidean distance or Dynamic time warping (DTW) [1] to perform classification. The combination of DTW and the k-nearest-neighbors classifier is known to be a very efficient approach as a golden standard in the last decade.

Feature-based methods suppose to extract a set of features that are able to represent the global/local time series patterns. Commonly, these features are quantized to form a Bag-of-Words (BoW), then given to the classifiers [2]. Feature-based approaches mostly differ in the kind of features extracted. To name a few recent benchmarks, The bag-of-features framework (TSBF) [3] extracts the interval features with different scales from each interval to form an instance, and each time series forms a bag. A supervised codebook is build with the random forest for classifying the time series. Bag-of-SFA-Symbols (BOSS) [4] proposes a distance based on the histograms of symbolic Fourier approximation words. Its extension, the BOSSVS method [5] combines the BOSS model with the vector space model to reduce the time complexity and

improve the performance by ensembles on the model with difference window size. The final classification is performed with the One-Nearest-Neighbor classifier.

Ensemble based approaches combine different classifiers together to achieve a higher accuracy. Different ensemble paradigms integrate various feature sets or classifiers. The Elastic Ensemble (PROP) [6] combines 11 classifiers based on elastic distance measures with a weighted ensemble scheme. Shapelet ensemble (SE) [7] produces the classifiers through the shapelet transform in conjunction with a heterogeneous ensemble. The flat collective of transform-based ensembles (COTE) is an ensemble of 35 different classifiers based on the features extracted from both the time and frequency domains.

All the above approaches need heavy crafting on data preprocessing and feature engineering. Recently, some effort has been spent to exploit the deep neural network, especially convolutional neural networks (CNN) for end-to-end time series classification. In [8], a multi-channel CNN (MC-CNN) is proposed for multivariate time series classification. The filters are applied on each single channel and the features are flattened across channels as the input to a fully connected layer. The authors applied sliding windows to enhance the data. They only evaluate this approach on two multivariate time series datasets, where there is no published benchmark for comparison. In [9], the author proposed a multi-scale CNN approach (MCNN) for univariate time series classification. Down sampling, skip sampling and sliding windows are used for preprocessing the data to manually prepare for the multi-scale settings. Although this approach claims the state-of-the-art performance on 44 UCR time series datasets [10], the heavy preprocessing efforts and a large set of hyperparameters make it complicated to deploy. The proposed window slicing method for data augmentation seems to be ad-hoc.

In this work, we provide a standard baseline on using deep neural networks for end-to-end time series classification without any crafting in feature engineering and data preprocessing. The deep multilayer perceptrons (MLP), the fully convolutional networks (FCN) and the residual networks (ResNet) are evaluated on the same 44 benchmark datasets. Through a pure end-to-end training on the raw time series data, the ResNet and FCN achieve comparable or better performance than COTE and MCNN. Thus, this strong baseline provides a simple and default choice for such problems and serves as a good starting point when the future research suppose to delve




Fig. 1. The network structure of three tested neural networks. Dash line indicates the operation of dropout.

into deep learning on the temporal signals. The simple MLP baseline is identical to the 1NN-DTW as a previous golden baseline. We also provide an overall analysis and discussion on the generalization of our models, learned features, network structures and the classification semantics.

II. NETWORK ARCHITECTURES

We tested three deep neural network architectures to provide a fully comprehensive baseline.

A. Multilayer Perceptrons

Our plain baselines are basic MLP by stacking three fully-connected layers. The fully-connected layers each has 500 neurons following two design rules: (i) using dropout [11] at each layer's input to improve the generalization capability ; and (ii) the non-linearity is fulfilled by the rectified linear unit (ReLU)[12] as the activation function to prevent saturation of the gradient when the network is deep. The network ends with a softmax layer. A basic layer block is formalized as

$$\begin{aligned}\tilde{x} &= f_{dropout,p}(x) \\ y &= \mathbf{W} \cdot \tilde{x} + \mathbf{b} \\ h &= ReLU(y)\end{aligned}\quad (1)$$

This architecture is mostly distinguished from the seminal MLP decades ago by the utilization of ReLU and dropout. ReLU helps to stack the networks deeper and dropout largely prevent the co-adaptation of the neurons to generalize well, especially on some small datasets. However, if the network is too deep, most neuron will hibernate as the ReLU totally

halve the negative part. The Leaky ReLU [13] might help, but we only use three layers MLP with the ReLU to provide a fundamental baselines. The dropout rates at the input layer, hidden layers and the softmax layer are $\{0.1, 0.2, 0.3\}$ respectively (Figure 1(a))

B. Fully Convolutional Networks

FCN has shown compelling quality and efficiency for semantic segmentation on images [14]. Each output pixel is a classifier corresponding to the receptive field and the networks can thus be trained pixel-to-pixel given the category-wise semantic segmentation annotation.

In our problem settings, the FCN is performed as a feature extractor. Its final output still comes from the softmax layer. The basic block is a convolutional layer followed by a batch normalization layer [15] and a ReLU activation layer. The convolution operation is fulfilled by three 1-D kernels with the sizes $\{8, 5, 3\}$ without striding. The basic convolution block is

$$\begin{aligned}y &= \mathbf{W} \otimes \mathbf{x} + \mathbf{b} \\ s &= BN(y) \\ h &= ReLU(s)\end{aligned}\quad (2)$$

\otimes is the convolution operator. We build the final networks by stacking three convolution blocks with the filter size $\{128, 256, 128\}$ in each block. Unlike the MCNN and MC-CNN, We exclude any pooling operation. This strategy is also adopted in the ResNet [16] as to prevent overfitting. Batch normalization is applied to speed up convergence and helps improve

generalization. After the convolution blocks, the features are fed into a global average pooling layer [17] instead of a fully connected layer, which is to reduce the number of weights and improve generalizations. The final label is produced by a softmax layer (Figure 1(b)).

C. Residual Network

ResNet extend the neural networks to a very deep structures by adding the shortcut connection in each residual block to enable the gradient flow directly through the bottom layers. It achieves the state-of-the-art performance in object detection and other vision related tasks [16]. We explore the ResNet structure since we are really interested to see how the very deep neural networks perform on the time series data. Obviously, the ResNet overfits the training data much easier because the datasets in UCR is really small and lack of enough variants to learn the relatively complex structures with such deep networks, but it is still a good practice to import the much deeper model and analyze the pros and cons.

We build each residual block based on the convolutional blocks following the Equation 2. Let $Block_k$ denotes the convolutional block with the number of filters k , the residual block is formalized as

$$\begin{aligned} h_1 &= Block_{k_1}(x) \\ h_2 &= Block_{k_2}(h_1) \\ h_3 &= Block_{k_3}(h_2) \\ y &= h_3 + x \\ \hat{h} &= ReLU(y) \end{aligned} \quad (3)$$

The number of filters $k_i = \{64, 128, 128\}$. The final ResNet stacks three residual blocks and followed by a global average pooling layer and a softmax layer. This setting simply reuses the structures of the FCN. Certainly there are better structures for the problem, but our given structures are adequate to provide a qualified demonstration as a baseline (Figure 1(c)).

III. EXPERIMENTS AND RESULTS

A. Experiment Settings

We test our proposed neural networks on the same subset of the UCR time series repository with other benchmark literature. The subset includes 44 distinct time series datasets. All the dataset has been split into training and testing by default. The only preprocessing in our experiment is z-normalization on both training and test split with the mean and standard deviation of the training part for each dataset. The MLP is trained with Adadelta [18] with learning rate 0.1, $\rho = 0.95$ and $\epsilon = 1e - 8$. The FCN and ResNet are trained with Adam [19] with the learning rate 0.001, $\beta_1 = 0.9$, $\beta_2 = 0.999$ and $\epsilon = 1e - 8$. The loss function is categorical cross entropy. We choose the the best model that achieves the lowest training loss and report its performance on the test set. While this training setting tends to give us the overfitted configuration and most likely to generalize poorly on the test set, we can see that our proposed networks generalize

quite well. Unlike other benchmarks, our experiment excludes the hyperparameter tuning and cross validation to provide a most unbiased baseline. Such settings also largely reduce the complexity for training and deploying the deep learning models.¹

B. Evaluation

Table I shows the results and some comparison with several best benchmark methods on the UCR dataset. Like other literature, we report the test error rate from the best model trained with the minimum cross-entropy loss and the number of dataset on which it achieved the best performance. Some literature (like [9], [5]) also report the ranks and other ranking-based statistics to evaluate the performance and make the comparison, so we also provide the average rankings.

However, neither the number of best-performed dataset or the ranking based statistics is an objective and unbiased measurement to compare the performance. The number of best-performed dataset focuses on the top performance and is highly skewed. The ranking based statistics is highly sensitive to the size of the model pools. "Better than" as a comparative measurement is also skewed as the input models might arbitrarily changed. All those evaluation measures wipe out the factor of number of classes, which is important for the classification problem.

We propose a simple evaluation measure, the Mean Per-Class Error (MPCE) to evaluate the classification performance of the specific models on multiple datasets. For a given model $M = \{m_i\}$, a dataset pool $D = \{d_k\}$ with the number of class label $C = \{c_k\}$ and the corresponding error rate $E = \{e_k\}$,

$$\begin{aligned} PCE_k &= \frac{e_k}{c_k} \\ MPCE_i &= \frac{1}{K} \sum PCE_k \end{aligned} \quad (4)$$

k refers to each dataset and i denotes to each model. The intuition behind MPCE is simple: the expected error rate for a single class across all the datasets. By considering the number of classes, MPCE is more robust as a baseline criterion. A paired T-test on PCE identifies if the differences of the MPCE are significant across different models.

C. Results and Analysis

We select seven existing best methods² that claim the state-of-the-art results and published within recent three years: time series based on a bag-of-features (TSBF), Elastic Ensemble (PROP), 1-NN Bag-Of-SFA-Symbols (BOSS) in Vector Space (BOSSVS), the Shapelet Ensemble (SE1) model, flat-COTE (COTE) and multi-scale CNN (MCNN). Note that COTE is an ensemble model which combines the weighted votes over 35 different classifiers. BOSSVS is an ensemble of multiple

¹The codes are available at https://github.com/cauchyturing/UCR_Time_Series_Classification_Deep_Learning_Baseline [20].

²'Best' means the overall performance is competitive and the model should achieve the best performance on at least 4 datasets (10% of the all the 44 datasets).

TABLE I
TESTING ERROR AND THE MEAN PER-CLASS ERROR (MPCE) ON 44 UCR TIME SERIES DATASET

Err Rate	DTW	COTE	MCNN	BOSSVS	PROP	BOSS	SEI	TSBF	MLP	FCN	ResNet
Adiac	0.396	0.233	0.231	0.302	0.353	0.22	0.373	0.245	0.248	0.143	0.174
Beef	0.367	0.133	0.367	0.267	0.367	0.2	0.133	0.287	0.167	0.25	0.233
CBF	0.003	0.001	0.002	0.001	0.002	0	0.01	0.009	0.14	0	0.006
ChlorineCon	0.352	0.314	0.203	0.345	0.36	0.34	0.312	0.336	0.128	0.157	0.172
CinCECGTorso	0.349	0.064	0.058	0.13	0.062	0.125	0.021	0.262	0.158	0.187	0.229
Coffee	0	0	0.036	0.036	0	0	0	0.004	0	0	0
CricketX	0.246	0.154	0.182	0.346	0.203	0.259	0.297	0.278	0.431	0.185	0.179
CricketY	0.256	0.167	0.154	0.328	0.156	0.208	0.326	0.259	0.405	0.208	0.195
CricketZ	0.246	0.128	0.142	0.313	0.156	0.246	0.277	0.263	0.408	0.187	0.187
DiatomSizeR	0.033	0.082	0.023	0.036	0.059	0.046	0.069	0.126	0.036	0.07	0.069
ECGFiveDays	0.232	0	0	0	0.178	0	0.055	0.183	0.03	0.015	0.045
FaceAll	0.192	0.105	0.235	0.241	0.152	0.21	0.247	0.234	0.115	0.071	0.166
FaceFour	0.17	0.091	0	0.034	0.091	0	0.034	0.051	0.17	0.068	0.068
FacesUCR	0.095	0.057	0.063	0.103	0.063	0.042	0.079	0.09	0.185	0.052	0.042
50words	0.31	0.191	0.19	0.367	0.18	0.301	0.288	0.209	0.288	0.321	0.273
fish	0.177	0.029	0.051	0.017	0.034	0.011	0.057	0.08	0.126	0.029	0.011
GunPoint	0.093	0.007	0	0	0.007	0	0.06	0.011	0.067	0	0.007
Haptics	0.623	0.488	0.53	0.584	0.584	0.536	0.607	0.488	0.539	0.449	0.495
InlineSkate	0.616	0.551	0.618	0.573	0.567	0.511	0.653	0.603	0.649	0.589	0.635
ItalyPower	0.05	0.036	0.03	0.086	0.039	0.053	0.053	0.096	0.034	0.03	0.04
Lightning2	0.131	0.164	0.164	0.262	0.115	0.148	0.098	0.257	0.279	0.197	0.246
Lightning7	0.274	0.247	0.219	0.288	0.233	0.342	0.274	0.262	0.356	0.137	0.164
MALLAT	0.066	0.036	0.057	0.064	0.05	0.058	0.092	0.037	0.064	0.02	0.021
MedicalImages	0.263	0.258	0.26	0.474	0.245	0.288	0.305	0.269	0.271	0.208	0.228
MoteStrain	0.165	0.085	0.079	0.115	0.114	0.073	0.113	0.135	0.131	0.05	0.105
NonInvThorax1	0.21	0.093	0.064	0.169	0.178	0.161	0.174	0.138	0.058	0.039	0.052
NonInvThorax2	0.135	0.073	0.06	0.118	0.112	0.101	0.118	0.13	0.057	0.045	0.049
OliveOil	0.167	0.1	0.133	0.133	0.133	0.1	0.133	0.09	0.60	0.167	0.133
OSULeaf	0.409	0.145	0.271	0.074	0.194	0.012	0.273	0.329	0.43	0.012	0.021
SonyAIBORobot	0.275	0.146	0.23	0.265	0.293	0.321	0.238	0.175	0.273	0.032	0.015
SonyAIBORobotII	0.169	0.076	0.07	0.188	0.124	0.098	0.066	0.196	0.161	0.038	0.038
StarLightCurves	0.093	0.031	0.023	0.096	0.079	0.021	0.093	0.022	0.043	0.033	0.029
SwedishLeaf	0.208	0.046	0.066	0.141	0.085	0.072	0.12	0.075	0.107	0.034	0.042
Symbols	0.05	0.046	0.049	0.029	0.049	0.032	0.083	0.034	0.147	0.038	0.128
SyntheticControl	0.007	0	0.003	0.04	0.01	0.03	0.033	0.008	0.05	0.01	0
Trace	0	0.01	0	0	0.01	0	0.05	0.02	0.18	0	0
TwoLeadECG	0	0.015	0.001	0.015	0	0.004	0.029	0.001	0.147	0	0
TwoPatterns	0.096	0	0.002	0.001	0.067	0.016	0.048	0.046	0.114	0.103	0
UWaveX	0.272	0.196	0.18	0.27	0.199	0.241	0.248	0.164	0.232	0.246	0.213
UWaveY	0.366	0.267	0.268	0.364	0.283	0.313	0.322	0.249	0.297	0.275	0.332
UWaveZ	0.342	0.265	0.232	0.336	0.29	0.312	0.346	0.217	0.295	0.271	0.245
wafer	0.02	0.001	0.002	0.001	0.003	0.001	0.002	0.004	0.004	0.003	0.003
WordSynonyms	0.351	0.266	0.276	0.439	0.226	0.345	0.357	0.302	0.406	0.42	0.368
yoga	0.164	0.113	0.112	0.169	0.121	0.081	0.159	0.149	0.145	0.155	0.142
Win	3	8	7	5	4	13	4	4	2	18	8
AVG Arithmetic ranking	8.205	3.682	3.932	7.318	5.545	4.614	7.455	6.614	7.909	3.977	4.386
AVG geometric ranking	7.160	3.054	3.249	5.997	4.744	3.388	6.431	5.598	6.941	2.780	3.481
MPCE	0.0397	0.0226	0.0241	0.0330	0.0304	0.0256	0.0302	0.0335	0.0407	0.0219	0.0231

BOSS models with different window length. 1NN-DTW is also included as a simple standard baseline. The training and deploying complexity of our models are small like 1NN-DTW as their pipeline is all from scratch without any heavy pre-processing and data augmentations, while our baselines do not need feature crafting.

In Table I, we provide four metrics to comprehensively evaluate all the approaches. FCN indicates the best performance on three metrics at the first sight, while ResNet is also competitive on the MPCE score and rankings.

In [9], [5], the authors proposed to validate the effectiveness of their models by Wilcoxon signed-rank test on the error rates. Instead, we choose the Wilcoxon rank-sum test as it can

deal with the tie conditions among the error rates with the tie correction (Appendix Table III). The p-values in our case are quite different with the results reported by [9]. Except for MLP and DTW, all other approaches are linked together. It possibly because the model pool we choose are different and the ranking based statistics is very sensitive to the model pool and its size.

The MPCE score is reported in the last row. FCN and MLP have the best and worse MPCE score respectively. The MPCE of ResNet ranks 3rd over all the 11 models, just a little worse than COTE. A paired T-test of mean on the PCE score is performed to tell if the difference of MPCE is significant (Appendix Table II). Interestingly, we found the difference of




Fig. 2. Models grouping by the paired T-test of means on the normalized PCE scores.

MPCE among COTE, MCNN, BOSS, FCN and ResNet are not significant. These five approaches are clustered in the best group. Analogously, the rest approaches are grouped into two clusters based on the T-test results of the MPCE scores (Figure 2).

In the best group, BOSS and COTE are all ensemble based models. MCNN exploit convolutional networks but requires heavy preprocessing in data transformation, downsampling and window slicing. Our proposed FCN and ResNet are able to classify time series from scratch meanwhile achieves the premium performance. The exploration on the ResNet architecture indicates that it tends to overfits the data much easier, but is still clustered in the first group without significant difference to other four best models. We also note the proposed three-layer MLP achieves comparable results with 1NN-DTW and there is significant difference. Recent advances on ReLU and dropout work quite well in our experiments to help the MLP largely approach the previous golden baseline.

IV. DISCUSSION

A. Overfitting and Generalization

Neural networks with ReLU is a universal approximator with very strong fitting capabilities. It is known to overfit easily due to the large number parameters. In our experiments, the overfitting was expected to be significant since the UCR time series data is small and we exclude any hyperparameter tuning and cross validation process, only choose the model with the lowest training loss for test to provide a even baseline.

However, our baseline models generalize quite well given that the training accuracy are almost all 100%. Dropout improves the generalization capability of MLP by a large margin. For the family of convolutional networks, batch normalization is known to help improve both the training speed and generalizations. Another important reason is we replace the fully-connected layer by the global average pooling layer before the softmax layer, which greatly reduces the amount of parameters. Thus, starting with the basic network structures without any data transformation and ensemble, our three models provide very strong baseline, also a simple choices for time series classification with the state-of-the-art performance.

Another nuance of our results is that, deep neural networks work potentially quite well on small dataset as we expand their generalization by recent advances in the network structures and other related tricks.

B. Feature Visualization and Analysis

We adopt the Gramian Angular Summation Field (GASF) [21] to visualize the filters/weights in the neural networks. Given a series $X = \{x_1, x_2, \dots, x_n\}$, we rescale X so that all values fall in the interval $[0, 1]$

$$\tilde{x}_0^i = \frac{x_i - \min(X)}{\max(X) - \min(X)} \quad (5)$$

Then we can easily exploit the angular perspective by considering the trigonometric summation between each point to identify the correlation within different time intervals. The GASF are defined as

$$G = [\cos(\phi_i + \phi_j)] \quad (6)$$

$$= \tilde{X}' \cdot \tilde{X} - \sqrt{I - \tilde{X}^2}' \cdot \sqrt{I - \tilde{X}^2} \quad (7)$$

I is the unit row vector $[1, 1, \dots, 1]$. By defining the inner product $\langle x, y \rangle = x \cdot y - \sqrt{1 - x^2} \cdot \sqrt{1 - y^2}$ and $\langle x, y \rangle = \sqrt{1 - x^2} \cdot y - x \cdot \sqrt{1 - y^2}$, GASF are actually quasi-Gramian matrices $[\langle \tilde{x}_1, \tilde{x}_1 \rangle]$.


We choose GASF because it provides an intuitive way to interpret the multi-scale correlation in 1-D space. $G_{(i,j)||i-j|=k}$ encodes the cosine summation over the points with the striding step k . The main diagonal $G_{i,i}$ is the special case when $k = 0$ which contains the original values.

Figure 3 provides a visual demonstration of the filters in three baseline models. The weights from the second the last layer in MLP are very similar with clear structures and very little degradation occurring. The weights in the first layer are coarse while the weights from the following layer are more fine-grained. It seems like the deeper layers in MLP suppose to learn more abstract and invariant features.


The filters in FCN and ResNet are very similar. The convolution extracts the local features in the temporal axis, essentially like a weighted moving average that enhances several receptive fields with the nonlinear transformations by the ReLU. The sliding filters consider the dependencies among different time intervals and frequencies. The filters learned in the deeper layers are more sparse than the shallow filters.

The filters learned by the convolution are more structured and sparse than MLP. Both the visualization and classification performance indicates the effectiveness of the 1-D convolution. As convolutional filters can detect the local patterns, stacking multiple convolutional layers is capable to construct more invariant and complex patterns.

(a)MLP



(b)FCN



(C)ResNet










Fig. 3. Visualization of the features learned in MLP, FCN and ResNet. For ResNet, the three visualized filters are from the first, second and third convolution layers in each residual blocks.

C. Deep and Shallow

The exploration on the very deep architecture is interesting and informative. The ResNet model has 11 layers and the performance is still competitive. There are two factors that impact the performance of the ResNet on time series. With shortcut connections, the gradients can flow directly through the bottom layers in the ResNet, which largely improve the interpretability of the model to learn some highly complex patterns in the data. Meanwhile, the much deeper models tend to overfit much easier, requiring more effort in regularizing the model to improve its generalization.

In our experiments, the batch normalization and global average pooling have largely improved the performance in test data but still tend to overfit, as the patterns in the UCR dataset are comparably not so complex to catch. As a result, the test performance of the ResNet is not as good as FCN. However, when the time series data is larger and more complex, we encourage the exploration of the ResNet structure, since it is more likely to find a good trade-off between the strong interpretability and generalization with a very deep architecture.

D. Classification Semantics

The benchmark approaches for time series classification could be categorized into three groups: distance based, feature based and neural neural network based. The combination of distance and feature based approach are also commonly explored to improve the performance. We are curious about the classification behavior of different models as if they all perform similarly on the same dataset, or their feature space and the learned classifier are diverged.

We evaluate the semantics of different models based on their PCE scores. We choose PCA to reduce the dimension because this simple linear transformation is able to preserves large pairwise distances. In Figure 4, the distance between three baseline models with other baselines are comparatively large. This means the feature learned from scratch and the classification criterion in our models are good complement to other models.

It is common to see the FCN and ResNet are quite close with each other. The embedding of MLP is isolated into a single category, meaning its classification behavior is quite different with other approaches. This inspires us that a synthe-




Fig. 4. The PCE distribution of different approaches after dimension reduction through PCA.

sis of the feature learned by MLP and convolutional networks through a deep-and-wide model [22] might also improve the performance.

V. CONCLUSIONS

We propose a simple and strong baseline for time series classification from scratch with deep neural networks. Our proposed baseline models are pure end-to-end without any heavy preprocessing on the raw data or feature crafting. The FCN achieves premium performance to other state-of-the-art approaches. We also explore a very deep neural networks with the ResNet structure and it achieves competitive performance under the same simple experiment settings. The simple MLP baseline is identical to the INN-DTW as a previous golden baseline. An overall analysis is provided to discuss the generalization of our models, learned features, network structures and the classification semantics. Rather than ranking based criterion, MPCE is proposed as an unbiased measurement to evaluate the model performance.

Many research focus on time series classification and recent research is more and more lying on the deep learning approach for this task. Our baseline, with simple protocol and small complexity for building and deploying, provides a default choice for the real world application and a good starting point for the future research.

TABLE III
APPENDIX: THE P-VALUES OF WILCOXON RANK-SUM TEST BETWEEN OUR BASELINE MODELS WITH OTHER APPROACHES.

	MLP	FCN	ResNet
DTW	0.7575	0.0203	0.0245
COTE	0.0040	0.8445	0.8347
MCNN	0.0049	0.9834	0.9468
BOSSVS	0.1385	0.1660	0.1887
PROP	0.0616	0.2529	0.2360
BOSS	0.0076	0.8905	0.8740
SE1	0.1299	0.0604	0.0576
TSBF	0.1634	0.0715	0.0811
MLP	/	0.0051	0.0049
FCN	0.0051	/	0.9169
ResNet	0.0049	0.9169	/

REFERENCES

- [1] E. Keogh and C. A. Ratanamahatana, "Exact indexing of dynamic time warping," *Knowledge and information systems*, vol. 7, no. 3, pp. 358–386, 2005.
- [2] J. Lin, E. Keogh, L. Wei, and S. Lonardi, "Experiencing sax: a novel symbolic representation of time series," *Data Mining and knowledge discovery*, vol. 15, no. 2, pp. 107–144, 2007.
- [3] M. G. Baydogan, G. Runger, and E. Tuv, "A bag-of-features framework to classify time series," *IEEE transactions on pattern analysis and machine intelligence*, vol. 35, no. 11, pp. 2796–2802, 2013.
- [4] P. Schäfer, "The boss is concerned with time series classification in the presence of noise," *Data Mining and Knowledge Discovery*, vol. 29, no. 6, pp. 1505–1530, 2015.
- [5] P. Schafer, "Scalable time series classification," *Data Mining and Knowledge Discovery*, pp. 1–26, 2015.

TABLE II
APPENDIX: THE P-VALUES OF THE PAIRED T-TEST OF THE MEANS FOR THE MPCE SCORE ON 11 BENCHMARK MODELS.

	DTW	COTE	MCNN	BOSSVS	PROP	BOSS	SEI	TSBF	MLP	FCN	ResNet
DTW		2.056E-05	5.699E-05	5.141E-02	4.832E-05	2.760E-04	3.040E-03	1.311E-02	4.234E-01	1.451E-04	3.427E-04
COTE			2.287E-01	3.721E-05	5.911E-03	1.033E-01	1.208E-04	3.528E-04	5.240E-05	3.978E-01	4.351E-01
MCNN				3.652E-04	1.354E-02	2.497E-01	3.634E-03	3.360E-03	8.023E-05	2.495E-01	3.757E-01
BOSSVS					2.140E-01	6.404E-04	1.763E-01	4.335E-01	4.628E-02	2.983E-03	5.067E-03
PROP						3.739E-02	4.654E-01	1.440E-01	2.061E-02	2.673E-02	4.241E-02
BOSS							2.871E-02	1.759E-02	1.049E-03	1.879E-01	2.751E-01
SEI								1.770E-01	9.901E-03	1.208E-02	3.251E-02
TSBF									7.088E-02	1.510E-03	1.640E-03
MLP										6.832E-05	3.045E-04
FCN											2.508E-01
ResNet											

- [6] J. Lines and A. Bagnall, "Time series classification with ensembles of elastic distance measures," *Data Mining and Knowledge Discovery*, vol. 29, no. 3, pp. 565–592, 2015.
- [7] A. Bagnall, J. Lines, J. Hills, and A. Bostrom, "Time-series classification with cote: the collective of transformation-based ensembles," *IEEE Transactions on Knowledge and Data Engineering*, vol. 27, no. 9, pp. 2522–2535, 2015.
- [8] Y. Zheng, Q. Liu, E. Chen, Y. Ge, and J. L. Zhao, "Exploiting multi-channels deep convolutional neural networks for multivariate time series classification," *Frontiers of Computer Science*, vol. 10, no. 1, pp. 96–112, 2016.
- [9] Z. Cui, W. Chen, and Y. Chen, "Multi-scale convolutional neural networks for time series classification," *arXiv preprint arXiv:1603.06995*, 2016.
- [10] Y. Chen, E. Keogh, B. Hu, N. Begum, A. Bagnall, A. Mueen, and G. Batista, "The ucr time series classification archive (2015)," 2016.
- [11] N. Srivastava, G. E. Hinton, A. Krizhevsky, I. Sutskever, and R. Salakhutdinov, "Dropout: a simple way to prevent neural networks from overfitting," *Journal of Machine Learning Research*, vol. 15, no. 1, pp. 1929–1958, 2014.
- [12] V. Nair and G. E. Hinton, "Rectified linear units improve restricted boltzmann machines," in *Proceedings of the 27th International Conference on Machine Learning (ICML-10)*, 2010, pp. 807–814.
- [13] B. Xu, N. Wang, T. Chen, and M. Li, "Empirical evaluation of rectified activations in convolutional network," *arXiv preprint arXiv:1505.00853*, 2015.
- [14] J. Long, E. Shelhamer, and T. Darrell, "Fully convolutional networks for semantic segmentation," in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*, 2015, pp. 3431–3440.
- [15] S. Ioffe and C. Szegedy, "Batch normalization: Accelerating deep network training by reducing internal covariate shift," *arXiv preprint arXiv:1502.03167*, 2015.
- [16] K. He, X. Zhang, S. Ren, and J. Sun, "Deep residual learning for image recognition," *arXiv preprint arXiv:1512.03385*, 2015.
- [17] M. Lin, Q. Chen, and S. Yan, "Network in network," *arXiv preprint arXiv:1312.4400*, 2013.
- [18] M. D. Zeiler, "Adadelata: an adaptive learning rate method," *arXiv preprint arXiv:1212.5701*, 2012.
- [19] D. Kingma and J. Ba, "Adam: A method for stochastic optimization," *arXiv preprint arXiv:1412.6980*, 2014.
- [20] F. Chollet, "Keras," <https://github.com/fchollet/keras>, 2015.
- [21] Z. Wang and T. Oates, "Imaging time-series to improve classification and imputation," *arXiv preprint arXiv:1506.00327*, 2015.
- [22] H.-T. Cheng, L. Koc, J. Harmsen, T. Shaked, T. Chandra, H. Aradhye, G. Anderson, G. Corrado, W. Chai, M. Ispir *et al.*, "Wide & deep learning for recommender systems," in *Proceedings of the 1st Workshop on Deep Learning for Recommender Systems*. ACM, 2016, pp. 7–10.