TEMPLATE Configuration

There are three ways to configure a template:

- Create from scratch
- Upload a Template (Word file)
- Modify/Edit a default template

1. Create template from scratch

User can design your own template from the beginning using the built-in Editor provided.



- Click the "**Create Document**" button.



- Then, click "**+ Add New Template**" button.



- Next, select "**Blank Document**".



- The editor will appear. You can now design your own template according to your requirements.

2. Upload a Template (Word File)

User can upload template in Word file format.



- Follow the previous steps until the template type selection screen appears. Then, select or click “Upload.”



- Only Word files can be selected for upload.



- Once uploaded, users can modify or adjust the template before saving it into the system.

3. Modify/Edit a default or existing template

Users can modify and edit the default or existing templates. Users may add new requirements or include additional data in the template as needed.



- Select the required template to edit or modify.



- Click the "**Modify/Edit**" button



- An editor will appear displaying the selected template. Users can then continue to modify or edit the template. After making the necessary changes, users can save the updated template.

Placeholder

A placeholder is a variable that will be replaced with actual data during the process. Users must follow the provided placeholder format to ensure the AI can correctly identify which parts of the template need to be replaced with process data.

{company_name}

- A placeholder can be any variable or string related to the data that needs to be substituted.
- Placeholders can be simple strings (e.g., company name, date, etc.) or can serve as prompts for more complex data.
- Placeholders are not limited to strings—they can also include mathematical formulas or equations to perform calculations based on the data in the report.



- The template contains placeholders that indicate where data should be inserted.
- For example, AI will extract relevant data and replace each placeholder with actual values:
    - {date_of_interview}: This placeholder will be replaced with the actual date of the interview, as found in the document.
    - {interviewers}: This placeholder will be replaced with the names of all interviewers. If there is more than one interviewer, the AI will list all names accordingly.
    - Example Template:
      Interview Date: {date_of_interview}
      Interviewers: {interviewers}
    - (After processing, it might look like:)
      Interview Date: 23 March 2024
      Interviewers: John Doe, Jane Smith



- If the template contains a table, AI can extract and list data according to the structure and example provided in the template.
- The AI will replace table-related placeholders with actual data, matching the columns and rows as shown in the sample template.
- Explanation:
    - Each placeholder within the table, e.g., {name} or {department}, will be filled with the actual values extracted from the document.
    - The AI will automatically generate multiple rows if the data contains more than one entry.