## commit

```
1. git rebase -i HEAD~3
    pick 81eeb6a LeetCode #77 Combinations
pick 0c936fc LeetCode #39 Combination Sum
    pick fc6c4d4 LeetCode #216 - Combination Sum III
    # Rebase cd87f17..fc6c4d4 onto cd87f17 (3 commands)
    # Commands:
       p, pick <commit> = use commit
       r, reword <commit> = use commit, but edit the commit message
      e, edit <commit> = use commit, but stop for amending
s, squash <commit> = use commit, but meld into previous commit
f, fixup <commit> = like "squash", but discard this commit's log message
x, exec <command> = run command (the rest of the line) using shell
b, break = stop here (continue rebase later with 'git rebase --continue')
       d, drop <commit> = remove commit
       1, label <label> = label current HEAD with a name
       t, reset <label> = reset HEAD to a label
       m, merge [-C <commit> | -c <commit>] <label> [# <oneline>]
                   create a merge commit using the original merge commit's message (or the oneline, if no original merge commit was
                   specified). Use -c <commit> to reword the commit message.
2.
                                           pick
                                                              edit
                                                                                  :wq
    pick 81eeb6a LeetCode #77 Combinations
pick 0c936fc LeetCode #39 Combination Sum
     edit fc6c4d4 LeetCode #216 - Combination Sum III
    # Rebase cd87f17..fc6c4d4 onto cd87f17 (3 commands)
    # Commands:
       p, pick <commit> = use commit
       r, reword <commit> = use commit, but edit the commit message
      e, edit <commit> = use commit, but stop for amending
s, squash <commit> = use commit, but meld into previous commit
f, fixup <commit> = like "squash", but discard this commit's log message
x, exec <command> = run command (the rest of the line) using shell
b, break = stop here (continue rebase later with 'git rebase --continue')
       d, drop <commit> = remove commit
       1, label <label> = label current HEAD with a name
      t, reset <label> = reset HEAD to a label
m, merge [-C <commit> | -c <commit>] <label> [# <oneline>]
                   create a merge commit using the original merge commit's message (or the oneline, if no original merge commit was specified). Use -c <commit> to reword the commit message.
    Stopped at fc6c4d4... LeetCode #216 - Combination Sum III You can amend the commit now, with
       git commit --amend
    Once you are satisfied with your changes, run
       git rebase --continue
                    git commit --amend
                                                                                                           :wa
       git commit --amend
     [detached HEAD c8b30c7] LeetCode #216 Combination Sum III
      Date: Fri Sep 11 16:50:59 2020 +0800
      2 files changed, 65 insertions(+)
                 git rebase --continue
5.
    $ git rebase --continue
     Successfully rebased and updated refs/heads/master.
```

6. git push -f

\$ git rebase --continue Successfully rebased and updated refs/heads/master.