

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
failed_test_cases	27.926 s	1	1	0	0	3	3	0	0

Tag	Scenario		Feature					
Name	T	P	F	S	Т	P	F	S
@failed_scenario	1	1	0	0	1	1	0	0

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	failed_test_cases	1	1	0	0	27.926 s

SCENARIOS SUMMARY -- 5 --




#	# Feature Name	Scenario Name	T	P	F	S	Duration
-	1 <u>failed_test_cases</u>	<u>TC_01</u>	3	3	0	0	27.920 s

DETAILED SECTION -- 6 --

failed_test_cases

PASSED	DURATION - 27.926 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 2:11:10.326 ÖS // 2	2:11:38.252 ÖS /	Pass - 1	1	Pass - 3	3
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

TC_01



#	Step / Hook Details	Status	Duration
1	Given user is on the google page	PASSED	19.013 s
2	And user search for "iphone" on the google	PASSED	7.320 s
3	Then verify test case fails	PASSED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.533 s
	failed_scenario		
	Cook was a man to the control of the		