# MetroCluster 配置的性能事件分析

Active IQ Unified Manager

NetApp
May 05, 2022

This PDF was generated from https://docs.netapp.com/zh-cn/active-iq-unified-manager/performance-checker/task_analyze_performance_incident_on_cluster_in_metrocluster.html on May 05, 2022. Always check docs.netapp.com for the latest.

# 目录

MetroCluster 配置的性能事件分析 . . . . . 1
分析 MetroCluster 配置中集群上的动态性能事件 . . . . . 1
分析 MetroCluster 配置中远程集群的动态性能事件 . . . . . 2

# MetroCluster 配置的性能事件分析

您可以使用 Unified Manager 分析 MetroCluster 配置的性能事件。您可以确定事件中涉及的工作负载，并查看建议的解决操作。

MetroCluster 性能事件可能是由于 _bully 工作负载过度利用集群之间的交换机间链路（ ISL ）或链路运行状况问题造成的。Unified Manager 可独立监控 MetroCluster 配置中的每个集群，而不考虑配对集群上的性能事件。

MetroCluster 配置中两个集群的性能事件也会显示在 Unified Manager 信息板页面上。您还可以查看 Unified Manager 的 " 运行状况 " 页面，以检查每个集群的运行状况并查看其关系。

## 分析 MetroCluster 配置中集群上的动态性能事件

您可以使用 Unified Manager 分析 MetroCluster 配置中检测到性能事件的集群。您可以确定所涉及的集群名称，事件检测时间以及 *bully"* 和 *_victim* 工作负载。

- 您需要的内容 *
- 您必须具有操作员，应用程序管理员或存储管理员角色。
- 对于 MetroCluster 配置，必须存在新的，已确认的或已废弃的性能事件。
- MetroCluster 配置中的两个集群必须由同一个 Unified Manager 实例监控。

步骤

1. 显示 * 事件详细信息 * 页面以查看有关事件的信息。
2. 查看事件问题描述以查看涉及的工作负载的名称以及涉及的工作负载数量。

   在此示例中， MetroCluster 资源图标为红色，表示 MetroCluster 资源处于争用状态。将光标置于图标上方可显示图标的问题描述。

   

3. 记下集群名称和事件检测时间，您可以使用这些名称和时间分析配对集群上的性能事件。
4. 在图表中，查看 *victim* 工作负载，确认其响应时间高于性能阈值。

   在此示例中，受影响的工作负载显示在悬停文本中。延迟图表简要显示了相关受影响工作负载的一致延迟模式。即使受影响工作负载的异常延迟触发了事件，一致的延迟模式也可能表明工作负载的性能在其预期范围内，但 I/O 峰值增加了延迟并触发了事件。




如果您最近在访问这些卷工作负载的客户端上安装了一个应用程序，并且该应用程序向这些工作负载发送大量 I/O ，则您可能预计这些应用程序的延迟会增加。如果工作负载的延迟恢复到预期范围内，则事件状态将更改为已废弃，并保持此状态 30 分钟以上，您可能会忽略此事件。如果事件正在进行，并且仍处于新状态，您可以对其进行进一步调查，以确定事件是否由其他问题引起。

5. 在工作负载吞吐量图表中，选择 * 大量工作负载 * 以显示抢占资源的工作负载。

   存在抢占资源的工作负载表示此事件可能是由于本地集群上的一个或多个工作负载过度利用 MetroCluster 资源所致。抢占资源的工作负载在写入吞吐量（ MB/ 秒）方面存在很大差异。

   此图表简要显示了工作负载的写入吞吐量（ MB/ 秒）模式。您可以查看写入 MB/ 秒模式以确定异常吞吐量，这可能表明工作负载过度利用 MetroCluster 资源。

   如果事件中不涉及抢占资源的工作负载，则事件可能是由集群之间具有链路的运行状况问题描述或配对集群上的性能问题描述引起的。您可以使用 Unified Manager 检查 MetroCluster 配置中两个集群的运行状况。您还可以使用 Unified Manager 检查和分析配对集群上的性能事件。

# 分析 MetroCluster 配置中远程集群的动态性能事件

## 您可以使用 Unified Manager 分析 MetroCluster 配置中远程集群上的动态性能事件。此分析有助于您确定远程集群上的事件是否在其配对集群上引发事件。

- 您需要的内容 *
- 您必须具有操作员，应用程序管理员或存储管理员角色。
- 您必须已分析 MetroCluster 配置中本地集群上的性能事件并获得事件检测时间。
- 您必须已检查性能事件中涉及的本地集群及其配对集群的运行状况并获取配对集群的名称。

步骤

1. 登录到监控配对集群的 Unified Manager 实例。
2. 在左侧导航窗格中，单击 * 事件 * 以显示事件列表。
3. 从 * 时间范围 * 选择器中，选择 * 最后一小时 * ，然后单击 * 应用范围 * 。
4. 在 * 筛选 * 选择器中，从左侧下拉菜单中选择 * 集群 * ，在文本字段中键入配对集群的名称，然后单击 * 应用筛选器 * 。

如果选定集群在过去一小时内未发生事件，则表示在其配对集群上检测到事件期间，集群未发生任何性能问题。

5. 如果选定集群在过去一小时内检测到事件，请将事件检测时间与本地集群上事件的事件检测时间进行比较。

   如果这些事件涉及抢占资源的工作负载，从而导致数据处理组件上发生资源争用，则其中一个或多个抢占资源的工作负载可能已在本地集群上引发此事件。您可以单击事件进行分析，并在事件详细信息页面上查看为解决该事件而建议的操作。

   如果这些事件不涉及抢占资源的工作负载，则它们不会对本地集群上的性能事件进行发生原因处理。

**Copyright Information**

Copyright © 2022 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

**Trademark Information**

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.