# 圖形介面和導覽路徑

## Active IQ Unified Manager

NetApp
May 05, 2022

This PDF was generated from https://docs.netapp.com/zh-tw/active-iq-unified-manager/performance-checker/concept_monitor_cluster_object_navigation.html on May 05, 2022. Always check docs.netapp.com for the latest.

# 目錄

圖形介面和導覽路徑 . . . . . 1
監控叢集物件導覽 . . . . . 1
監控叢集效能導覽 . . . . . 2
事件調查導覽 . . . . . 5

# 圖形介面和導覽路徑

Unified Manager具備絕佳的靈活度、可讓您以各種方式完成多項工作。在Unified Manager中工作時、您會發現許多導覽路徑。雖然無法顯示所有可能的導覽組合、但您應該熟悉一些較常見的案例。

## 監控叢集物件導覽

您可以監控Unified Manager所管理之任何叢集中所有物件的效能。監控儲存物件可提供叢集與物件效能的總覽、包括效能事件監控。您可以在高層級檢視效能和事件、也可以進一步調查任何物件效能和效能事件的詳細資料。

以下是許多可能的叢集物件導覽範例之一：

1. 在儀表板頁面中、檢閱效能容量面板中的詳細資料、以識別使用最大效能容量的叢集、然後按一下長條圖、瀏覽至該叢集的節點清單。
2. 識別具有最高效能容量使用值的節點、然後按一下該節點。
3. 在「節點/效能總管」頁面中、按一下「檢視與比較」功能表中的「此節點*上的*集合體」。
4. 識別使用最大效能容量的集合體、然後按一下該集合體。
5. 在Aggregate / Performance Explorer頁面中、按一下「檢視與比較」功能表中的「此**Aggregate**上的磁碟區」。
6. 識別使用最多IOPS的磁碟區。

您應該調查這些磁碟區、看看是否應該套用QoS原則或效能服務層級原則、或是變更原則設定、以便這些磁碟區不會在叢集上使用如此大的IOPS百分比。




# 監控叢集效能導覽

您可以監控Unified Manager管理的所有叢集效能。監控叢集提供叢集與物件效能的總覽、並包含效能事件監控功能。您可以在高層級檢視效能和事件、也可以進一步調查叢集、物件效能和效能事件的任何詳細資料。

這是許多可能的叢集效能導覽路徑的其中一個範例：

1. 在左導覽窗格中、按一下「儲存設備>* Aggregate *」。

2. 若要檢視這些集合體效能的相關資訊、請選取「Performance：All Aggregate」（效能：所有集合體）檢視。
3. 識別您要調查的Aggregate、然後按一下該Aggregate名稱以導覽至Aggregate / Performance Explorer頁面。
4. 或者、在「檢視與比較」功能表中選取其他物件以與此Aggregate進行比較、然後將其中一個物件新增至「比較」窗格。

   這兩個物件的統計資料都會顯示在計數器圖表中以供比較。

5. 在「檔案總管」頁面右側的「比較」窗格中、按一下其中一個計數器圖表中的「縮放檢視」、即可檢視該集合體效能歷程記錄的詳細資料。


Aggregates
Last updated: Nov 15, 2019, 1:18 PM
VIEW
Performance: All Aggregates
Search Aggregates
Filter
Assign Performance Threshold Policy
Clear Performance Threshold Policy
Scheduled Reports
Show / Hide
Status
Aggregate
Type
Latency
IOPS
MB/s
Performance Capacity Used
Utilization
aggr_evt
SSD
0.29 ms/op
3.79 IOPS
< 1 MB/s
< 1%
< 1%
aggr4
HDD
5.74 ms/op
14.4 IOPS
1.31 MB/s
6%
5%
aggr3
HDD
5.06 ms/op
3.06 IOPS
< 1 MB/s
6%
5%
meg_aggr2
HDD
10.4 ms/op
52.9 IOPS
7.28 MB/s
3%
2%
Aggregate / Performance : aggr4
Switch to Health View
Last updated: Nov 15, 2019, 1:20 PM
Summary
Explorer
Information
Compare the performance of associated objects and display detailed charts
TIME RANGE
Last 72 Hours
VIEW AND COMPARE
Aggregates on same Node
Filter
Aggregate
Late...
IOP...
MB/...
Perf...
aggr3
5.06 ...
3.06 ...
< 1 M...
6 %
aggr_evt
0.29 ...
3.79 ...
< 1 M...
< 1 %
Add
aggr_automation
0.27...
6.35 ...
< 1 M...
< 1 %
Add
Comparing
1 Additional Object
aggr4
aggr3
CHOOSE CHARTS
7 Charts Selected
Events for Aggregate: aggr4
No data to display
Latency
VIEW
Total
Zoom View
Latency – Total view (ms/op)
aggr4
7.15
aggr3
6.74
Nov 14, 2019, 6:39 AM
Latency for Aggregate: aggr4
Last updated: Nov 15, 2019, 1:23 PM
Event Timeline: aggr4
TIME RANGE
Last 72 Hours
Critical Events
Error Events
Warning Events
Information Events
No data to display
VIEW
Total
Comparing Objects
aggr4
aggr3
ms/op
25
20
15
10
5
0
Latency – Total view (ms/op)
aggr4
4.25
aggr3
3.97
Nov 14, 2019, 1:24 AM
Nov 13, 2019, 12:00 AM
Nov 13, 2019, 12:00 PM
Nov 14, 2019, 12:00 AM
Nov 14, 2019, 12:00 PM
Nov 15, 2019, 12:00 AM

# 事件調查導覽

Unified Manager事件詳細資料頁面可讓您深入瞭解任何效能事件。這在調查效能事件、疑難排解、以及微調系統效能時、都很有幫助。

視效能事件類型而定、您可能會看到兩種事件詳細資料頁面之一：

- 使用者定義和系統定義臨界值原則事件的事件詳細資料頁面
- 動態臨界值原則事件的事件詳細資料頁面

這是事件調查導覽的範例之一。

1. 在左側導覽窗格中、按一下*事件管理*。
2. 在「View（檢視）」功能表中、按一下*「Active Performance events（作用中效能事件
3. 按一下您要調查的事件名稱、就會顯示「事件詳細資料」頁面。
4. 檢視活動說明、並檢閱建議的行動（如適用）、以檢視更多有關事件的詳細資料、協助您解決問題。您可以按一下「分析工作負載」按鈕、顯示詳細的效能圖表、以協助進一步分析問題。


Event Management
Last updated: Nov 15, 2019, 11:23 AM
VIEW
Active performance events
Search Events
Filter 4
Assign To
Acknowledge
Mark as Resolved
Add Alert
Show / Hide
Triggered Time
Severity
State
Impact Lev
Impact Area
Name
Source
Source Ty
Nov 14, 2019, 11:39 AM
New
Risk
Performance
QoS Volume Peak IOP... Threshold Breached
vs2:/julia_feb12_vol3
Volume
Nov 14, 2019, 11:39 AM
New
Risk
Performance
QoS Volume Peak IOP... Threshold Breached
vs7:/julia_non_shared_3
Volume
Nov 15, 2019, 5:04 AM
New
Risk
Performance
QoS Volume Peak IOP... Threshold Breached
suchita_vmwar...nt_delete_01
Volume
Nov 15, 2019, 10:39 AM
New
Risk
Performance
Workload LUN Latency ...Service Level Policy
iscsi_boot:/is.../ocum-c220-01
LUN
Nov 15, 2019, 10:39 AM
New
Risk
Performance
Workload LUN Latency ...Service Level Policy
iscsi_boot:/is.../ocum-c220-07
LUN
Event: QoS Volume Peak IOPS/TB Warning Threshold Breached
(Last Seen: Nov 15, 2019, 11:19 AM)
IOPS value of 570 IOPS on policy group NSLM_vs7_Performance_2_0 has triggered a WARNING event to identify performance problems for the workloads in this policy group.
Actions
Suggested Actions to Fix The Issue
Troubleshoot
Analyze Workload
Take Action
This is an Adaptive QoS Policy that might be used by other workloads in the system.
If it is acceptable that changes you make to the QoS setting will be applied to other workloads that are using this policy,
Increase the threshold to 4950 IOPS/TB for this Adaptive QoS Policy.
If you are satisfied with the current limitation on workload throughput
Leave the QoS configuration setting as it is.
Event Information
EVENT TRIGGER TIME
Nov 14, 2019, 11:39 AM
SEVERITY
Warning
SOURCE
vs7:/julia_non_shared_3
STATE
New
IMPACT LEVEL
Risk
SOURCE TYPE
Volume
EVENT DURATION
1 day 40 minutes
IMPACT AREA
Performance
ON CLUSTER
ocum-mobility-01-02
LAST SEEN
Nov 15, 2019, 11:19 AM
AFFECTED OBJECTS COUNT
1
TRIGGERED POLICY
QoS Peak IOPS/TB threshold

**Copyright Information**

Copyright © 2022 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

**Trademark Information**

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.