インベントリファイルを操作します

Active IQ Digital Advisor

netapp-manishc, Reenu Jojo
February 13, 2021

This PDF was generated from https://docs.netapp.com/ja-jp/active-iq/concept_working_with_inventory_file.html on July 16, 2021. Always check docs.netapp.com for the latest.

目次

インベントリファイルを操作します 1
インベントリファイルの形式 1
インベントリファイルからクラスタを削除する 1

インベントリファイルを操作します

インベントリファイルは、ファームウェア更新の対象となるシステムのクラスタ管理 LIF　で構成されています。このリストには、ディスクとシェルフファームウェアのファイル名情報が該当する場合に表示されます。

サービスプロセッサファームウェアの更新の場合、インベントリファイルにノードのホスト名と SP / BMC IP が記録されます。

インベントリファイルの形式

次に、ディスクファームウェアとシェルフファームウェアの両方が更新されたインベントリファイルのサンプル形式を示します。

```
clusters:
  - clustername: <cluster management LIF-1>
    disk_fw_file: all.zip
    shelf_fw_file: all_shelf_fw.zip

  - clustername: <cluster management LIF-2>
    disk_fw_file: all.zip
    sp_nodes:
    - hostname: <node hostname 1>
      sp_fw_file: SP_FW_308-03990_11.5.zip
      sp_fw_type: bmc
      sp_fw_ver: '11.5'
      sp_ip: <BMC IP>
    - hostname: <node hostname 2>
      sp_fw_file: SP_FW_308-03991_5.8.zip
      sp_fw_type: sp
      sp_fw_ver: '5.8'
      sp_ip: <SP IP>
```

この例では、シェルフとディスクの両方のファームウェア更新を cluster-1 とディスクに適用し、 SP/BMC ファームウェアの更新を cluster-2 に適用できます。

インベントリファイルからクラスタを削除する

特定のクラスタにファームウェア更新を適用しない場合は、インベントリファイルからクラスタを削除できます。

たとえば、クラスタ　2　にディスクファームウェアの更新を適用しない場合は、次のコマンドを使用してインベントリファイルからその更新を削除できます。

```
clusters:
  - clustername: <cluster management LIF-1>
    disk_fw_file: all.zip
    shelf_fw_file: all_shelf_fw.zip
```

cluster-2 のすべてのデータが削除されたことを確認できます。

ディスクファームウェアの更新のみを、シェルフファームウェアの更新ではなく、 cluster-1 に適用する場合は、次のコマンドを使用します。

```
clusters:
  - clustername: <cluster management LIF-1>
    disk_fw_file: all.zip
```

cluster_firmware_fw_filekey と値が cluster-1 から削除されています。

手動によるクラスタまたはコントローラの追加はサポートされていません。

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.