設定の違いを特定

Active IQ Digital Advisor

NetApp
July 16, 2021

This PDF was generated from https://docs.netapp.com/ja-jp/active-iq/concept_overview_config_drift.html on July 16, 2021. Always check docs.netapp.com for the latest.

目次

設定の違いを特定 1
構成の偏差を把握する 1
設定ドリフトテンプレートを追加します 1
構成ドリフトテンプレートを比較します 1

設定の違いを特定

構成の偏差を把握する

Config Drift 機能は、システムテンプレートを「ゴールデン」またはベースシステムテンプレートと比較することで、設定の差異を特定します。毎週または毎月のドリフトレポートをスケジュールしたり、オンデマンドで生成したりできます。設定のドリフトレポートに含まれる Ansible プレイブックを使用して、一部の差異を軽減できます。

この機能は、 Advisor と Expert Support 契約を結んでいるシステムでのみ使用できます。

次の図を参考に、設定の違いを特定してレポートを生成するワークフローを把握してください。



設定ドリフトテンプレートを追加します

システム構成とクラスタ構成を比較し、設定の差異をほぼリアルタイムで検出するために、テンプレートを追加する必要があります。設定のドリフトテンプレートは、AutoSupport データを実行するシステムを使用して追加されます。

手順

1. 左側のペインで、 [Config Drift *] をクリックします。
2. [テンプレートの追加] をクリックします。
3. 必要な値を指定します。
4. オプション：「 * Edit * 」をクリックしてテンプレートを編集します。
5. [テンプレートの追加] をクリックします。

構成ドリフトテンプレートを比較します

システム構成とクラスタ構成を比較して、設定の違いをほぼリアルタイムで検出できます。

手順

1. 左側のペインで、 [Config Drift *] をクリックします。
2. 既存のテンプレートのいずれかを選択するか、 * テンプレートの追加 * をクリックして新しいテンプレートを追加します。
3. 構成ドリフトレポートを生成します

   レポートはすぐに生成することも、週単位または月単位で生成するようにスケジュール設定することもできます。

すぐにレポートを生成するには、次の手順を	レポートを週単位で生成するようにスケジュール設定するには、次の手順を実行します または月単位で指定します
1. カテゴリを選択し、レポートに必要な値を指定します。 2. [Submit （送信）] をクリックします。 3. "設定ドリフトレポートをダウンロードして表示します"。 4. 設定のドリフトレポートの一部として含まれる Ansible Playbook を実行し、ドリフトを軽減してください。	1. [レポートのスケジュール *] タブをクリックします。 2. カテゴリを選択し、レポートに必要な値を指定します。 3. レポートの頻度を選択します。 4. レポートの開始日と終了日を選択します。 5. [Submit （送信）] をクリックします。 6. "設定ドリフトレポートをダウンロードして表示します"。 7. 設定のドリフトレポートの一部として含まれる Ansible Playbook を実行し、ドリフトを軽減してください。

選択したシステム間の設定の偏差の詳細が記載された E メールが送信されます。

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.