叢集

Astra Automation 22.08

NetApp
December 15, 2022

This PDF was generated from https://docs.netapp.com/zh-tw/astra-automation-2208/workflows_infra/wf_list_clusters.html on December 15, 2022. Always check docs.netapp.com for the latest.

目錄

叢集 1
列出叢集 1
列出託管叢集 4

叢集

列出叢集

您可以在特定雲端中列出可用的叢集。

1.選取雲端

執行工作流程 "列出雲端" 然後選取包含叢集的雲端。

2.列出叢集

執行下列REST API呼叫、以列出特定雲端中的叢集。

HTTP方法	路徑
取得	/Account / {account_id} /拓撲/ v1/v雲端/ {雲端_id} /叢集

Curl範例：傳回所有叢集的所有資料

```
curl --location -i --request GET
'https://astra.netapp.io/accounts/<ACCOUNT_ID>/topology/v1/clouds/<CLOUD_I
D>/clusters' --header 'Accept: */*' --header 'Authorization: Bearer
<API_TOKEN>'
```

Json輸出範例


```
{
    "items": [
        {
            "type": "application/astra-cluster",
            "version": "1.1",
            "id": "7ce83fba-6aa1-4e0c-a194-26e714f5eb46",
            "name": "openshift-clstr-ol-07",
            "state": "running",
            "stateUnready": [],
            "managedState": "managed",
            "protectionState": "full",
            "protectionStateDetails": [],
            "restoreTargetSupported": "true",
            "snapshotSupported": "true",
            "managedStateUnready": [],
            "managedTimestamp": "2022-11-03T15:50:59Z",
            "inUse": "true",
            "clusterType": "openshift",
```

```
            "accHost": "true",
            "clusterVersion": "1.23",
            "clusterVersionString": "v1.23.12+6b34f32",
            "namespaces": [
                "default",
                "kube-node-lease",
                "kube-public",
                "kube-system",
                "metallb-system",
                "mysql",
                "mysql-clone1",
                "mysql-clone2",
                "mysql-clone3",
                "mysql-clone4",
                "netapp-acc-operator",
                "netapp-monitoring",
                "openshift",
                "openshift-apiserver",
                "openshift-apiserver-operator",
                "openshift-authentication",
                "openshift-authentication-operator",
                "openshift-cloud-controller-manager",
                "openshift-cloud-controller-manager-operator",
                "openshift-cloud-credential-operator",
                "openshift-cloud-network-config-controller",
                "openshift-cluster-csi-drivers",
                "openshift-cluster-machine-approver",
                "openshift-cluster-node-tuning-operator",
                "openshift-cluster-samples-operator",
                "openshift-cluster-storage-operator",
                "openshift-cluster-version",
                "openshift-config",
                "openshift-config-managed",
                "openshift-config-operator",
                "openshift-console",
                "openshift-console-operator",
                "openshift-console-user-settings",
                "openshift-controller-manager",
                "openshift-controller-manager-operator",
                "openshift-dns",
                "openshift-dns-operator",
                "openshift-etcd",
                "openshift-etcd-operator",
                "openshift-host-network",
                "openshift-image-registry",
                "openshift-infra",
```

```
                "openshift-ingress",
                "openshift-ingress-canary",
                "openshift-ingress-operator",
                "openshift-insights",
                "openshift-kni-infra",
                "openshift-kube-apiserver",
                "openshift-kube-apiserver-operator",
                "openshift-kube-controller-manager",
                "openshift-kube-controller-manager-operator",
                "openshift-kube-scheduler",
                "openshift-kube-scheduler-operator",
                "openshift-kube-storage-version-migrator",
                "openshift-kube-storage-version-migrator-operator",
                "openshift-machine-api",
                "openshift-machine-config-operator",
                "openshift-marketplace",
                "openshift-monitoring",
                "openshift-multus",
                "openshift-network-diagnostics",
                "openshift-network-operator",
                "openshift-node",
                "openshift-oauth-apiserver",
                "openshift-openstack-infra",
                "openshift-operator-lifecycle-manager",
                "openshift-operators",
                "openshift-ovirt-infra",
                "openshift-sdn",
                "openshift-service-ca",
                "openshift-service-ca-operator",
                "openshift-user-workload-monitoring",
                "openshift-vsphere-infra",
                "pcloud",
                "postgreql",
                "trident"
            ],
            "defaultStorageClass": "4bacbb3c-0727-4f58-b13c-3a2a069baf89",
            "cloudID": "4f1e1086-f415-4451-a051-c7299cd672ff",
            "credentialID": "7ffd7354-b6c2-4efa-8e7b-cf64d5598463",
            "isMultizonal": "false",
            "tridentManagedStateAllowed": [
                "unmanaged"
            ],
            "tridentVersion": "22.10.0",
            "apiServiceID": "98df44dc-2baf-40d5-8826-e198b1b40909",
            "metadata": {
                "labels": [
```

```
                        {
                            "name": "astra.netapp.io/labels/read-
only/cloudName",
                            "value": "private"
                        }
                    ],
                    "creationTimestamp": "2022-11-03T15:50:59Z",
                    "modificationTimestamp": "2022-11-04T14:42:32Z",
                    "createdBy": "00000000-0000-0000-0000-000000000000"
                }
            }
        ]
    }
```


列出託管叢集

您可以列出目前由Astra管理的Kubernetes叢集。

1.列出託管叢集

執行下列REST API呼叫。

HTTP方法	路徑
取得	/Account / {account_id} /拓撲/ v1/managedClusters

Curl範例：傳回所有叢集的所有資料

```
curl --location -i --request GET
'https://astra.netapp.io/accounts/<ACCOUNT_ID>/topology/v1/managedClusters
' --header 'Accept: */*' --header 'Authorization: Bearer <API_TOKEN>'
```

版權資訊

Copyright © 2022 NetApp, Inc. 版權所有。台灣印製。非經版權所有人事先書面同意，不得將本受版權保護文件的任何部分以任何形式或任何方法（圖形、電子或機械）重製，包括影印、錄影、錄音或儲存至電子檢索系統中。

由 NetApp 版權資料衍伸之軟體必須遵守下列授權和免責聲明：

此軟體以 NETAPP「原樣」提供，不含任何明示或暗示的擔保，包括但不限於有關適售性或特定目的適用性之擔保，特此聲明。於任何情況下，就任何已造成或基於任何理論上責任之直接性、間接性、附隨性、特殊性、懲罰性或衍生性損害（包括但不限於替代商品或服務之採購；使用、資料或利潤上的損失；或企業營運中斷），無論是在使用此軟體時以任何方式所產生的契約、嚴格責任或侵權行為（包括疏忽或其他）等方面，NetApp 概不負責，即使已被告知有前述損害存在之可能性亦然。

NetApp 保留隨時變更本文所述之任何產品的權利，恕不另行通知。NetApp 不承擔因使用本文所述之產品而產生的責任或義務，除非明確經過 NetApp 書面同意。使用或購買此產品並不會在依據任何專利權、商標權或任何其他 NetApp 智慧財產權的情況下轉讓授權。

本手冊所述之產品受到一項（含）以上的美國專利、國外專利或申請中專利所保障。

有限權利說明：政府機關的使用、複製或公開揭露須受 DFARS 252.227-7013（2014 年 2 月）和 FAR 52.227-19（2007 年 12 月）中的「技術資料權利 - 非商業項目」條款 (b)(3) 小段所述之限制。

此處所含屬於商業產品和 / 或商業服務（如 FAR 2.101 所定義）的資料均為 NetApp, Inc. 所有。根據本協議提供的所有 NetApp 技術資料和電腦軟體皆屬於商業性質，並且完全由私人出資開發。 美國政府對於該資料具有非專屬、非轉讓、非轉授權、全球性、有限且不可撤銷的使用權限，僅限於美國政府為傳輸此資料所訂合約所允許之範圍，並基於履行該合約之目的方可使用。除非本文另有規定，否則未經 NetApp Inc. 事前書面許可，不得逕行使用、揭露、重製、修改、履行或展示該資料。美國政府授予國防部之許可權利，僅適用於 DFARS 條款 252.227-7015(b)（2014 年 2 月）所述權利。

商標資訊

NETAPP、NETAPP 標誌及 http://www.netapp.com/TM 所列之標章均為 NetApp, Inc. 的商標。文中所涉及的所有其他公司或產品名稱，均為其各自所有者的商標，不得侵犯。