已知問題

Astra Control Center

NetApp
May 03, 2022

This PDF was generated from https://docs.netapp.com/zh-tw/astra-control-center/release-notes/known-issues-ads.html on May 03, 2022. Always check docs.netapp.com for the latest.

目錄

已知問題 1
還原應用程式會導致PV大小大於原始PV 1
使用特定版本的PostgreSQL時、應用程式複製失敗 1
使用服務帳戶層級OCP安全內容限制（SCC）時、應用程式複製失敗 1
應用程式複製在以設定的儲存類別部署應用程式之後失敗 1
使用Astra Control Center管理叢集失敗、因為預設的Kbeconfig檔案包含多個內容 2
當Astra Trident離線時、應用程式資料管理作業會因內部服務錯誤（500）而失敗 2
Snapshot控制器4.2.0版的快照可能會失敗 2
如需詳細資訊、請參閱 2
Astra Data Store預覽與此Astra Control Center版本的已知問題 2

已知問題

已知問題可識別可能導致您無法成功使用本產品版本的問題。

下列已知問題會影響目前的版本：

應用程式

- [Restore of an app results in PV size larger than original PV]
- [App clones fail using a specific version of PostgreSQL]
- [App clones fail when using Service Account level OCP Security Context Constraints (SCC)]
- [App clones fail after an application is deployed with a set storage class]

叢集

- [Managing a cluster with Astra Control Center fails when default kubeconfig file contains more than one context]

其他問題

- [App data management operations fail with Internal Service Error (500) when Astra Trident is offline]
- [Snapshots might fail with snapshot controller version 4.2.0]

還原應用程式會導致PV大小大於原始PV

如果您在建立備份之後調整持續磁碟區的大小、然後從該備份還原、則持續磁碟區大小將會與PV的新大小相符、而非使用備份的大小。

使用特定版本的PostgreSQL時、應用程式複製失敗

同一個叢集內的應用程式複製作業、會持續失敗、並顯示Bitnami PostgreSQL 11.5.0圖表。若要成功複製、請使用舊版或更新版本的圖表。

使用服務帳戶層級OCP安全內容限制（SCC）時、應用程式複製失敗

如果在OpenShift Container Platform叢集的命名空間中、於服務帳戶層級設定原始的安全性內容限制、則應用程式複製可能會失敗。當應用程式複製失敗時、它會出現在Astra Control Center的「託管應用程式」區域、狀態為「移除」。請參閱 "知識庫文章" 以取得更多資訊。

應用程式複製在以設定的儲存類別部署應用程式之後失敗

在以明確設定的儲存類別（例如「helm install …-set globe.storageClass = NetApp-CVs-perf-Extreme」）部署應用程式之後、後續嘗試複製應用程式時、必須讓目標叢集擁有原本指定的儲存類別。將具有明確設定儲存類別的應用程式複製到沒有相同儲存類別的叢集、將會失敗。在此案例中沒有任何恢復步驟。

使用Astra Control Center管理叢集失敗、因為預設的Kbeconfig檔案包含多個內容

您無法在其中使用多個叢集和內容的Kbeconfig。請參閱 "知識庫文章" 以取得更多資訊。

當Astra Trident離線時、應用程式資料管理作業會因內部服務錯誤（500）而失敗

如果應用程式叢集上的Astra Trident離線（並重新連線）、而且在嘗試應用程式資料管理時遇到500個內部服務錯誤、請重新啟動應用程式叢集中的所有Kubernetes節點、以還原功能。

Snapshot控制器4.2.0版的快照可能會失敗

使用Kubernetes Snapshot-Controller（也稱為exter-snapshotter）4.2.0版搭配Kubernetes 1.20或1.21時、快照最終可能會開始失敗。若要避免這種情況發生、請使用不同的 "支援的版本" Kubernetes版本1.20或1.21的外部快照功能（例如4.2.1版）。

1. 執行POST呼叫、將更新的Kbeconfig檔案新增至「/assignon」端點、並從回應本文擷取指派的「id」。
2. 使用適當的叢集ID從「/叢集」端點執行「PUT」呼叫、並將「credentialId」設定為上一步的「id」值。

完成這些步驟後、與叢集相關的認證資料會更新、叢集應重新連線並將其狀態更新為「可用」。

如需詳細資訊、請參閱

- "Astra Data Store prReview和此Astra Control Center版本的已知問題"
- "已知限制"

Astra Data Store預覽與此Astra Control Center版本的已知問題

已知問題可識別可能導致您無法成功使用本產品版本的問題。

下列已知問題會影響Astra資料儲存區的管理、目前版本的Astra控制中心版本如下：

由於MongoDB Pod活動探針故障、Astra Data Store預覽無法作為Astra Control Center的儲存類別使用

在Astra Control Center部署期間、當您嘗試使用Astra Data Store預覽做為儲存類別資源配置程式時、MongoDB Pod活動探針會失敗、導致部署無法完成。

若要修正此問題、請在完成時、除了標準的Y反 洗錢變更之外、進行下列變更 "Astra Control Center安裝程序"：

1. 編輯 "Astra Control Center營運者部署Yaml（Astra _control_center_oper_deploy、yaml）" 若要變更Helm安裝逾時：

```
- name: ACCOP_HELM_INSTALLTIMEOUT
  value: 20m
```

2. 編輯 "Astra Control Center自訂資源（CR）檔案（Astra _control_center_min.yaml）" 並在「最新資訊」下加入強調顯示的其他值：

```
apiVersion: astra.netapp.io/v1
kind: AstraControlCenter
metadata:
  name: astra
spec:
  accountName: "Example"
  astraVersion: "ASTRA_VERSION"
  astraAddress: "astra.example.com"
  autoSupport:
    enrolled: true
  email: "[admin@example.com]"
  firstName: "SRE"
  lastName: "Admin"
  imageRegistry:
    name: "[your_registry_path]"
    secret: "astra-registry-cred"
  storageClass: "ontap-gold"
  additionalValues:
    polaris-mongodb:
      mongodb:
        livenessProbe:
          initialDelaySeconds: 400
      metrics:
        livenessProbe:
          initialDelaySeconds: 400
```

如需詳細資訊、請參閱

- "已知問題"
- "已知限制"
- "Astra Data Store文件"

Copyright Information

Copyright © 2022 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.