Amazon S3 storage documentation

Amazon S3 storage

NetApp
March 07, 2023

This PDF was generated from https://docs.netapp.com/us-en/bluexp-s3-storage/index.html on March 07, 2023. Always check docs.netapp.com for the latest.

Table of Contents

Amazon S3 storage documentation . . . 1
What's new with Amazon S3 storage in BlueXP . . . 2
  5 March 2023 . . . 2
Get started . . . 3
  Viewing your Amazon S3 buckets . . . 3
Manage S3 buckets . . . 6
  Add S3 buckets . . . 6
  Change S3 bucket settings . . . 7
  Use NetApp data services with S3 buckets . . . 9
Knowledge and support . . . 11
  Register for support . . . 11
  Get help . . . 15
Legal notices . . . 21
  Copyright . . . 21
  Trademarks . . . 21
  Patents . . . 21
  Privacy policy . . . 21
  Open source . . . 21

Amazon S3 storage documentation

What’s new with Amazon S3 storage in BlueXP

Learn what’s new in Amazon S3 storage in BlueXP.

5 March 2023

Ability to add new buckets from BlueXP

You have had the ability to view Amazon S3 buckets on the BlueXP Canvas for quite a while. Now you can add new buckets and change properties for existing buckets directly from BlueXP. See how to add new Amazon S3 buckets.

Get started

Viewing your Amazon S3 buckets

After you install a Connector in AWS, BlueXP can automatically discover information about the Amazon S3 buckets that reside in the AWS account where the Connector is installed. An Amazon S3 working environment is added to the Canvas so you can view this information.

You can see details about your S3 buckets, including the region, access policy, account, total and used capacity, and more. These buckets can be used as destinations for Cloud Backup, Cloud Tiering, or Cloud Sync operations. Additionally, you can use Cloud Data Sense to scan these buckets.

Steps

1. Install a Connector in the AWS account where you want to view your Amazon S3 buckets.
2. From the navigation menu, select **Storage > Canvas**.

   You should automatically see your Amazon S3 working environment shortly after.

3. Click the working environment and select an action from the right pane if you want to enable BlueXP services with your S3 storage.



See which BlueXP services are available and learn how to use them with your S3 buckets.

4. Click **Enter Working Environment**, or double-click the working environment, to view details about the S3 buckets in your AWS account.



In addition to the columns that appear by default, you can scroll the page to view additional properties for the bucket; for example, the number of Tags, and whether Object Lock or Versioning have been enabled.

What's next

You can change some bucket settings directly from BlueXP by clicking ••• for a bucket. Go here for details.

You can add new S3 buckets by clicking **Add bucket**. Go here for details.

Manage S3 buckets

Add S3 buckets

Once your Amazon S3 working environment is available in the Canvas, you can add additional buckets directly from BlueXP.

Steps

1. From the Canvas, double-click the Amazon S3 working environment to view the Amazon S3 buckets Overview page, and click **Add bucket**.



The *Add bucket* page is displayed.



2. In the Add bucket page, enter the required information to create the bucket and click **Apply**.
   a. Enter the name you want to use for the bucket.
   b. Select the AWS account that will be the owner of the bucket. This can be the primary account where the Connector was deployed, or it can be a different account that you have added to BlueXP.

c. Select the AWS region where the bucket will be created.

d. Optionally, you can enable S3 object locking on the bucket to store objects using a write-once-read-many (WORM) model. If you plan to use object locking, you must enable it when creating the bucket. Enabling Object Lock also enables Versioning. Learn more about object locking from the Amazon S3 documentation.

   The bucket is created.

What's next

You can't manually configure Versioning, Tags, or Encryption when initially adding a bucket. After the bucket is created you can configure these other properties of the bucket. Learn more about changing bucket settings.

Change S3 bucket settings

Once your Amazon S3 working environment is available in the Canvas, you can change some bucket properties directly from BlueXP.

Note that you can't change the bucket name, AWS account, region, or object lock setting.

The bucket properties you can change include:

- Whether Versioning is enabled or disabled for all objects in the bucket.
- You can choose to apply tags to the objects that are added to the bucket.
- Whether or not new objects added to the bucket are Encrypted, and the option used for encryption.

You can change these bucket settings directly from BlueXP by clicking ••• > **Manage details** for a bucket.



Change the versioning setting

Versioning enables you to keep multiple versions of an object in a bucket so that you can restore objects that are accidentally deleted or overwritten. You can change the versioning setting for future objects when they are added to the bucket. Changing the versioning setting does not change the value for existing objects.

Versioning is disabled by default in new buckets created by BlueXP, unless you enabled Object Lock when you created the bucket. Learn more about versioning from the Amazon S3 documentation.

Once enabled, if you want to stop versioning temporarily or permanently, you can choose the "Suspended" state. You can't disable versioning once it has been enabled.



Add or change tags for objects in the bucket

Tags are metadata that you can use to group resources to identify applications, environments, regions, cloud providers, and more. Tags consists of a tag key and a tag value. You can add tags to a bucket so that the tags are applied to objects when they are added to the bucket. You can also change and delete tags and tag values.

Tags are disabled by default in new buckets created by BlueXP. Learn more about tagging from the Amazon S3 documentation.



After you add a tag, click **Apply** to save your changes. If you want to add more tags, click **Add new tag**. You can add up to 10 tags per bucket.

Change the encryption setting

Server-side encryption enables you to encrypt data at the Amazon S3 destination. Amazon S3 encrypts your data at the object level as it writes it to disk, and it decrypts it for you when you access it. You can change the encryption setting used for future objects when they are added to the bucket.

Encryption is enabled by default using "Amazon S3 managed keys (SSE-S3)" in new buckets created by BlueXP. Learn more about server-side encryption from the Amazon S3 documentation.

Alternatively, you can choose to enable encryption using the "AWS Key Management Service key (SSE-KMS)". Encryption is also possible using your own customer-provided keys (SSE-C), but this functionality is unavailable through the BlueXP UI - you'll need to use the Amazon interface.



If you choose "AWS Key Management Service key (SSE-KMS)", you can choose an AWS KMS key that you've already created, or you can use an AWS KMS key ARN (Amazon Resource Name).



Learn more about the AWS Key Management Service from the Amazon S3 documentation and about using customer keys versus AWS keys.

Use NetApp data services with S3 buckets

After you discover S3 buckets in BlueXP, you can use NetApp data services for backup, tiering, classification, and data synchronization.

- Use **Cloud Backup** to back up data from your on-premises ONTAP and Cloud Volumes ONTAP systems to S3 object storage.

  To get started, go to the Canvas and drag and drop an on-premises ONTAP or Cloud Volumes ONTAP working environment on your Amazon S3 working environment.

Learn more about backing up ONTAP data to Amazon S3 storage.

- Use **Cloud Tiering** to tier inactive data from on-premises ONTAP clusters to S3 object storage.

  To get started, go to the Canvas and drag and drop an on-premises ONTAP working environment on your Amazon S3 working environment.

  Learn more about tiering ONTAP data to Amazon S3 storage.

- Use **Cloud Sync** to synchronize data to or from S3 buckets.

  To get started, go to the Canvas and drag and drop the source working environment on the target working environment. Your Amazon S3 working environment can be either the source or target.

  You can also select your Amazon S3 working environment and click **Sync data** from the Services panel to synchronize data to or from S3 buckets.

  Learn more about the Cloud Sync service.

- Use **Cloud Data Sense** to scan your S3 buckets for personal and sensitive data. Cloud Data Sense can scan any bucket in the account, regardless of whether it was created for a NetApp solution.

  To get started, select your Amazon S3 working environment and select the appropriate option from the **Classification** section of the Services panel to initiate scanning of your S3 buckets.

  Learn more about the Cloud Data Sense service.

Knowledge and support

Register for support

Before you can open a support case with NetApp technical support, you need to add a NetApp Support Site (NSS) account to BlueXP and then register for support.

Support for cloud provider solutions

For technical support on the following cloud provider solutions you've integrated into BlueXP, refer to "Getting help" in the BlueXP documentation for that product.

- Amazon FSx for ONTAP
- Azure NetApp Files
- Cloud Volumes Service for Google Cloud

Support registration overview

There are two forms of registration to activate support entitlement:

- Registering your BlueXP account ID support subscription (your 20 digit 960xxxxxxxxx serial number located on the Support Resources page in BlueXP).

  This serves as your single support subscription ID for any service within BlueXP. Each BlueXP account-level support subscription must be registered.

- Registering the Cloud Volumes ONTAP serial numbers associated with a subscription in your cloud provider's marketplace (these are 20 digit 909201xxxxxxxx serial numbers).

  These serial numbers are commonly referred to as *PAYGO serial numbers* and get generated by BlueXP at the time of Cloud Volumes ONTAP deployment.

Registering both types of serial numbers enables capabilities like opening support tickets and automatic case generation.

How you register depends on whether you're a new or existing customer or partner.

- Existing customer or partner

  As an existing NetApp customer or partner, you can use your NetApp Support Site (NSS) SSO account to perform these registrations above. In the Support Dashboard, BlueXP provides an **NSS Management** page where you can add your NSS account. Once you add your NSS account, BlueXP automatically registers these serial numbers for you.

  Learn how to add your NSS account.

- New to NetApp

  If you're brand new to NetApp, you must complete a one-time registration of your BlueXP account ID serial number on NetApp's support registration site. Once you complete this registration and create a new NSS account, you can use this account in BlueXP to auto register going forward.

Learn how to register with NetApp.

Add an NSS account to BlueXP

The Support Dashboard enables you to add and manage your NetApp Support Site accounts for use with BlueXP.

- If you have a customer-level account, you can add one or more NSS accounts.
- If you have a partner or reseller account, you can add one or more NSS accounts, but they can't be added alongside customer-level accounts.

Steps

1. In the upper right of the BlueXP console, click the Help icon, and select **Support**.



2. Click **NSS Management > Add NSS Account**.
3. When you're prompted, click **Continue** to be redirected to a Microsoft login page.

   NetApp uses Microsoft Azure Active Directory as the identity provider for authentication services specific to support and licensing.

4. At the login page, provide your NetApp Support Site registered email address and password to perform the authentication process.

   These actions enable BlueXP to use your NSS account for things like license downloads, software upgrade verification, and future support registrations.

   Note the following:

   - The NSS account must be a customer-level account (not a guest or temp account). You can have multiple customer-level NSS accounts.
   - There can be only one NSS account if that account is a partner-level account. If you try to add customer-level NSS accounts and a partner-level account exists, you'll get the following error message:

     "The NSS customer type is not allowed for this account as there are already NSS Users of different type."

The same is true if you have pre-existing customer-level NSS accounts and try to add a partner-level account.

- Upon successful login, NetApp will store the NSS user name.

  This is a system-generated ID that maps to your email. On the **NSS Management** page, you can display your email from the ••• menu.

- If you ever need to refresh your login credential tokens, there is also an **Update Credentials** option in the ••• menu.

  Using this option prompts you to log in again. Note that the token for these accounts expire after 90 days. A notification will be posted to alert you of this.

Register with NetApp

How you register for NetApp support depends on whether you already have a NetApp Support Site (NSS) account.

Existing customer with an NSS account

If you're a NetApp customer with an NSS account, you simply need to register for support through BlueXP.

Steps

1. In the upper right of the BlueXP console, click the Help icon, and select **Support**.



2. If you haven't already done so, add your NSS account to BlueXP.
3. On the **Resources** page, click **Register for Support**.



Existing customer but no NSS account

If you're an existing NetApp customer with existing licenses and serial numbers but *no* NSS account, you just need to create an NSS account.

Steps

1. Create a NetApp Support Site account by completing the NetApp Support Site User Registration form
   a. Be sure to select the appropriate User Level, which is typically **NetApp Customer/End User**.
   b. Be sure to copy the BlueXP account serial number (960xxxx) used above for the serial number field. This will speed up the account processing.

Brand new to NetApp

If you are brand new to NetApp and you don't have an NSS account, follow each step below.

Steps

1. In the upper right of the BlueXP console, click the Help icon, and select **Support**.



2. Locate your account ID serial number from the Support Registration page.

3. Navigate to NetApp's support registration site and select **I am not a registered NetApp Customer**.
4. Fill out the mandatory fields (those with red asterisks).
5. In the **Product Line** field, select **Cloud Manager** and then select your applicable billing provider.
6. Copy your account serial number from step 2 above, complete the security check, and then confirm that you read NetApp's Global Data Privacy Policy.

   An email is immediately sent to the mailbox provided to finalize this secure transaction. Be sure to check your spam folders if the validation email doesn't arrive in few minutes.

7. Confirm the action from within the email.

Confirming submits your request to NetApp and recommends that you create a NetApp Support Site account.

8. Create a NetApp Support Site account by completing the NetApp Support Site User Registration form
   a. Be sure to select the appropriate User Level, which is typically **NetApp Customer/End User**.
   b. Be sure to copy the account serial number (960xxxx) used above for the serial number field. This will speed up the account processing.

After you finish

NetApp should reach out to you during this process. This is a one-time onboarding exercise for new users.

Once you have your NetApp Support Site account, you can navigate to BlueXP to add this NSS account for future registrations.

Get help

NetApp provides support for BlueXP and its cloud services in a variety of ways. Extensive free self-support options are available 24x7, such as knowledgebase (KB) articles and a community forum. Your support registration includes remote technical support via web ticketing.

Use self-support options

These options are available for free, 24 hours a day, 7 days a week:

- Knowledge base

  Search through the BlueXP knowledge base to find helpful articles to troubleshoot issues.

- Communities

  Join the BlueXP community to follow ongoing discussions or create new ones.

- Documentation

  The BlueXP documentation that you're currently viewing.

- Feedback email

  We value your input. Submit feedback to help us improve BlueXP.

Create a case with NetApp support

In addition to the self-support options above, you can work with a NetApp Support specialist to resolve any issues after you activate support.

Before you get started

To use the **Create a Case** capability, you must first perform a one-time registration of your BlueXP Account ID serial number (ie. 960xxxx) with NetApp. Learn how to register for support.

Steps

1. In BlueXP, click **Help > Support**.

2. On the **Resources** page, choose one of the available options under Technical Support:

   a. Click **Call Us** if you'd like to speak with someone on the phone. You'll be directed to a page on netapp.com that lists the phone numbers that you can call.

   b. Click **Create a Case** to open a ticket with a NetApp Support specialist:

      - **NetApp Support Site Account**: Select the applicable NSS account associated with the person opening the support case. This person will be the primary contact for NetApp to reach out to, in addition to the additional emails provided below.

        If you don't see your NSS account, you can navigate to the **NSS Management** tab within Support section of BlueXP to add it there.

      - **Service**: Select the service that the issue is associated with. For example, BlueXP when specific to a technical support issue with workflows or functionality within the service.
      - **Working Environment**: If applicable to storage, select **Cloud Volumes ONTAP** or **On-Prem** and then the associated working environment.

        The list of working environments are within scope of the BlueXP account, workspace, and Connector you have selected in the top banner of the service.

      - **Case Priority**: Choose the priority for the case, which can be Low, Medium, High, or Critical.

        To learn more details about these priorities, hover your mouse over the information icon next to the field name.

      - **Issue Description**: Provide a detailed description of your problem, including any applicable error messages or troubleshooting steps that you performed.
      - **Additional Email Addresses**: Enter additional email addresses if you'd like to make someone else aware of this issue.



After you finish

A pop-up will appear with your support case number. A NetApp Support specialist will review your case and get back to you soon.

For a history of your support cases, you can click **Settings > Timeline** and look for actions named "create support case." A button to the far right lets you expand the action to see details.

It's possible that you might encounter the following error message when trying to create a case:

"You are not authorized to Create a Case against the selected service"

This error could mean that the NSS account and the company of record it's associated with is not the same company of record for the BlueXP account serial number (ie. 960xxxx) or the working environment serial number. You can check your list of NSS accounts at the top of the **Create a Case** form to find the right match, or you can seek assistance using one of the following options:

- Use the in-product chat
- Submit a non-technical case at https://mysupport.netapp.com/site/help

Manage your support cases (Preview)

You can view and manage active and resolved support cases directly from BlueXP. You can manage the cases associated with your NSS account and with your company.

Case management is available as a Preview. We plan to refine this experience and add enhancements in upcoming releases. Please send us feedback by using the in-product chat.

Note the following:

- The case management dashboard at the top of the page offers two views:
  - The view on the left shows the total cases opened in the past 3 months by the user NSS account you provided.
  - The view on the right shows the total cases opened in the past 3 months at your company level based on your user NSS account.

  The results in the table reflect the cases related to the view that you selected.

- You can add or remove columns of interest and you can filter the contents of columns like Priority and Status. Other columns provide just sorting capabilities.

  View the steps below for more details.

- At a per-case level, we offer the ability to update case notes or close a case that is not already in Closed or Pending Closed status.

Steps

1. In BlueXP, click **Help > Support**.
2. Click **Case Management** and if you're prompted, add your NSS account to BlueXP.

   The **Case management** page shows open cases related to the NSS account that is associated with your BlueXP user account. This is the same NSS account that appears at the top of the **NSS management** page.

3. Optionally modify the information that displays in the table:
   - Under **Organization's cases**, click **View** to view all cases associated with your company.
   - Modify the date range by choosing an exact date range or by choosing a different time frame.



- Filter the contents of the columns.



- Change the columns that appear in the table by clicking + and then choosing the columns that you'd like to display.



4. Manage an existing case by clicking ••• and selecting one of the available options:
    - **View case**: View full details about a specific case.
    - **Update case notes**: Provide additional details about your problem.
    - **Close case**: Provide details about why you're closing the case and click **Close case**.



Legal notices

Legal notices provide access to copyright statements, trademarks, patents, and more.

Copyright

http://www.netapp.com/us/legal/copyright.aspx

Trademarks

NETAPP, the NETAPP logo, and the marks listed on the NetApp Trademarks page are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.

http://www.netapp.com/us/legal/netapptmlist.aspx

Patents

A current list of NetApp owned patents can be found at:

https://www.netapp.com/us/media/patents-page.pdf

Privacy policy

https://www.netapp.com/us/legal/privacypolicy/index.aspx

Open source

Notice files provide information about third-party copyright and licenses used in NetApp software.

Notice for BlueXP

Copyright information

Copyright © 2023 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

Trademark information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.