



# セキュリティとデータ暗号化

## Cloud Volumes ONTAP

NetApp  
April 13, 2022

# 目次

セキュリティとデータ暗号化.....	1
ネットアップの暗号化ソリューションによるボリュームの暗号化.....	1
ランサムウェアからの保護を強化.....	1

# セキュリティとデータ暗号化

## ネットアップの暗号化ソリューションによるボリュームの暗号化

Cloud Volumes ONTAP は、NetApp Volume Encryption (NVE) および NetApp Aggregate Encryption (NAE) をサポートしています。NVE と NAE は、(FIPS) 140-2 に準拠したボリュームの保管データ暗号化を可能にするソフトウェアベースのソリューションです。"[これらの暗号化ソリューションの詳細については、こちらをご覧ください](#)"。

NVE と NAE はどちらも外部キー管理機能でサポートされています。NVE を使用する場合、Azure Key Vault (AKV) または Google Cloud Key Management Service を使用して ONTAP 暗号化キーを保護することもできます。

外部キー管理ツールを設定すると、新しいアグリゲートで NAE がデフォルトで有効になります。NAE アグリゲートに含まれない新しいボリュームでは、NVE がデフォルトで有効になります (たとえば、外部キー管理ツールを設定する前に作成された既存のアグリゲートがある場合)。

Cloud Volumes ONTAP はオンボードキー管理をサポートしていません。

Cloud Volumes ONTAP システムがネットアップサポートに登録されている必要があります。ネットアップサポートに登録されている各 Cloud Volumes ONTAP システムには、NetApp Volume Encryption ライセンスが自動的にインストールされます。

- "[Cloud Manager へのネットアップサポートサイトのアカウントの追加](#)"
- "[従量課金制システムの登録](#)"



Cloud Manager は、中国地域のシステムに NVE ライセンスをインストールしません。

### 手順

1. でサポートされているキー管理ツールのリストを確認します "[NetApp Interoperability Matrix Tool で確認できます](#)"。



Key Managers \* ソリューションを検索します。

2. "[Cloud Volumes ONTAP CLI に接続します](#)"。
3. 外部キー管理を設定

"[手順については、ONTAP のドキュメントを参照してください](#)"。


## ランサムウェアからの保護を強化

ランサムウェア攻撃は、ビジネス時間、リソース、評判を低下させる可能性があります。Cloud Manager では、ランサムウェアに対応したネットアップソリューションを実

装できます。これにより、可視化、検出、修復のための効果的なツールが提供されます。

#### 手順

1. 作業環境で、「\* ランサムウェア \*」アイコンをクリックします。



2. ネットアップのランサムウェア向けソリューションを導入する：
  - a. Snapshot ポリシーが有効になっていないボリュームがある場合は、\* Snapshot ポリシーのアクティブ化 \* をクリックします。

NetApp Snapshot テクノロジは、ランサムウェアの修復に業界最高のソリューションを提供します。リカバリを成功させるには、感染していないバックアップからリストアすることが重要です。Snapshot コピーは読み取り専用であり、ランサムウェアによる破損を防止します。単一のファイルコピーまたは完全なディザスタリカバリソリューションのイメージを作成する際の単位を提供することもできます。
  - b. FPolicy のアクティブ化 \* をクリックして ONTAP の FPolicy ソリューションを有効にします。これにより、ファイルの拡張子に基づいてファイル操作をブロックできます。

この予防ソリューションは、ランサムウェア攻撃からの保護を強化する一般的なランサムウェアファイルタイプをブロックします。

デフォルトの FPolicy スコープは、次の拡張子を持つファイルをブロックします。

マイクロ、暗号化、ロック、暗号化、暗号化、暗号化 crinf、r5a、XRNT、XTBL、R16M01D05、pzdc、good、LOL!、OMG!、RDM、RRK、encryptedRS、crjoker、enciphered、LeChiffre



Cloud Manager では、Cloud Volumes ONTAP で FPolicy をアクティブ化するときこのスコープを作成します。このリストは、一般的なランサムウェアのファイルタイプに基づいています。ブロックされるファイル拡張子をカスタマイズするには、Cloud Volumes ONTAP CLI から `_vserver fpolicy policy scope_` コマンドを使用します。

## Ransomware Protection

Ransomware attacks can cost a business time, resources, and reputation. The NetApp solution for ransomware provides effective tools for visibility, detection, and remediation. [Learn More](#)

### 1 Enable Snapshot Copy Protection ⓘ



**1 Volumes without a Snapshot Policy**

To protect your data, activate the default Snapshot policy for these volumes ⓘ

Activate Snapshot Policy

### 2 Block Ransomware File Extensions ⓘ



ONTAP's native FPolicy configuration monitors and blocks file operations based on a file's extension.

[View Denied File Names ⓘ](#)

Activate FPolicy

## Copyright Information

Copyright © 2022 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

## Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.