■ NetApp

Manage E-Series clusters

E-Series

NetApp September 15, 2022

This PDF was generated from https://docs.netapp.com/us-en/cloud-manager-e-series/task-view-e-series.html on September 15, 2022. Always check docs.netapp.com for the latest.

Table of Contents

| Manage E-Series clusters |
 | 1 |
|--|------|------|------|------|------|------|------|------|------|------|------|---|
| View your E-Series systems |
 | 1 |
| Remove an E-Series working environment |
 | 2 |


Manage E-Series clusters

View your E-Series systems


After you discover your E-Series systems, you can view details about capacity distribution, volumes, and hosts.

Steps


- 1. From the Canvas, double-click the name of the E-Series working environment that you want to view.
- 2. Select any of the tabs to view more details about your E-Series system:
 - **Overview**: A detailed view of the system's capacity distribution (allocated, free, and unassigned capacity), the number of volumes, hosts, and more.



 Volumes: Details about the volumes on the system, including assignment, RAID level, allocated capacity, and more.



Hosts: Details about the hosts that send I/O to a volume on the storage system.




Remove an E-Series working environment

Remove an E-Series working environment if you no longer want to manage it from Cloud Manager.

Removing the working environment doesn't affect the E-Series system. You can rediscover it from Cloud Manager at any time.

Steps

- 1. From the Canvas, double-click the name of the E-Series working environment.
- 2. Click the menu icon and select Remove from Workspace.



3. Click Remove to confirm.

Copyright Information

Copyright © 2022 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.