查看有关系统事件的信息

Element Software

NetApp
May 17, 2022

This PDF was generated from https://docs.netapp.com/zh-cn/element-software/storage/reference_monitor_event_types.html on May 17, 2022. Always check docs.netapp.com for the latest.

目录

查看有关系统事件的信息 1
了解更多信息 1
事件类型 1

查看有关系统事件的信息

您可以查看有关在系统中检测到的各种事件的信息。系统每 30 秒刷新一次事件消息。事件日志显示集群的关键事件。

1. 在 Element UI 中，选择 * 报告 * > * 事件日志 * 。

   对于每个事件，您都会看到以下信息：

项目	Description
ID	与每个事件关联的唯一 ID 。
事件类型	所记录的事件类型，例如 API 事件或克隆事件。
message	与事件关联的消息。
详细信息	有助于确定事件发生原因的信息。
服务 ID	报告事件的服务（如果适用）。
Node	报告事件的节点（如果适用）。
驱动器 ID	报告事件的驱动器（如果适用）。
事件时间	事件发生的时间。

了解更多信息

事件类型

事件类型

系统会报告多种类型的事件；每个事件都是系统已完成的一项操作。事件可以是例行事件，正常事件或需要管理员注意的事件。"Event Log" 页面上的 "Event Types" 列指示系统中发生事件的部分。

> 系统不会在事件日志中记录只读 API 命令。

以下列表介绍了事件日志中显示的事件类型：

- apiEvent*

  用户通过 API 或 Web UI 启动的事件，用于修改设置。

- * 二进制分配事件 *

  与数据箱分配相关的事件。箱本质上是保存数据的容器，并在整个集群中进行映射。

- **binSyncEvent**

  与在块服务之间重新分配数据相关的系统事件。

- * bsCheckEvent*

  与块服务检查相关的系统事件。

- * bsKillEvent*

  与块服务终止相关的系统事件。

- * bulkOpEvent*

  与对整个卷执行的操作相关的事件，例如备份，还原，快照或克隆。

- * cloneEvent*

  与卷克隆相关的事件。

- * clusterMasterEvent*

  集群初始化或集群配置更改时显示的事件，例如添加或删除节点。

- 【csum_event】* cSumEvent*

  与端到端校验和验证期间检测到校验和不匹配相关的事件。

  检测到校验和不匹配的服务会在生成此事件后自动停止且不重新启动。

- * 数据事件 *

  与读取和写入数据相关的事件。

- * dbEvent*

  与集群中的集合节点维护的全局数据库相关的事件。

- * 驱动器事件 *

  与驱动器操作相关的事件。

- * 加密 AtRestEvent*

  与集群上的加密过程相关的事件。

- * 信号群事件 *

  与增加或减少集合中的节点数相关的事件。

- * fibreChannelEvent*

  与节点配置和连接相关的事件。

- * gcEvent*

  与进程相关的事件每 60 分钟运行一次，用于回收块驱动器上的存储。此过程也称为垃圾收集。

- * ieEvent*

  内部系统错误。

- * 安装事件 *

  自动软件安装事件。正在待定节点上自动安装软件。

- * iSCSIEvent *

  与系统中的 iSCSI 问题相关的事件。

- * 限制事件 *

  与帐户或集群中接近允许的最大数量的卷或虚拟卷数相关的事件。

- * 维护模式事件 *

  与节点维护模式相关的事件，例如禁用节点。

- 【网络事件】网络事件

  与每个物理网络接口卡(NIC)接口的网络错误报告相关的事件。

  如果接口的任何错误计数在10分钟的监控间隔内超过默认阈值1000、则会触发这些事件。这些事件适用于网络错误、例如收到的未命中、循环冗余检查(CRC)错误、长度错误、溢出错误和帧错误。

- * platformHardwareEvent*

  与在硬件设备上检测到的问题相关的事件。

- * 远程集群事件 *

  与远程集群配对相关的事件。

- * 计划程序事件 *

  与计划快照相关的事件。

- * 服务事件 *

  与系统服务状态相关的事件。

- * sliceEvent*

  与分区服务器相关的事件，例如删除元数据驱动器或卷。

有三种类型的分区重新分配事件，其中包括有关分配卷的服务的信息：

- 翻转：将主服务更改为新的主服务

```
sliceID oldPrimaryServiceID->newPrimaryServiceID
```

- 移动：将二级服务更改为新的二级服务

```
sliceID {oldSecondaryServiceID(s)}->{newSecondaryServiceID(s)}
```

- 修剪：从一组服务中删除卷

```
sliceID {oldSecondaryServiceID(s)}
```

- * snmpTrapEvent*

  与 SNMP 陷阱相关的事件。

- * statEvent*

  与系统统计信息相关的事件。

- * tsEvent*

  与系统传输服务相关的事件。

- * 未预期异常 *

  与意外系统异常相关的事件。

- **ureEvent**

  与从存储设备读取时发生的不可恢复读取错误相关的事件。

- * vasaProviderEvent*

  与 VASA （ vSphere 存储感知 API ）提供程序相关的事件。

Copyright Information

Copyright © 2022 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.