ストレージクラスタのボリュームを監視する

HCI

Ann-Marie Grissino, Dave Bagwell, Aksel Davis, Michael Wallis
June 21, 2021

This PDF was generated from https://docs.netapp.com/ja-jp/hci/docs/task_hcc_volumes.html on July 01, 2021. Always check docs.netapp.com for the latest.

目次

ストレージクラスタのボリュームを監視する 1

ストレージクラスタのボリュームを監視する

SolidFire システムは、ボリュームを使用してストレージをプロビジョニングします。ボリュームは、 iSCSI または Fibre Channel クライアントがネットワーク経由でアクセスするブロックデバイスです。ボリュームに関連付けられているアクセスグループ、アカウント、イニシエータ、使用済み容量、 Snapshot データ保護のステータス、 iSCSI セッションの数、およびサービス品質（ QoS ）ポリシーに関する詳細を監視できます。

また、アクティブボリュームと削除されたボリュームの詳細も確認できます。

このビューでは、最初に使用済み容量の列を監視することを推奨します。

この情報にアクセスできるのは、 NetApp Hybrid Cloud Control の管理者権限がある場合のみです。

手順

1. Web ブラウザを開き、管理ノードの IP アドレスにアクセスします。例：

   ```
   https://[management node IP address]
   ```

2. NetApp HCI ストレージクラスタ管理者のクレデンシャルを指定して NetApp Hybrid Cloud Control にログインします。
3. 左側のナビゲーション青いボックスで、 NetApp HCI のインストールを選択します。

   Hybrid Cloud Control Dashboard が表示されます。

4. 左側のナビゲーションで、クラスタを選択し、 * Storage * > * Volumes * を選択します。

   [HCC Volumes （ HCC ボリューム）ページ > Overview （概要）タブの画像] |

hcc_volumes_overview_active.png

5. Volumes （ボリューム）ページで、次のオプションを使用します。

   [HCC Volumes ページのアイコン] | *hcc_volumes_icons.png*

   a. [* フィルタ * （ * Filter * ）] アイコンをクリックして、結果をフィルタ処理します。
   b. 列を非表示または表示するには、 * 非表示 / 表示 * アイコンをクリックします。
   c. [更新 * （ Refresh ）] アイコンをクリックして、データを更新します。
   d. 「 * ダウンロード * 」アイコンをクリックして CSV ファイルをダウンロードします。

6. 使用済み容量の列を監視します。警告、エラー、または重大のしきい値に達すると、使用済み容量のステータスが色で示されます。

   a. 警告 - 黄色
   b. エラー - オレンジ
   c. Critical - 赤

7. ボリュームビューで、タブをクリックしてボリュームのその他の詳細を確認します。

   a. * アクセスグループ * ：イニシエータから一連のボリュームにマッピングされたボリュームアクセスグループを表示して、アクセスを保護できます。

      については、を参照してください "ボリュームアクセスグループ"。

   b. * アカウント * ：クライアントがノード上のボリュームに接続できるようにするユーザアカウントを表示できます。ボリュームには、作成時に特定のユーザアカウントが割り当てられます。

      については、を参照してください "NetApp HCI ユーザアカウント"。

   c. * イニシエータ * ：ボリュームの iSCSI イニシエータ IQN または Fibre Channel WWPN を確認できます。アクセスグループに追加された各 IQN は、 CHAP 認証なしでグループ内の各ボリュームにアクセスできます。アクセスグループに追加された各 WWPN は、アクセスグループ内のボリュームへの Fibre Channel ネットワークアクセスを許可します。

   d. * QoS ポリシー * ：ボリュームに適用されている QoS ポリシーを確認できます。QoS ポリシーは、最小 IOPS 、最大 IOPS 、バースト時の IOPS の標準的な設定を複数のボリュームに適用します。

      については、を参照してください "パフォーマンスポリシーと QoS ポリシー"。

詳細については、こちらをご覧ください

- "SolidFire および Element のドキュメント"
- "vCenter Server 向け NetApp Element プラグイン"
- "NetApp HCI のリソースページ"

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.