# 管理ノードの OS とサービスのバージョンを確認

## HCI

Dave Bagwell, Aksel Davis, Ann-Marie Grissino
June 21, 2021

This PDF was generated from https://docs.netapp.com/ja-jp/hci/docs/task_mnode_api_find_mgmt_svcs_version.html on July 01, 2021. Always check docs.netapp.com for the latest.

# 目次

管理ノードの OS とサービスのバージョンを確認 . . . . . 1
API コマンド . . . . . 1
REST API の UI の手順 . . . . . 1

# 管理ノードの OS とサービスのバージョンを確認

管理ノードで REST API を使用して、管理ノードの OS 、管理サービスバンドル、および個々のサービスのバージョン番号を確認できます。

必要なもの

- クラスタで NetApp Element ソフトウェア 11.3 以降が実行されている必要があります。
- バージョン 11.3 以降を実行する管理ノードを導入しておきます。

オプション（ **Options** ）

- [API commands]
- [REST API UI steps]

## API コマンド

- 管理ノードで実行されている管理ノードの OS 、管理サービスバンドル、および管理ノードの API （ mnode-API ）サービスに関するバージョン情報を取得します。

```
curl -X GET "https://<managementNodeIP>/mnode/about" -H  "accept:
application/json"
```

- 管理ノードで実行されている個々のサービスに関するバージョン情報を取得します。

```
curl -X GET "https://<managementNodeIP>/mnode/services?status=running"
-H  "accept: */*" -H  "Authorization: Bearer <ID>"
```

API で使用されるベアラー ID は、 get コマンドを実行して curl 応答から取得することによって確認できます。

## REST API の UI の手順

1. 管理ノードの IP アドレスのあとに「 /mnode/ 」を入力して、サービスの REST API UI にアクセスします。

```
https://<managementNodeIP>/mnode/
```

2. 次のいずれかを実行します。
   - 管理ノードで実行されている管理ノードの OS 、管理サービスバンドル、および管理ノードの API （ mnode-API ）サービスに関するバージョン情報を取得します。
     i. [**Get/About**] を選択します。

ii. [* 試してみてください * ] を選択します。

iii. [* Execute] を選択します。

管理サービスのバンドルバージョン（「 mnode_bundle_version 」）、管理ノードの OS バージョン（「 os_version 」）、および管理ノードの API バージョン（「 version 」）が応答の本文に示されます。

- 管理ノードで実行されている個々のサービスに関するバージョン情報を取得します。

  i. [**get/services**] を選択します。

  ii. [* 試してみてください * ] を選択します。

  iii. ステータスを「 * Running * 」と選択します。

  iv. [* Execute] を選択します。

  管理ノードで実行されているサービスは応答の本文に示されます。

# 詳細については、こちらをご覧ください

- "vCenter Server 向け NetApp Element プラグイン"
- "NetApp HCI のリソースページ"

**Copyright Information**

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

**Trademark Information**

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.