管理サービスからログを取得しています

HCI

Aksel Davis, Ann-Marie Grissino, Dave Bagwell
June 21, 2021

This PDF was generated from https://docs.netapp.com/ja-jp/hci/docs/task_mnode_logs.html on July 01, 2021. Always check docs.netapp.com for the latest.

目次

管理サービスからログを取得しています 1

管理サービスからログを取得しています

REST　API　を使用して、管理ノードで実行されているサービスからログを取得できます。すべてのパブリックサービスからログを取得したり、特定のサービスを指定したりできます。また、クエリパラメータを使用して、取得する内容を細かく絞り込むこともできます。

必要なもの

- クラスタで NetApp Element ソフトウェア 11.3 以降を実行している必要があります。
- バージョン 11.3 以降を実行する管理ノードを導入しておきます。

手順

1. 管理ノードで REST API UI を開きます。

```
https://[managementNodeIP]/mnode
```

2. 「 * Authorize *（認証）」または任意のロックアイコンを選択し、次の手順を実行します。
   a. クラスタのユーザ名とパスワードを入力します。
   b. mnode-client の値がまだ入力されていない場合は、クライアント ID を入力します。
   c. セッションを開始するには、 * Authorize * を選択します。
   d. ウィンドウを閉じます。
3. 「 * get/logs * 」を選択します。
4. [* 試してみてください *] を選択します。
5. 次のパラメータを指定します。
   - 「 Lines 」：ログから返される行数を入力します。このパラメータは整数で、デフォルトは 1000 です。

     Lines を 0 に設定して、ログコンテンツの履歴全体を要求しないでください。

   - [`ince] ：サービスログの開始時点の ISO-8601 タイムスタンプを追加します。

     より広いタイムパンのログを収集する場合は、妥当な「 ince」 パラメータを使用してください。

   - 「 service-name 」：サービス名を入力します。

     管理ノード上のサービスを一覧表示するには 'get/services' コマンドを使用します

   - 'setp` ：停止したサービスからログを取得するには 'true' に設定します
6. [* Execute] を選択します。

詳細はこちら

- "vCenter Server 向け NetApp Element プラグイン"
- "NetApp HCI のリソースページ"

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.