NetApp HCI クレデンシャルを設定する

HCI

Michael Wallis, Dave Bagwell, Aksel Davis, Ann-Marie Grissino
June 21, 2021

This PDF was generated from https://docs.netapp.com/ja-jp/hci/docs/task_nde_configure_credentials.html on July 01, 2021. Always check docs.netapp.com for the latest.

目次

NetApp HCI クレデンシャルを設定する 1

NetApp HCI クレデンシャルを設定する

導入時に、新しく導入する VMware vSphere 環境、 NetApp HCI のコンピューティングリソースとストレージリソース、および管理ノードで使用する一連のクレデンシャルを定義します。既存の vSphere 環境に NetApp HCI を導入する場合、既存の vCenter Server にこれらのクレデンシャルは適用されません。

NetApp HCI Deployment Engine で設定するクレデンシャルについては、次の点に注意してください。

- * NetApp Hybrid Cloud Control （ HCC ）または Element UI * ：導入の成功時に NetApp HCC または Element ユーザインターフェイスにログインするには、この導入手順で指定したユーザ名とパスワードを使用します。
- **VMware vCenter**: vCenter にログインするには (展開の一部としてインストールされている場合) 、ユーザ名にサフィックス @vsphere. local またはビルトイン Administrator@vsphere.loca l のユーザアカウント、およびこの展開手順で指定されているパスワードを使用します。
- **VMware ESXi** ：コンピューティング・ノードで ESXi にログインするには ' ユーザー名 root と ' この導入手順で指定されているパスワードを使用します

VMware vCenter インスタンスと連携するために、 NetApp Hybrid Cloud Control では次のいずれかを使用します。

- 導入の一環としてインストールされた vCenter インスタンス上の組み込みの「 Administrator@vsphere.loca 」ユーザアカウント。
- 既存の VMware vCenter Server への NetApp HCI 環境の接続に使用した vCenter クレデンシャル。

手順

1. [**Credentials]** ページで、 **[*User Name**] フィールドにユーザ名を入力します。
2. [* パスワード *] フィールドにパスワードを入力します。パスワードは、「 * Password must contain * 」ボックスに表示されるパスワード基準に準拠している必要があります。
3. パスワードの再入力 * フィールドにパスワードを確認します。
4. [* Continue （続行）] をクリックします

詳細については、こちらをご覧ください

- "NetApp HCI および NetApp Element のファームウェアとドライバのバージョン ソフトウェア"
- vCenter と ESXi のクレデンシャルをあとで更新する場合は、を参照してください "vCenter または ESXi のクレデンシャルを更新します"。

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.