NetApp HCI 実装の Rancher を監視する

HCI

Ann-Marie Grissino, Aksel Davis, Dave Bagwell
June 21, 2021

This PDF was generated from https://docs.netapp.com/ja-jp/hci/docs/task_rancher_monitor.html on July 01, 2021. Always check docs.netapp.com for the latest.

目次

NetApp HCI 実装の Rancher を監視する . . . 1
NetApp Hybrid Cloud Control を使用してランチャを監視します . . . 1
Rancher UI を使用して Rancher を監視します . . . 1
NetApp Active IQ を使用してランチを監視 . . . 2
vCenter Server を使用してランチ元を監視する . . . 2

NetApp HCI 実装の Rancher を監視する

Rancher サーバ、管理クラスタ、およびその他の詳細を監視する方法は複数あります。

- NetApp Hybrid Cloud Control の略
- Rancher UI
- NetApp Active IQ の略
- vCenter Server の各サービスを提供

NetApp Hybrid Cloud Control を使用してランチャを監視します

NetApp Hybrid Cloud Control を使用して、 rancher URL と rancher サーバクラスタのステータスを確認できます。Rancher が実行されているノードを監視することもできます。

1. Element ストレージクラスタ管理者のクレデンシャルを指定して NetApp Hybrid Cloud Control にログインします。
2. ダッシュボードで右上のオプションアイコンをクリックし、 * 構成 * を選択します。



3. ノード情報を表示するには、 Hybrid Cloud Control Dashboard でストレージクラスタの名前を展開し、 * Nodes * をクリックします。

Rancher UI を使用して Rancher を監視します

Rancher UI を使用すると、 NetApp HCI 管理クラスタおよびユーザクラスタ上の rancher に関する情報を確認できます。

> Rancher UI では、管理クラスタを「ローカルクラスタ」と呼びます。

1. Rancher 展開の最後に提供された URL を使用して、 rancher UI にアクセスします。
2. を参照してください "Rancher v2.5 でのモニタリング"。

NetApp Active IQ を使用してランチを監視

NetApp Active IQ を使用すると、インストール情報、ノード、クラスタ、ステータス、ネームスペース情報などのランチツール計測データを表示できます。

1. Element ストレージクラスタ管理者のクレデンシャルを指定して NetApp Hybrid Cloud Control にログインします。
2. 右上のメニューから * NetApp Active IQ * を選択します。

vCenter Server を使用してランチ元を監視する

vCenter Server を使用すると、 Rancher 仮想マシンを監視できます。

詳細については、こちらをご覧ください

- "アーキテクチャに関する Rancher ドキュメント"
- "Rancher 用の Kubernetes 用語"
- "vCenter Server 向け NetApp Element プラグイン"
- "NetApp HCI のリソースページ"

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.