Backups APIs

NetApp Keystone

Reenu Jojo, Manini Mandal
June 10, 2021

This PDF was generated from https://docs.netapp.com/us-en/keystone/seapiref_backups_apis.html on June 11, 2021. Always check docs.netapp.com for the latest.

Table of Contents

Backups APIs 1

Backups APIs

You can use Backup APIs to view and manage the Snapshots (backups or recovery points) of the volumes (file shares and disks) in your environment.

HTTP Verb	Path	Description	Mandatory parameters/Request body
`GET`	`/v2.1/backups`	You can retrieve the details of all the backup objects for all the volumes created for the subtenant under tenant. Retrieves details of the source volume and the backup object, such as backup policy, zone, and tags.	`offset`: The number of items to skip before starting to collect the result set. `limit`: The numbers of items to return.
`GET`	`/v2.1/backups/{id}`	You can retrieve the details of a specific backup object created for a volume for the subtenant under tenant. Retrieves details of the source volume and the backup object, such as backup policy, zone, and tags, based on the entered ID.	`id`: The ID of the backup object.
`GET`	`/v2.1/backups/{id}/recovery_points`	You can retrieve details of all the recovery points of a specific backup object. Details, such as time stamp and name are retrieved.	`id`: The ID of the backup object.
`GET`	`/v2.1/backups/{id}/recovery_points/{name}`	You can retrieve details of any recovery point of a specific backup object. Details, such as time stamp and name are retrieved.	`id`: The ID of the backup object. `name`: The name of the recovery point.

HTTP Verb	Path	Description	Mandatory parameters/Request body
POST	/v2.1/backups	You can create a backup object for a particular source volume. Add the values in the request body to create a backup object with the specified parameters, such as backup policy, number of backup copies to retain, and source resource ID.	{ "primary_resource_type": "<Resource Type>", "source_resource_id": "<ID>", "backup_zone": "<Backup Zone>", "backup_policy": { "daily_backups_to_keep": <Number of daily backups to keep>, "weekly_backups_to_keep": <Number of weekly backups to keep>, "monthly_backups_to_keep": <Number of monthly backups to keep>, "adhoc_backups_to_keep": <Number of adhoc backups to keep> }, "tags": { "key1": "<Tag 1>", "key2": "<Tag 2>", "keyN": "<Tag N>" } }
POST	/v2.1/backups/{id}/tags	You can create or replace tags for a backup object for your subtenant. Add the ID of the backup object and the values for the tags in the "key:value pair" format in the request body.	id: The ID of the backup object. { "key1": "<Tag 1>", "key2": "<Tag 2>", "keyN": "<Tag N>" }

HTTP Verb	Path	Description	Mandatory parameters/Request body

PATCH	/v2.1/backups/{id}	You can modify any backup object for a volume based on its ID. Add the ID of the backup object and the values that you want to modify in the request body, such as the backup policy details, number of backups to retain, and source resource ID.
		
		You can make a backup object orphan by setting the value of the source_resource_id parameter as null in your PATCH request. This removes the SnapMirror relationship, but retains the backup volume and the recovery points under it.
			id: The ID of the backup object.
			
			{
			"source_resource_id": "<Resource ID>",
			"backup_policy": {
			"daily_backups_to_keep": <Number of daily backups to keep>,
			"weekly_backups_to_keep": <Number of weekly backups to keep>,
			"monthly_backups_to_keep": <Number of monthly backups to keep>,
			"adhoc_backups_to_keep": <Number of adhoc backups to keep>
			},
			"tags": {
			"key1": "<Tag 1>",
			"key2": "<Tag 2>",
			"keyN": "<Tag 3>"
			}
			}

DELETE	/v2.1/backups/{id}	You can delete any backup object, along with all the recovery points, for a volume.	id: The ID of the backup object.
DELETE	/v2.1/backups/{id}/recovery_points/{name}	You can delete any recovery point in a specific backup object for a volume.	id: The ID of the backup object. name: The name of the recovery point.

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.