Overview of NetApp Service Engine APIs

NetApp Keystone

Ciaran McNamara, Manini Mandal, David Peterson
February 17, 2021

This PDF was generated from https://docs.netapp.com/us-en/keystone/seapiref_overview_of_netapp_service_engine_apis.html on June 11, 2021. Always check docs.netapp.com for the latest.

Table of Contents

Overview of NetApp Service Engine APIs 1

Overview of NetApp Service Engine APIs

NetApp Service Engine provides a set of APIs to manage storage resources on the supported storage systems through a RESTful web service interface for any third-party integration. The APIs cover all the functionalities that are supported through the GUI. NetApp provides the API documentation, but it is the customer's responsibility to integrate into their applications.

This NetApp Service Engine API Reference Guide provides you with information about APIs and sample codes. The information provided in the guide enables you to create RESTful clients of NetApp Service Engine. The APIs are based on the Representational State Transfer (REST) architectural style.

Target audience

This guide is intended for developers creating applications that interface with the NetApp Service Engine software through REST APIs.

You should use this guide if you want to use the storage provider, NetApp ONTAP cluster, and management administration APIs for managing your storage.

NetApp Service Engine API access and categories

Constructing a URL to directly access REST APIs

You can access the REST APIs directly through a programming language, such as Python, C#, C++, JavaScript, and so on. To access the REST APIs in the `https:// <hostname> /api` format, enter the host name or IP address and the URL.

Consumer and administrator APIs

This document splits the API descriptions into two sections consisting of:

- Consumer APIs
- Administrator APIs

Key NetApp Service Engine concepts

NetApp Service Engine supports the concepts of regions and zones, as shown in figure below. A region represents a data center or site, while a zone represents a storage subunit within the region (technically, a cluster within a data center/site). Multiple zones support data availability and data protection (DP) features.



A single NetApp Service Engine instance can support one or more tenants. NetApp Service Engine uses the concepts of tenant and subtenant as hierarchical entities that own or manage the storage service.

A tenant can be a customer, partner, or a billing entity. A tenant holds the subscription (or multiple subscriptions) to the Flex Subscription service.

A subtenant is an entity wholly within the tenant. It can be used for showback, security separation, and so on.

Storage items are created per subtenant. Each subtenant can hold multiple storage items of the type and number suitable for that subtenant.

NetApp Service Engine supports the following types of storage:

- Block storage in block stores and disks
- File storage in file servers and file shares
- Object storage in buckets

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.