# 功能

## NetApp Solutions

NetApp
May 09, 2022

This PDF was generated from https://docs.netapp.com/zh-cn/netapp-solutions/containers/rh-os-n_use_case_advanced_cluster_management_features_cluster_lcm.html on May 09, 2022. Always check docs.netapp.com for the latest.

# 目录

功能 . . . . . 1
功能：借助 NetApp 在 Red Hat OpenShift 上为 Kubernetes 提供高级集群管理 . . . . . 1
功能：借助 NetApp 在 Red Hat OpenShift 上为 Kubernetes 提供高级集群管理 . . . . . 1
功能：借助 NetApp 在 Red Hat OpenShift 上为 Kubernetes 提供高级集群管理 . . . . . 2
功能：借助 NetApp 在 Red Hat OpenShift 上为 Kubernetes 提供高级集群管理 . . . . . 2
功能：借助 NetApp 在 Red Hat OpenShift 上为 Kubernetes 提供高级集群管理 . . . . . 3

# 功能

## 功能：借助 NetApp 在 Red Hat OpenShift 上为 Kubernetes 提供高级集群管理

### 集群生命周期管理

要管理不同的 OpenShift 集群，您可以创建这些集群或将其导入到高级集群管理中。

1. 首先导航到 " 自动化基础架构 ">" 集群 " 。
2. 要创建新的 OpenShift 集群，请完成以下步骤：
   a. 创建提供程序连接：导航到 " 提供程序连接 " 并单击 " 添加连接 " ，提供与选定提供程序类型对应的所有详细信息，然后单击 " 添加 " 。

      [添加提供程序连接] | *redhat_openshift_image75.jpg*

   b. 要创建新集群，请导航到集群，然后单击添加集群 > 创建集群。提供集群和相应提供程序的详细信息，然后单击创建。

      [添加集群] | *redhat_openshift_image76.jpg*

   c. 创建集群后，该集群将显示在集群列表中，状态为 Ready 。
3. 要导入现有集群，请完成以下步骤：
   a. 导航到集群，然后单击添加集群 > 导入现有集群。
   b. 输入集群的名称，然后单击保存导入并生成代码。此时将显示一个用于添加现有集群的命令。
   c. 单击 Copy Command ，然后对要添加到集线器集群的集群运行命令。此操作将在集群上启动所需代理的安装，完成此过程后，集群将显示在集群列表中，并显示状态为 Ready 。

      [导入现有集群] | *redhat_openshift_image77.jpg*

4. 创建并导入多个集群后，您可以从一个控制台监控和管理这些集群。

"接下来：功能—应用程序生命周期管理。"

## 功能：借助 NetApp 在 Red Hat OpenShift 上为 Kubernetes 提供高级集群管理

### 应用程序生命周期管理

要创建应用程序并在一组集群中对其进行管理，

1. 从边栏导航到管理应用程序，然后单击创建应用程序。提供要创建的应用程序的详细信息，然后单击保存。

   [创建应用程序] | *redhat_openshift_image78.jpg*

2. 安装应用程序组件后，此应用程序将显示在列表中。

   [应用程序列表] | *redhat_openshift_image79.jpg*

3. 现在，可以从控制台监控和管理此应用程序。

"接下来：功能—监管和风险。"

# 功能：借助 NetApp 在 Red Hat OpenShift 上为 Kubernetes 提供高级集群管理

## 监管和风险

通过此功能，您可以为不同的集群定义合规性策略，并确保集群遵循此策略。您可以对策略进行配置，以通知或修复任何规则偏差或违规行为。

1. 从边栏导航到监管和风险。
2. 要创建合规性策略，请单击创建策略，输入策略标准的详细信息，然后选择应遵循此策略的集群。如果要自动修复此策略的违规，请选中 " 如果支持，则强制 " 复选框，然后单击 " 创建 " 。

   [创建合规性策略] | *redhat_openshift_image80.jpg*

3. 配置完所有必需的策略后，可以通过高级集群管理监控和修复任何策略或集群违规。

   [策略监控] | *redhat_openshift_image81.jpg*

"接下来：功能—可观察性。"

# 功能：借助 NetApp 在 Red Hat OpenShift 上为 Kubernetes 提供高级集群管理

## 可观察性

适用于 Kubernetes 的高级集群管理提供了一种监控所有集群中的节点， Pod 以及应用程序和工作负载的方法。

1. 导航到 " 观察环境 ">" 概述 " 。

   [可观察性主页] | *redhat_openshift_image82.jpg*

2. 所有集群中的所有 Pod 和工作负载都会根据各种筛选器进行监控和排序。单击 Pod 以查看相应数据。

   [观察 Pod] | *redhat_openshift_image83.jpg*

3. 集群中的所有节点都会根据各种数据点进行监控和分析。单击节点可更深入地了解相应的详细信息。

   [观察节点] | *redhat_openshift_image84.jpg*

4. 系统会根据不同的集群资源和参数监控和组织所有集群。单击集群可查看集群详细信息。

[观察集群] | *redhat_openshift_image85.jpg*

"接下来：功能—创建资源。"

# 功能：借助 NetApp 在 Red Hat OpenShift 上为 Kubernetes 提供高级集群管理

## 在多个集群上创建资源

通过适用于 Kubernetes 的高级集群管理功能，用户可以从控制台同时在一个或多个受管集群上创建资源。例如，如果您的 OpenShift 集群位于不同站点，并由不同的 NetApp ONTAP 集群提供支持，并且希望在两个站点上配置 PVC ，则可以单击顶部栏上的（ + ）符号。然后，选择要创建 PVC 的集群，粘贴资源 YAML ，然后单击创建。

[创建资源] | *redhat_openshift_image86.jpg*

**Copyright Information**

Copyright © 2022 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

**Trademark Information**

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.