功能

NetApp Solutions

NetApp
May 09, 2022

This PDF was generated from https://docs.netapp.com/zh-tw/netapp-solutions/containers/rh-os-n_use_case_advanced_cluster_management_features_cluster_lcm.html on May 09, 2022. Always check docs.netapp.com for the latest.

目錄

功能 1
特色：採用NetApp的Red Hat OpenShift上的Kubernetes進階叢集管理 1
特色：採用NetApp的Red Hat OpenShift上的Kubernetes進階叢集管理 1
特色：採用NetApp的Red Hat OpenShift上的Kubernetes進階叢集管理 2
特色：採用NetApp的Red Hat OpenShift上的Kubernetes進階叢集管理 2
特色：採用NetApp的Red Hat OpenShift上的Kubernetes進階叢集管理 3

功能

特色：採用NetApp的Red Hat OpenShift上的Kubernetes進階叢集管理

叢集生命週期管理

若要管理不同的OpenShift叢集、您可以建立或匯入至「進階叢集管理」。

1. 首先瀏覽至自動化基礎架構>叢集。
2. 若要建立新的OpenShift叢集、請完成下列步驟：
   a. 建立供應商連線：瀏覽至「提供者連線」、然後按一下「新增連線」、提供與所選提供者類型對應的所有詳細資料、然後按一下「新增」。

      [新增供應商連線] | *redhat_openshift_image75.jpg*

   b. 若要建立新叢集、請瀏覽至「叢集」、然後按一下「新增叢集」>「建立叢集」。提供叢集和對應供應商的詳細資料、然後按一下「Create（建立）」。

      [新增叢集] | *redhat_openshift_image76.jpg*

   c. 建立叢集之後、它會顯示在叢集清單中、並顯示「Ready（就緒）」狀態。
3. 若要匯入現有的叢集、請完成下列步驟：
   a. 瀏覽至「叢集」、然後按一下「新增叢集」>「匯入現有的叢集」。
   b. 輸入叢集名稱、然後按一下「Save Import（儲存匯入）」和「Generate Code（產生程式碼）」。此時會顯示新增現有叢集的命令。
   c. 按一下「Copy Command（複製命令）」、然後在要新增至集線器叢集的叢集上執行命令。這會在叢集上啟動必要代理程式的安裝、完成此程序之後、叢集會顯示在叢集清單中、並顯示「Ready（就緒）」狀態。

      [匯入現有的叢集] | *redhat_openshift_image77.jpg*
4. 建立及匯入多個叢集之後、您可以從單一主控台監控及管理這些叢集。

"下一步：功能-應用程式生命週期管理。"

特色：採用NetApp的Red Hat OpenShift上的Kubernetes進階叢集管理

應用程式生命週期管理

若要在一組叢集之間建立應用程式並加以管理、

1. 從側邊列瀏覽至「管理應用程式」、然後按一下「建立應用程式」。提供您要建立的應用程式詳細資料、然後按一下「Save（儲存）」。

[建立應用程式] | *redhat_openshift_image78.jpg*

2. 安裝應用程式元件之後、應用程式會出現在清單中。

   [應用程式清單] | *redhat_openshift_image79.jpg*

3. 現在可以從主控台監控及管理應用程式。

"下一步：功能-治理與風險。"

特色：採用NetApp的Red Hat OpenShift上的Kubernetes進階叢集管理

治理與風險

此功能可讓您針對不同的叢集定義法規遵循原則、並確保叢集符合此原則。您可以設定原則來通知或修正任何偏離或違反規則的情況。

1. 從側邊列導覽至「治理與風險」。
2. 若要建立規範原則、請按一下「建立原則」、輸入原則標準的詳細資料、然後選取應遵守此原則的叢集。如果您想要自動修正此原則的違規、請選取「強制執行（若有支援）」核取方塊、然後按一下「建立」。

   [建立法規遵循原則] | *redhat_openshift_image80.jpg*

3. 設定所有必要的原則之後、即可從「進階叢集管理」監控及修正任何原則或叢集違規。

   [原則監控] | *redhat_openshift_image81.jpg*

"下一步：功能-可觀察性。"

特色：採用NetApp的Red Hat OpenShift上的Kubernetes進階叢集管理

觀察能力

適用於Kubernetes的進階叢集管理提供一種方法、可監控所有叢集上的節點、Pod、應用程式和工作負載。

1. 瀏覽至「觀察環境」>「總覽」。

   [可觀察性首頁] | *redhat_openshift_image82.jpg*

2. 所有叢集的所有Pod和工作負載都會根據各種篩選器進行監控和排序。按一下「Pod」以檢視對應的資料。

   [觀察Pod] | *redhat_openshift_image83.jpg*

3. 叢集內的所有節點都會根據各種資料點進行監控與分析。按一下節點、深入瞭解對應的詳細資料。

   [觀察節點] | *redhat_openshift_image84.jpg*

4. 所有叢集都會根據不同的叢集資源和參數進行監控和組織。按一下叢集以檢視叢集詳細資料。

   [觀察叢集] | *redhat_openshift_image85.jpg*

"下一步：功能-建立資源。"

特色：採用NetApp的Red Hat OpenShift上的Kubernetes進階叢集管理

在多個叢集上建立資源

Kubernetes的進階叢集管理功能可讓使用者從主控台同時在一或多個託管叢集上建立資源。舉例來ONTAP 說、如果您在不同站台有OpenShift叢集、並以不同的NetApp支援叢集做為後盾、而且想要在兩個站台上配置PVc、您可以按一下頂端列上的（+）符號。然後選取您要在其中建立永久虛擬基礎虛擬基礎網路的叢集、貼上資源Yaml、然後按一下「Create（建立）」。

[建立資源] | *redhat_openshift_image86.jpg*

Copyright Information

Copyright © 2022 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.