



セキュアなアクセスのための HTTPS 証明書の管理 Cloud Manager

Ben Cammett
April 24, 2021

This PDF was generated from https://docs.netapp.com/ja-jp/occm/task_installing_https_cert.html on June 09, 2021. Always check docs.netapp.com for the latest.

目次

セキュアなアクセスのための HTTPS 証明書の管理	1
始める前に	1
HTTPS 証明書のインストール	1
Cloud Manager の HTTPS 証明書を更新します	2

セキュアなアクセスのための HTTPS 証明書の管理

デフォルトでは、Cloud Manager は Web コンソールへの HTTPS アクセスに自己署名証明書を使用します。認証局（CA）によって署名された証明書をインストールできます。これにより、自己署名証明書よりも優れたセキュリティ保護が提供されます。

始める前に

Cloud Manager の設定を変更する前に、コネクタを作成する必要があります。"詳細をご確認ください"。

HTTPS 証明書のインストール

セキュアなアクセスのために、CA によって署名された証明書をインストールします。

手順

1. Cloud Manager コンソールの右上にある設定アイコンをクリックし、* HTTPS セットアップ * を選択します。



2. [HTTPS Setup] ページで、証明書署名要求（CSR）を生成するか、独自の CA 署名付き証明書をインストールして、証明書をインストールします。

オプション	説明
CSR を生成します	<p>a. コネクターホストのホスト名または DNS（共通名）を入力し、* CSR の生成 * をクリックします。</p> <p>証明書署名要求が表示されます。</p> <p>b. CSR を使用して、SSL 証明書要求を CA に送信します。</p> <p>証明書では、Privacy Enhanced Mail（PEM）Base-64 エンコード X.509 形式を使用する必要があります。</p> <p>c. 証明書ファイルをアップロードし、* Install * をクリックします。</p>
独自の CA 署名付き証明書をインストールします	<p>a. 「CA 署名証明書のインストール」を選択します。</p> <p>b. 証明書ファイルと秘密鍵の両方をロードし、* Install * をクリックします。</p> <p>証明書では、Privacy Enhanced Mail（PEM）Base-64 エンコード X.509 形式を使用する必要があります。</p>

Cloud Manager は、CA 署名付き証明書を使用して、セキュアな HTTPS アクセスを提供するようになりました。次の図は、セキュアアクセス用に設定された Cloud Manager システムを示しています。



Cloud Manager の HTTPS 証明書を更新します

Cloud Manager Web コンソールへの安全なアクセスを確保するために、Cloud Manager HTTPS 証明書は有効期限が切れる前に更新する必要があります。証明書の有効期限が切れる前に証明書を更新しないと、ユーザが HTTPS を使用して Web コンソールにアクセスしたときに警告が表示されます。

手順

1. Cloud Manager コンソールの右上にある設定アイコンをクリックし、* HTTPS セットアップ * を選択します。

Cloud Manager 証明書の詳細が表示されます。有効期限も表示されます。

2. [証明書の変更] をクリックし、手順に従って CSR を生成するか、独自の CA 署名証明書をインストールします。

Cloud Manager は新しい CA 署名付き証明書を使用して、セキュアな HTTPS アクセスを提供します。

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.