



Cloud Volumes Service for Google Cloud の詳細をご覧ください

Cloud Manager

Tom Onacki
April 08, 2021

目次

Cloud Volumes Service for Google Cloud の詳細をご覧ください.....	1
主な機能：	1
コスト.....	1
サポートされている地域	1
始める前に	1
サポートを受ける	1
制限	2
関連リンク	2

Cloud Volumes Service for Google Cloud の詳細 をご覧ください

NetApp Cloud Volumes Service for Google Cloud を使用すると、マルチプロトコルワークロードを迅速に追加できるだけでなく、Windows ベースと UNIX ベースの両方のアプリケーションを構築、導入することができます。

主な機能：

- オンプレミスと Google Cloud 間でデータを移行
- ボリュームを 1 から 100TiB に数秒でプロビジョニング
- マルチプロトコルのサポート（NFS または SMB ボリュームを作成できます）
- 自動化された効率的なスナップショットでデータを保護します。
- 迅速なクローニングでアプリケーション開発を高速化

コスト

Cloud Volumes Service for Google Cloud で作成されたボリュームには、Cloud Manager ではなくサービスへのサブスクリプションが課金されます。

["価格を確認"](#)

Cloud Volumes Service for Google Cloud のリージョンまたはボリュームを Cloud Manager から検出する場合、料金は発生しません。

サポートされている地域

["サポートされている Google Cloud リージョンを表示します。"](#)

始める前に

Cloud Manager では、既存の Cloud Volumes Service for GCP サブスクリプションとボリュームを検出できません。を参照してください ["NetApp Cloud Volumes Service for Google Cloud のドキュメント"](#) 月額プランをまだ設定していない場合は、

サポートを受ける

Cloud Manager の Cloud Volumes Service 処理に関する一般的な質問については、Cloud Manager のチャットを使用してください。

Cloud Volumes Service for Google Cloud に関する一般的な質問については、ネットアップの Google Cloud チームに gcinfo@netapp.com まで E メールでお問い合わせください。

クラウドボリュームに関連する技術的な問題については、Google Cloud Console を使用してテクニカルサポートケースを作成できます。を参照してください ["サポートを受ける"](#) を参照してください。

制限

- Cloud Manager では、Cloud Volumes Service ボリュームを使用する場合の作業環境間のデータレプリケーションはサポートされません。
- Cloud Manager から Cloud Volumes Service for Google Cloud サブスクリプションを削除することはできません。これは、Google Cloud Console からのみ実行できます。

関連リンク

- ["NetApp Cloud Central : Cloud Volumes Service for Google Cloud"](#)
- ["NetApp Cloud Volumes Service for Google Cloud のドキュメント"](#)

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.