



# Cloud Volumes ONTAP for AWS での作業の開始 Cloud Manager

Ben Cammett  
April 24, 2021

This PDF was generated from [https://docs.netapp.com/ja-jp/occm/task\\_getting\\_started\\_aws.html](https://docs.netapp.com/ja-jp/occm/task_getting_started_aws.html) on July 06, 2021. Always check docs.netapp.com for the latest.

# 目次

Cloud Volumes ONTAP for AWS での作業の開始 .....	1
-------------------------------------------	---

# Cloud Volumes ONTAP for AWS での作業の開始

いくつかの手順で、Cloud Volumes ONTAP for AWS を使い始めましょう。

## コネクタを作成します

を持っていない場合は ["コネクタ"](#) ただし、アカウント管理者がアカウントを作成する必要があります。 ["AWS でコネクタを作成する方法について説明します"](#)。

最初の Cloud Volumes ONTAP 作業環境を作成する際、まだコネクタがない場合は、Cloud Manager からコネクタの導入を求められます。

## 構成を計画

Cloud Manager には、ワークロードの要件に応じた事前設定パッケージが用意されています。または、独自の設定を作成することもできます。独自の設定を選択する場合は、使用可能なオプションを理解しておく必要があります。 ["詳細はこちら"](#)。

## ネットワークをセットアップします

1. VPC とサブネットがコネクタと Cloud Volumes ONTAP 間の接続をサポートしていることを確認します。
2. ターゲット VPC からのアウトバウンドインターネットアクセスを有効にして、コネクタと Cloud Volumes ONTAP が複数のエンドポイントに接続できるようにします。

コネクタはアウトバウンドのインターネットアクセスがないと Cloud Volumes ONTAP を管理できないため、この手順は重要です。アウトバウンド接続を制限する必要がある場合は、のエンドポイントのリストを参照してください ["コネクタと Cloud Volumes ONTAP"](#)。

3. S3 サービスへの vPC エンドポイントをセットアップします。

Cloud Volumes ONTAP から低コストのオブジェクトストレージにコールドデータを階層化する場合は、VPC エンドポイントが必要です。

["ネットワーク要件の詳細については、こちらをご覧ください"](#)。

## AWS KMS を設定します

Cloud Volumes ONTAP で Amazon 暗号化を使用する場合は、アクティブなカスタマーマスターキー（CMK）が存在することを確認する必要があります。また、コネクタに「`a_key_user__`」という権限を付与する IAM ロールを追加して、各 CMK のキーポリシーを変更する必要があります。 ["詳細はこちら"](#)。

## Cloud Manager を使用して Cloud Volumes ONTAP を起動します

[ 作業環境の追加 ] をクリックし、展開するシステムのタイプを選択して、ウィザードの手順を実行します。 ["詳細な手順を参照してください"](#)。

## 関連リンク

- ["評価中"](#)
- ["Cloud Manager からコネクタを作成します"](#)

- "AWS Marketplace から Connector を起動する"
- "Linux ホストへの Connector ソフトウェアのインストール"
- "Cloud Manager が AWS 権限を使用して実行する処理"

## Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

## Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.