# **■** NetApp

## レプリケーションサービスについて説明します Cloud Manager

Ben Cammett May 05, 2021

This PDF was generated from https://docs.netapp.com/ja-jp/occm/concept\_replication.html on May 31, 2021. Always check docs.netapp.com for the latest.

## 目次

_	,プリケーションサービスについて説明します	•
	の機能	•
	コスト・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	•
	サポートされている作業環境	•
	データレプリケーションの仕組み	•
	サポートされるデータ保護構成	-

### レプリケーションサービスについて説明します

NetApp SnapMirror は、 LAN または WAN 経由でデータを高速でレプリケートするため、仮想環境と従来の環境の両方で、高いデータ可用性と高速なデータレプリケーションを実現できます。ネットアップストレージシステムにデータをレプリケートし、セカンダリデータを継続的に更新することで、データを最新の状態に保ちながら、必要なときにいつでもデータを利用できるようになります。外部レプリケーションサーバは必要ありません。

### の機能

- ストレージシステム間でデータをレプリケートして、クラウドまたはクラウド間でバックアップとディザスタリカバリをサポートします。
- ・高い可用性を備えた信頼性の高い DR 環境を実現します。
- ONTAP ストレージ間の効率的なブロックレベルのレプリケーションは高速かつ効率的で、 DR とバックアップの両方をきめ細かくリカバリできます。

#### コスト

ネットアップでは、レプリケーションサービスの使用料は発生しませんが、データの入力と出力に該当する料金がクラウドプロバイダにあるかどうかを確認する必要があります。

### サポートされている作業環境

Cloud Manager では、次のタイプの作業環境間でデータレプリケーションを実行できます。

- Cloud Volumes ONTAP システムから別の Cloud Volumes に移行する ONTAP システム
- Cloud Volumes ONTAP システムとオンプレミス ONTAP の間 クラスタ
- ・オンプレミスの ONTAP クラスタから別のオンプレミスの ONTAP クラスタへ

#### データレプリケーションの什組み

Cloud Manager では、 SnapMirror と SnapVault テクノロジを使用して、別々のシステム上のボリューム間でのデータレプリケーションを簡素化します。ソースボリュームとデスティネーションボリュームを特定し、レプリケーションポリシーとスケジュールを選択するだけで済みます。Cloud Manager が Cloud Volumes ONTAP に必要なディスクを購入し、関係を設定してレプリケーションポリシーを適用したあと、ボリューム間のベースライン転送を開始します。



ベースライン転送には、ソースデータのフルコピーが含まれます。その後の転送には、ソースデータの差分コピーが含まれます。

### サポートされるデータ保護構成

Cloud Manager は、シンプルなファンアウト / カスケードデータ保護構成をサポートしています。

- シンプルな構成では、ボリューム A からボリューム B へのレプリケーションが行われます
- ファンアウト構成では、ボリューム A から複数のデスティネーションへのレプリケーションが行われます。
- カスケード構成では、レプリケーションはボリューム A からボリューム B 、およびボリューム B からボリューム C に行われます

#### **Copyright Information**

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

#### **Trademark Information**

NETAPP, the NETAPP logo, and the marks listed at <a href="http://www.netapp.com/TM">http://www.netapp.com/TM</a> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.