Cloud Volumes ONTAP 如何使用云存

Cloud Manager 3.6

Ben Cammett
August 06, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/occm36/concept_storage.html on October 27, 2021. Always check docs.netapp.com for the latest.

目□

Cloud Volumes ONTAP 如何使用云存□ 1
概述 1
AWS 存□ 1
Azure 存□ 2

Cloud Volumes ONTAP 如何使用云存□

了解 Cloud Volumes ONTAP 如何使用云存□可以□助□了解存□成本。

概述

Cloud Volumes ONTAP 使用 AWS 和 Azure 卷作□后端存□。它将□些卷□□磁□并将它□分□到一个或多个聚合中。聚合可□一个或多个卷提供存□。



支持多□□型的云磁□。□可以在□建卷□□□磁□□型，并在部署 Cloud Volumes ONTAP □□□默□磁□大小。

> 从 AWS 或 Azure □□的存□□量□ *raw capacity* 。可用容量 _ □小，因□□留□ Cloud Volumes ONTAP 使用的□□□□ 12 到 14% 。例如，如果 Cloud Manager □建了一个 500 GB 聚合、□可用容量□ 442.94 GB 。

AWS 存□

在 AWS 中，一个聚合最多可以包含 6 个大小相同的磁□。最大磁□大小□ 16 TB 。

底□ EBS 磁□□型可以是通用 SSD 、配置的 IOPS SSD 、吞吐量□化 HDD 或冷 HDD 。□也可以将 EBS 磁□与 Amazon S3 配□ "数据分□"。

在□高□□上、 EBS 磁□□型之□的区□如下所示：

- 通用 SSD_ 磁□可平衡各□工作□□的成本和性能。性能是根据 IOPS 来定□的。
- *provisioned IOPS SSD* 磁□□用于需要以□高成本□得最高性能的□□□用程序。
- *Throughput Optimized HDD* 磁□□用于□常□□的工作□□，□些工作□□需要以更低的价格□□快速一致的吞吐量。
- 冷 HDD_ 磁□用于□□或不常□□的数据，因□性能非常低。与吞吐量□化的 HDD 磁□一□、性能也是根据吞吐量来定□的。

> HA 配置和数据分□不支持冷 HDD 磁□。

有□□些磁□的使用情形的其他□□信息，□参□ "AWS 文□： EBS 卷□型"。

"了解如何在 AWS 中□□的系□□□磁□□型和磁□大小"。

"□看 Cloud Volumes ONTAP 的存□限制"。

Azure 存□

在 Azure 中，一个聚合最多可以包含 12 个大小相同的磁□。磁□□型和最大磁□大小取决于□使用的是□□点系□□是 HA □：

□□点系□

- _Premium SSD 受管磁□ _ 以□高的成本□ I/O 密集型工作□□提供高性能。
- □准 SSD 受管磁□ _ 可□需要低 IOPS 的工作□□提供□定一致的性能。
- 如果□不需要高 IOPS 并希望降低成本， _Standard HDD 受管磁□ _ 是一个不□的□□。

  □个受管磁□□型的最大磁□大小□ 32 TB 。

  □可以将受管磁□与的 Azure Blob 存□配□ "数据分□"。

HA □

HA □使用高□□面 Blobs ，□些□面的最大磁□大小□ 8 TB 。

有□□些磁□的使用情形的其他□□信息，□参□ "Microsoft Azure 文□： Microsoft Azure 存□□介"。

"了解如何在 Azure 中□□的系□□□磁□□型和磁□大小"。

"□看 Cloud Volumes ONTAP 的存□限制"。

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.