置 Cloud Volumes ONTAP

Cloud Manager 3.6

Ben Cammett
August 06, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/occm36/task_setting_up_ontap_cloud.html on October 27, 2021. Always check docs.netapp.com for the latest.

目□

□置 Cloud Volumes ONTAP 1

□置 Cloud Volumes ONTAP

部署 Cloud Volumes ONTAP 后、□可以通□使用 NTP 同□系□□□以及从系□管理器或 CLI □行几□可□任□来□其□行□置。

任□	Description
使用 NTP 同□系□□□	指定 NTP 服□器可同□网□中各个系□之□的□□，□有助于防止因□□差□而出□□□。 在□置 CIFS 服□器□，使用 Cloud Manager API 或从用□界面指定 NTP 服□器。 • "修改 CIFS 服□器" • "Cloud Manager API □□人□指南" 例如，下面是 AWS 中□□点系□的 API ： 
可□：配置 AutoSupport	AutoSupport 会主□□控系□的□行状况，并在默□情况下自□将消息□送□ NetApp 技□支持。如果云管理器管理□在□□□的□例之前向云管理器添加了代理服□器，□ Cloud Volumes ONTAP 将配置□使用□代理服□器□理 AutoSupport 消息。□□□□□ AutoSupport 以□保它可以□送消息。有□□明，□参□ System Manager □助或 "《 ONTAP 9 系□管理参考》"。
可□：配置 EMS	事件管理系□ (EMS) 收集并□示有□在 Cloud Volumes ONTAP 系□上□生的事件的信息。要接收事件通知、□可以□特定事件□重性□置事件目□（□子□件地址、 SNMP 陷□主机或系□日志服□器）和事件路由。□可以使用 CLI 配置 EMS 。有□□明，□参□ "《 ONTAP 9 EMS 配置快速指南》"。

任□	Description
可□：□多个 AWS 可用性区域中的 HA 系□□建 SVM 管理网□接口（ LIF ）	如果要将 SnapCenter 或 SnapDrive for Windows 与 HA □一起使用、□需要存□虚□机（ SVM ）管理网□接口（ LIF ）。在多个 AWS 可用性区域之□使用 HA □□， SVM 管理 LIF 必□使用 *float* IP 地址。 □□ HA □□， Cloud Manager 会提示□指定浮□ IP 地址。如果未指定 IP 地址、□可以通□ System Manager 或 CLI 自行□建 SVM 管理 LIF 。以下示例□明了如何从 CLI □建 LIF ： `network interface create -vserver svm_cloud -lif svm_mgmt -role data -data-protocol none -home-node cloud-01 -home-port e0a -address 10.0.2.126 -netmask 255.255.255.0 -status-admin up -firewall -policy mgmt`
可□：更改配置文件的□□位置	Cloud Volumes ONTAP 会自□□建配置□□文件、其中包含有□其正常□行所需的可配置□□的信息。默□情况下， Cloud Volumes ONTAP 会□ 8 小□将文件□□到 Cloud Manager 主机。如果要将□□□送到□用位置、可以将位置更改□数据中心或 AWS 中的 FTP 或 HTTP 服□器。例如，□可能已□□有 FAS 存□系□的□□位置。□可以使用 CLI 更改□□位置。□参□ "《 ONTAP 9 系□管理参考》"。

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.