和管理 ONTAP 集群

Cloud Manager 3.7

Ben Cammett
August 09, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/occm37/task_discovering_ontap.html on October 27, 2021. Always check docs.netapp.com for the latest.

目□

□□和管理 ONTAP 集群 1
□□ ONTAP 集群 1
在 ONTAP 集群上配置卷 1

□□和管理 ONTAP 集群

Cloud Manager 可以在内部□境、 NetApp 私有存□配置和 IBM Cloud 中□□ ONTAP 集群。通□□□□些集群，□可以直接从 Cloud Manager □松地在混合云□境中□制数据。

□□ ONTAP 集群

通□在 Cloud Manager 中□□ ONTAP 集群、□可以在混合云中配置存□和□制数据。

要将集群添加到云管理器中、□必□具有管理□用□□□的集群管理 IP 地址和密□。

Cloud Manager 使用 HTTPS □□ ONTAP 集群。如果使用自定□防火□策略，□它□必□□足以下要求：

- Cloud Manager 主机必□允□通□端口 443 □行出站 HTTPS □□。

  如果 Cloud Manager 位于 AWS 中、□□定□安全□允□所有出站通信。

- ONTAP 集群必□允□通□端口 443 □行入站 HTTPS □□。

  默□的“管理”防火□策略允□从所有 IP 地址□行入站 HTTPS □□。如果修改了此默□策略、或者□建了自己的防火□策略、□必□将 HTTPS □□与□策略□□并□用从云管理器主机□行□□。

□□

1. 在工作□境□面上，□□ * □□ * 并□□ * ONTAP Cluster* 。
2. 在 * ONTAP 集群□□信息 * □面上，□入集群管理 IP 地址，管理□用□□□的密□以及集群的位置。



3. 在□□信息□面上，□入工作□境的名称和□□描述，然后□□ * □行 * 。

Cloud Manager 可□□集群。□□在可以□建卷、将数据□制到集群或从集群□制数据、并□□ OnCommand System Manager 来□行高□任□。

在 ONTAP 集群上配置卷

利用 Cloud Manager ， □可以在 ONTAP 集群上配置 NFS 和 CIFS 卷。

必□在集群上□置 NFS 或 CIFS 。□可以使用 System Manager 或 CLI □置 NFS 和 CIFS 。

□可以在□有聚合上□建卷。无法从 Cloud Manager □建新聚合。

□□

1. 在“工作□境”□面上，双□要在其上配置卷的 ONTAP 集群的名称。
2. □□ * 添加新卷 * 。
3. 在□建新卷□面上，□入卷的□□信息，然后□□ * □建 * 。

   本□中的某些字段是不言自明的。下表介□了可能需要指□的字段：

字段	**Description**
Size	□可以□入的最大大小在很大程度上取决于□是否□用精□配置、□□□就可以□建一个大于当前可用物理存□的卷。
□□控制（□□用于 NFS ）	□出策略定□子网中可以□□卷的客□端。默□情况下， Cloud Manager 会□入一个□、用于□□子网中的所有□例。
□限和用□ / □（□限 CIFS ）	□些字段使□能□控制用□和□□共享的□□□□（也称□□□控制列表或 ACL ）。□可以指定本地或域 Windows 用□或□、 UNIX 用□或□。如果指定域 Windows 用□名，□必□使用 domain\username 格式包含用□的域。
使用情况配置文件	使用情况配置文件定□了□卷□用的 NetApp 存□效率功能。
快照策略	Snapshot 副本策略指定自□□建的 NetApp Snapshot 副本的□率和数量。NetApp Snapshot 副本是一个□□点文件系□映像、□性能没有影□、并且只需要□少的存□。□可以□□默□策略或无。□可以□瞬□数据□□无：例如，Microsoft SQL Server 的 tempdb 。

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.