使用 NetApp 卷加密□卷□行加密

Cloud Manager 3.7

Ben Cammett
August 09, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/occm37/task_encrypting_volumes.html on October 27, 2021. Always check docs.netapp.com for the latest.

目□

使用 NetApp 卷加密□卷□行加密 1

使用 NetApp 卷加密□卷□行加密

NetApp 卷加密（ NVE ）是一□基于□件的技□，用于一次□一个卷上的空□数据□行加密。数据， Snapshot 副本和元数据已加密。数据□□由一个唯一的 XTS-AES-256 密□提供，□个卷一个。

□于此任□

- 从 Cloud Manager 3.7.1 □始，向 NetApp 支持部□注册的□个 Cloud Volumes ONTAP 系□都会自□安装 NetApp 卷加密□可□。
  - "将 NetApp 支持站点□□添加到 Cloud Manager"
  - "注册按需□□的系□"

  Cloud Manager 不会在位于中国地区的系□上安装 NVE □可□。

- 目前， Cloud Volumes ONTAP 通□外部密□管理服□器支持 NetApp 卷加密。不支持板□密□管理器。
- □需要从 ONTAP 命令行界面□置 NetApp 卷加密。

  然后，□可以使用命令行界面或 System Manager □特定卷□用加密。Cloud Manager 不支持从其用□界面及其 API □行 NetApp 卷加密。

"了解有□支持的加密技□的更多信息"。

□□

1. □看中支持的密□管理器列表 "NetApp 互操作性表工具"。

   搜索 * 密□管理器 * 解决方案。

2. "□接到 Cloud Volumes ONTAP 命令行界面"。
3. 安装 SSL □□并□接到外部密□管理服□器。

   "ONTAP 9 NetApp 加密高□指南：配置外部密□管理"

4. 使用命令行界面或 System Manager □建新的加密卷或□□□有的未加密卷。
   - 命令行界面
     - □于新卷，□使用□有 -encrypt 参数的 * volume cre* 命令。

       "ONTAP 9 NetApp 加密高□指南：在新卷上□用加密"

     - □于□有卷，□使用 * volume encryption conversion start* 命令。

       "ONTAP 9 NetApp 加密高□指南：使用 volume encryption conversion start 命令在□有卷上□用加密"

   - System Manager
     - □于新卷，□□□ * 存□ > 卷 > □建 > □建 FlexVol * ，然后□□ * 已加密 * 。

"使用 System Manager □行 ONTAP 9 集群管理：□建 FlexVol 卷"

- □于□有卷，□□□卷，□□ * □□ * ，然后□□ * 加密 * 。

  "使用 System Manager □行 ONTAP 9 集群管理：□□卷属性"

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.