Cloud Sync 网概述

Cloud Manager 3.8

Ben Cammett
August 12, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/occm38/reference_sync_networking.html on October 27, 2021. Always check docs.netapp.com for the latest.

目□

Cloud Sync 网□概述 1
数据代理位置 1
网□要求 2
网□端点 2

Cloud Sync 网□概述

云同□网□包括数据代理与源位置和目□位置之□的□接、以及数据代理通□端口 443 的出站 Internet □接。

数据代理位置

□可以在云中或内部□境中安装数据代理。

云中的数据代理

下□□示了在云中以 AWS 、 GCP 或 Azure □行的数据代理。只要与数据代理建立□接，源和目□就可以位于任何位置。例如，□可能会从数据中心□接到云提供商。

> 当 Cloud Sync 在 AWS 、 Azure 或 GCP 中部署数据代理□，它会□建一个安全□来□用所需的出站通信。



数据代理

下□□示了在数据中心内□行在 Prem 上的数据代理。同□，只要与数据代理建立□接，源和目□就可以位于任何位置。



网□要求

- 源和目□必□与数据代理建立网□□接。

  例如，如果 NFS 服□器位于数据中心且数据代理位于 AWS 中、□需要从网□到 VPC 的网□□接（ VPN 或直接□接）。

- 数据代理需要出站 Internet □接、因此可以通□端口 443 □□ Cloud Sync 服□以了解任□。
- NetApp 建□将源、目□和数据代理配置□使用网□□□□□（ NTP ）服□。三个□件之□的□□差不□超□ 5 分□。

网□端点

NetApp 数据代理需要通□端口 443 □行出站 Internet □□、以便与 Cloud Sync 服□□行通信、并与其他一些服□和存□□□系。□的本地 Web □□器□需要□□端点才能□行某些操作。如果需要限制出站□接、□在□出站通信配置防火□□参考以下端点列表。

数据代理端点

数据代理会□系以下端点：

端点	目的
olcentgbl.trafficManager.net:443	可与存□□□系以更新数据代理主机的 CentOS □件包。□当□在 CentOS 主机上手□安装数据代理□，才会□系此端点。
<Check Alignment of PHs>RPM.NODESource.com:443 registration.NPMJS.org:443 nodejs.org:443	与存□□□系以更新□点 .js 、 NPM 和□□中使用的其他第三方□件包。
tgz.pm2.io:443	□□用于更新 PM2 的存□□、□存□□是用于□控云同□的第三方□件包。
Sqs.us-East 1.amazonawss.com:443 Kinetsis.us-East 1.amazonawss.com:443	□系 Cloud Sync 用于操作的 AWS 服□（□文件□行排□、注册操作以及向数据代理提供更新）。
s3.*region*.amazonaws.com:443 ，例如：s3.us-east-2.amazonaws.com:443https://docs.aws.amazon.com/general/latest/gr/rande.html#s3_region["有□ S3 端点的列表，□参□ AWS 文□"^]	在同□□系包括 S3 存□区□□系 Amazon S3 。
cf.cloudsync.netapp.com:443 repo.cloudsync.netapp.com:443	可与 Cloud Sync 服□□系。
support.netapp.com:443	在使用 BYOL □可□□行同□□系□□系 NetApp 支持。
fedoraproject.org:443	在安装和更新期□在数据代理虚□机上安装 7z 。需要 7z 才能向 NetApp 技□支持□送 AutoSupport 消息。

Web □□器端点

□的 Web □□器需要□□以下端点才能下□日志以□行故障排除：

logs.cloudsync.netapp.com:443

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.