将数据从内部 ONTAP 系□□□到云

Cloud Manager 3.8

Ben Cammett
August 12, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/occm38/task_backup_from_onprem.html on October 27, 2021. Always check docs.netapp.com for the latest.

目□

将数据从内部 ONTAP 系□□□到云 1
快速入□ 1
要求 2
□用□□到云 3

将数据从内部 ONTAP 系□□□到云

完成几个□□，□始将数据从内部 ONTAP 系□□□到云中的低成本□象存□。

快速入□

按照以下□□快速入□，或者向下□□到其余部分以了解完整□□信息。

□□是否支持□的配置

- □已□□内部集群并将其添加到 Cloud Manager 中的工作□境中。□参□ "□□ ONTAP 集群" 了解□□信息。
- □正在集群上□行 ONTAP 9.7P5 或更高版本。
- □已□□□所在的存□空□□□了有效的云提供商。
- □已□□ "Cloud Manager Marketplace Backup □品"或□已□□ "并激活" NetApp 提供的 Backup to Cloud BYOL □可□。

在系□上□用□□到云

□□工作□境，然后□□右□面板中□□到云服□旁□的 * 激活 * ，然后按照□置向□□行操作。

□□云提供商并□入提供商□□信息

□□提供程序，然后□□提供程序□□，区域和□源□。□□需要在卷所在的 ONTAP 集群中指定 IP 空□。



定□□□策略

默□策略□天□□卷，并保留□个卷的最新 30 个□□副本。更改□□周或□月□□，或者□□一个提供更多□□的系□定□策略。



□□要□□的卷

□定要从集群□□的卷。

根据需要□原数据

从□□列表中，□□一个卷，□□一个□□，然后将□□中的数据□原到使用同一云提供程序的 Cloud Volumes ONTAP 系□上的新卷。



要求

在□始将卷□□到 Azure Blob 存□之前，□□□以下要求，以□保□的配置受支持。

支持的 **ONTAP** 版本

ONTAP 9.7P5 及更高版本。

集群网□□接要求

在□置到云的□□□，系□会提示□使用 IP 空□。□□□□与□个 LIF □□的 IP 空□。□可能是□□建的 " 默□ "IP 空□或自定□ IP 空□。

支持的 **Azure** 区域

所有 Azure 地区均支持□□到云 "支持云卷的位置"。

□可□要求

□于 Backup to Cloud BYOL □可，□需要 NetApp 提供的序列号，以便在□可□有效期和容量内使用此服□。□参□ "添加和更新□□ BYOL □可□"。

□需要□□□所在的存□空□□□ Microsoft Azure 。

□用□□到云

随□直接从工作□境□□到云。

□□

1. □□工作□境，然后□□右□面板中□□到云服□旁□的 * 激活 * 。

2. □□提供程序，然后□入提供程序□□信息。

   a. 用于存□□□的 Azure □□。
   b. Azure 区域。
   c. □源□—□可以□建新□源□，也可以□□和□有□源□。
   d. 要□□的卷所在的 ONTAP 集群中的 IP 空□。
   e. 然后□□ * □□ * 。



□注意，服□□□后，□无法更改□□或□源□。

3. 在 *Define Policy* □面中，□□□□□□和保留□，然后□□ * □□ * 。



□参□ "□有策略的列表"。

4. □□要□□的卷，然后□□ * 激活 * 。

□□到云将□始□□个□定卷□行初始□□。

"□可以通□更改□□□□，□原卷等来管理□□"。

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.