Cloud Volumes ONTAP for Google Cloud 入

Cloud Manager 3.8

Ben Cammett
August 12, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/occm38/task_getting_started_gcp.html on October 27, 2021. Always check docs.netapp.com for the latest.

目□

Cloud Volumes ONTAP for Google Cloud 入□ 1

Cloud Volumes ONTAP for Google Cloud 入□

通□几个□□□始使用□用于 GCP 的 Cloud Volumes ONTAP 。

□建□接器

如果□没有 "□接器" 但是，客□管理□需要□建一个。 。

在□建首个 Cloud Volumes ONTAP 工作□境□，如果尚未部署 Connector ， □ Cloud Manager 会提示□部署一个。

□□□的配置

Cloud Manager 可提供符合□的工作□□要求的□配置□件包，□也可以□建自己的配置。如果□□□自己的配置、□□了解可用的□□。 "了解更多信息。"。

□置网□

1. □保□的 VPC 和子网支持□接器和 Cloud Volumes ONTAP 之□的□接。
2. 从目□ VPC □用出站 Internet □□，以便□接器和 Cloud Volumes ONTAP 可以□系多个端点。

   此□□非常重要，因□没有出站 Internet □□， Connector 无法管理 Cloud Volumes ONTAP 。如果需要限制出站□接，□参□的端点列表 "□接器和 Cloud Volumes ONTAP"。

"□□了解网□要求"。

□置用于数据分□的 **GCP**

要将冷数据从 Cloud Volumes ONTAP 分□到低成本□象存□（ Google 云存□分段），必□□足□□要求。

1. "□□用 Google □□配置 Cloud Volumes ONTAP 子网"。
2. "□置用于数据分□的服□□□" ：
   - 将□定□的 *Storage Admin* 角色分配□分□服□□□。
   - 将 Connector 服□□□作□ *Service Account User* 添加到分□服□□□。

     □可以提供用□角色 "在□建分□服□□□□，□□行向□的第 3 □"或。

     □后在□建 Cloud Volumes ONTAP 工作□境□，□需要□□分□服□□□。

   如果在□建 Cloud Volumes ONTAP 系□□未□用数据分□并□□服□□□，□需要□□系□并从 GCP 控制台将服□□□添加到 Cloud Volumes ONTAP 。

□用 **Google Cloud API**

"在□目中□用以下 Google Cloud API"。部署□接器和 Cloud Volumes ONTAP 需要使用□些 API 。

- Cloud Deployment Manager V2 API

- 云日志□□ API
- Cloud Resource Manager API
- □算引□ API
- 身□和□□管理（ IAM ） API

使用 **Cloud Manager □□ Cloud Volumes ONTAP**

□□ * 添加工作□境 *， □□要部署的系□□型，然后完成向□中的□□。 "□□分□□明"。

相□□接

- "□估"
- "使用 Cloud Manager □建□接器"
- "在 Linux 主机上安装 Connector □件"
- "Cloud Manager 如何使用 GCP □限"

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.