在 AWS 中安装数据代理

Cloud Manager 3.8

Ben Cammett
August 12, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/occm38/task_sync_installing_aws.html on October 27, 2021. Always check docs.netapp.com for the latest.

目□

在 AWS 中安装数据代理 1
支持的 AWS 区域 1
网□要求 1
在 AWS 中部署数据代理所需的□限 1
在 AWS 数据代理中使用□自己的 IAM 角色的要求 1
安装数据代理 1

在 AWS 中安装数据代理

□建同□□系□，□□□ AWS 数据代理□□以在 VPC 中的新 EC2 □例上部署数据代理□件。Cloud Sync 可指□□完成安装□程、但本□中重□了□些要求和□□以□助□做好安装准□。

□□可以□□在云中的□有 Linux 主机或□的企□中安装数据代理。 "了解更多信息。"。

支持的 AWS 区域

除中国和戈□拉（美国）地区外，所有地区均受支持。

网□要求

- 数据代理需要出站 Internet □接、因此可以通□端口 443 □□ Cloud Sync 服□以了解任□。

  当 Cloud Sync 在 AWS 中部署数据代理□，它会□建一个安全□来□用所需的出站通信。□注意，□可以在安装□程中将数据代理配置□使用代理服□器。

  如果需要限制出站□接，□参□ "数据代理所□系的端点的列表"。

- NetApp 建□将源、目□和数据代理配置□使用网□□□□□（ NTP ）服□。三个□件之□的□□差不□超□ 5 分□。

在 AWS 中部署数据代理所需的□限

用于部署数据代理的 AWS 用□□□必□具有中包含的□限 "此 NetApp 提供的策略"。

在 AWS 数据代理中使用□自己的 IAM 角色的要求

当 Cloud Sync 部署数据代理□、它会□数据代理□例□建 IAM 角色。如果□□意，可以使用自己的 IAM 角色部署数据代理。如果□的□□具有□格的安全策略，□可以使用此□□。

IAM 角色必□□足以下要求：

- 必□允□ EC2 服□作□受信任□体承担 IAM 角色。
- "此 JSON 文件中定□的□限" 必□附加到 IAM 角色，以便数据代理可以正常□行。

在部署数据代理□，□按照以下□□指定 IAM 角色。

安装数据代理

□可以在□建同□□系□在 AWS 中安装数据代理。

□□

1. □□ * □建新同□ * 。

2. 在 * 定□同□□系 * □面上，□□一个源和目□，然后□□ * □□ * 。

   完成□些□□，直到□示 * 数据代理 * □面□止。

3. 在 * 数据代理 * □面上，□□ * □建数据代理 * ，然后□□ * Amazon Web Services* 。

   如果□已有数据代理，□需要□□ + □□□先。



4. □入数据代理的名称，然后□□ * □□ * 。
5. □入 AWS □□密□，以便 Cloud Sync 可以代表□在 AWS 中□建数据代理。

   □些密□不会保存或用于任何其他目的。

   如果□不想提供□□密□，□□□□面底部的□接以改用 CloudFormation 模板。使用此□□□，□无需提供凭据，因□□直接登□到 AWS 。

   以下□□□示了如何使用 CloudFormation 模板□□数据代理□例：

   ► https://docs.netapp.com/zh-cn/occm38//media/video_cloud_sync.mp4 *(video)*

6. 如果□□入了 AWS □□密□，□□□例□□一个位置，□□一个密□□，□□是否□用公有 IP 地址，然后□□□有的 IAM 角色，或者将此字段留空，以便 Cloud Sync □□□建角色。

   如果□□□自己的 IAM 角色，□需要提供所需的□限。



7. 数据代理可用后，□□ Cloud Sync 中的 * □□ * 。

   下□□示了 AWS 中已成功部署的□例：



8. 完成向□中的□面以□建新的同□□系。

□已在 AWS 中部署了数据代理并□建了新的同□□系。□可以将此数据代理与其他同□□系一起使用。

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.