在 Google Cloud Platform 中安装数据代理

Cloud Manager 3.8

Ben Cammett
August 12, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/occm38/task_sync_installing_gcp.html on October 27, 2021. Always check docs.netapp.com for the latest.

目□

在 Google Cloud Platform 中安装数据代理 1
支持的 GCP 区域 1
网□要求 1
在 GCP 中部署数据代理所需的□限 1
服□□□所需的□限 1
安装数据代理 2

在 Google Cloud Platform 中安装数据代理

□建同□□系□，□□□ GCP 数据代理□□以在 vPC 中的新虚□机□例上部署数据代理□件。Cloud Sync 可指□□完成安装□程、但本□中重□了□些要求和□□以□助□做好安装准□。

□□可以□□在云中的□有 Linux 主机或□的企□中安装数据代理。 "了解更多信息。"。

支持的 GCP 区域

支持所有区域。

网□要求

- 数据代理需要出站 Internet □接、因此可以通□端口 443 □□ Cloud Sync 服□以了解任□。

  当 Cloud Sync 在 GCP 中部署数据代理□，它会□建一个安全□来□用所需的出站通信。

  如果需要限制出站□接，□参□ "数据代理所□系的端点的列表"。

- NetApp 建□将源、目□和数据代理配置□使用网□□□□□（ NTP ）服□。三个□件之□的□□差不□超□ 5 分□。

在 GCP 中部署数据代理所需的□限

□保部署数据代理的 GCP 用□具有以下□限：

```
- compute.networks.list
- compute.regions.list
- deploymentmanager.deployments.create
- deploymentmanager.deployments.delete
- deploymentmanager.operations.get
- iam.serviceAccounts.list
```

服□□□所需的□限

部署数据代理□，□需要□□具有以下□限的服□□□：

```
- logging.logEntries.create
- resourcemanager.projects.get
- storage.buckets.get
- storage.buckets.list
- storage.objects.*
```

安装数据代理

□可以在□建同□□系□在 GCP 中安装数据代理。

□□

1. □□ * □建新同□ * 。
2. 在 * 定□同□□系 * □面上，□□一个源和目□，然后□□ * □□ * 。

   完成□些□□，直到□示 * 数据代理 * □面□止。

3. 在 * 数据代理 * □面上，□□ * □建数据代理 * ，然后□□ * Google Cloud Platform* 。

   如果□已有数据代理，□需要□□ + □□□先。

   

4. □入数据代理的名称，然后□□ * □□ * 。
5. 如果出□提示，□使用 Google □□登□。

   此表由 Google □有和托管。□的凭据不会提供□ NetApp 。

6. □□一个□目和服□□□，然后□数据代理□□一个位置。



7. 数据代理可用后，□□ Cloud Sync 中的 * □□ * 。

   部署□□例大□需要 5 到 10 分□。□可以从 Cloud Sync 服□□控□度、□服□在□例可用□自□刷新。

8. 完成向□中的□面以□建新的同□□系。

□已在 GCP 中部署数据代理并□建了新的同□□系。□可以将此数据代理与其他同□□系一起使用。

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.