# Backing up data to Amazon S3

Cloud Manager 3.8

Ben Cammett
October 30, 2020

This PDF was generated from https://docs.netapp.com/us-en/occm38/task_backup_to_s3.html on May 31, 2021. Always check docs.netapp.com for the latest.

# Table of Contents

Backing up data to Amazon S3 . . . . . 1
Quick start . . . . . 1
Requirements . . . . . 2
Enabling Backup to Cloud on a new system . . . . . 4
Enabling Backup to Cloud on an existing system . . . . . 4

# Backing up data to Amazon S3

Complete a few steps to get started backing up data from Cloud Volumes ONTAP to Amazon S3.

## Quick start

Get started quickly by following these steps or scroll down to the remaining sections for full details.

### 1 Verify support for your configuration

- You're running Cloud Volumes ONTAP 9.6 or later in AWS.
- You have subscribed to the Cloud Manager Marketplace Backup offering, or you have purchased and activated a Backup to Cloud BYOL license from NetApp.
- The IAM role that provides Cloud Manager with permissions includes S3 permissions from the latest Cloud Manager policy.

### 2 Enable Backup to Cloud on your new or existing system

- New systems: Backup to Cloud is enabled by default in the working environment wizard. Be sure to keep the option enabled.
- Existing systems: Select the working environment and click **Activate** next to the Backup to Cloud service in the right-panel, and then follow the setup wizard.

### 3 Define the backup policy

The default policy backs up volumes every day and retains the most recent 30 backup copies of each volume. Change to weekly or monthly backups, or select one of the system-defined policies that provide more options. You can also change the number of backup copies to retain.




**Select the volumes that you want to back up**

Identify which volumes you want to back up in the Select Volumes page.

**Restore your data, as needed**

From the Backup List, select a volume, select a backup, and then restore data from the backup to a new volume.




# Requirements

Read the following requirements to make sure that you have a supported configuration before you start backing up volumes to S3.

**Supported ONTAP versions**

Cloud Volumes ONTAP 9.6 and later.

### Supported AWS regions

Backup to Cloud is supported in all AWS regions where Cloud Volumes ONTAP is supported.

### License requirements

For Backup to Cloud PAYGO licensing, a Cloud Manager subscription is available in the AWS Marketplace that enables deployments of Cloud Volumes ONTAP 9.6 and later (PAYGO) and Backup to Cloud. You need to subscribe to this Cloud Manager subscription before you enable Backup to Cloud. Billing for Backup to Cloud is done through this subscription.

For Backup to Cloud BYOL licensing, you do not need an AWS Backup to Cloud subscription. You need the serial number from NetApp that enables you to use the service for the duration and capacity of the license. See Adding and updating your Backup BYOL license.

And you need to have a AWS subscription for the storage space where your backups will be located.

### AWS permissions required

The IAM role that provides Cloud Manager with permissions must include S3 permissions from the latest Cloud Manager policy.

Here are the specific permissions from the policy:

```
{
            "Sid": "backupPolicy",
            "Effect": "Allow",
            "Action": [
                "s3:DeleteBucket",
                "s3:GetLifecycleConfiguration",
                "s3:PutLifecycleConfiguration",
                "s3:PutBucketTagging",
                "s3:ListBucketVersions",
                "s3:GetObject",
                "s3:ListBucket",
                "s3:ListAllMyBuckets",
                "s3:GetBucketTagging",
                "s3:GetBucketLocation",
                "s3:GetBucketPolicyStatus",
                "s3:GetBucketPublicAccessBlock",
                "s3:GetBucketAcl",
                "s3:GetBucketPolicy",
                "s3:PutBucketPublicAccessBlock"
            ],
            "Resource": [
                "arn:aws:s3:::netapp-backup-*"
            ]
        },
```

# Enabling Backup to Cloud on a new system

Backup to Cloud is enabled by default in the working environment wizard. Be sure to keep the option enabled.

**Steps**

1. Click **Create Cloud Volumes ONTAP**.
2. Select Amazon Web Services as the cloud provider and then choose a single node or HA system.
3. Fill out the Details & Credentials page.
4. On the Services page, leave the service enabled and click **Continue**.




5. Complete the pages in the wizard to deploy the system.

**Result**

Backup to Cloud is enabled on the system and backs up volumes every day and retains the most recent 30 backup copies.

**What's next?**

You can manage backups by changing the backup schedule, restoring volumes, and more.

# Enabling Backup to Cloud on an existing system

Enable Backup to Cloud at any time directly from the working environment.

**Steps**

1. Select the working environment and click **Activate** next to the Backup to Cloud service in the right-panel.

2. Define the backup schedule and retention value and click **Continue**.




See the list of existing policies.

3. Select the volumes that you want to back up and click **Activate**.




**Result**

Backup to Cloud starts taking the initial backups of each selected volume.

**What's next?**

You can manage backups by changing the backup schedule, restoring volumes, and more.

**Copyright Information**

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

**Trademark Information**

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.