准备集群以进行扩展

System Manager Classic

NetApp
June 15, 2022

This PDF was generated from https://docs.netapp.com/zh-cn/ontap-sm-classic/expansion/task_adding_node_locked_licenses.html on June 15, 2022. Always check docs.netapp.com for the latest.

目录

准备集群以进行扩展 1
添加节点锁定许可证 1
验证系统的运行状况 1
备份集群配置 2
生成有关开始扩展的 AutoSupport 消息 3

准备集群以进行扩展

要为集群做好扩展准备，您必须添加节点锁定许可证，验证系统运行状况，备份集群配置并生成 AutoSupport 消息。

添加节点锁定许可证

如果集群中的功能使用节点锁定许可证（仅允许特定节点使用许可功能），则必须确保为新节点安装节点锁定许可证。您应在节点加入集群之前添加许可证。

步骤

1. 使用 `ssystem license add` 命令添加每个许可证密钥。

```
cluster1::> system license add -license-code AAAAAAAAAAAAAA
```

2. 使用 `ssystem license show` 命令查看现有许可证。

```
cluster1::> system license show

Serial Number: 9-99-999999
Owner: cluster1
Package           Type    Description           Expiration
----------------- ------- --------------------- --------------------
Base              site    Cluster Base License  -
NFS               license NFS License           -
CIFS              license CIFS License          -
...
```

3. 查看输出以确保为所有序列号显示节点锁定许可证，包括现有节点和新节点的序列号。

验证系统的运行状况

在扩展集群之前，您必须运行 Config Advisor 工具并运行多个 ONTAP 命令行界面命令，以验证集群的所有组件是否运行正常。

步骤

1. 验证您是否已安装最新版本的 Config Advisor：
   - 如果您的笔记本电脑上没有 Config Advisor ，请下载它。

     "NetApp 下载： Config Advisor"

   - 如果您有 Config Advisor ，请启动它，单击 * 帮助 * > * 检查更新 * ，然后根据需要按照提示进行升级。

> 升级期间，请勿卸载此工具的先前版本或删除此数据文件夹。此工具将卸载先前版本并将其替换为最新版本。它会将此数据文件夹重命名为最新的文件夹，并保留此文件夹中的所有内容。

2. 运行 Config Advisor 验证布线和配置：
   a. 将笔记本电脑连接到集群的管理网络。
   b. 单击 * 收集数据 * 。

      Config Advisor 将显示发现的任何问题。

   c. 如果发现问题，请更正问题并重新运行此工具。
3. 使用以下命令检查系统的运行状况：
   a. 使用 `ssystem health status show` 命令并验证状态是否为 `ok` ，以验证集群是否处于运行状况良好的状态。

```
cluster1::> system health status show
Status
---------------
ok
```

   b. 使用 `cluster show` 命令并验证每个节点的运行状况是否为 `true` ，以验证集群中的所有节点是否均处于运行状况良好的状态。

```
cluster1::> cluster show
Node                  Health  Eligibility
--------------------- ------- ------------
cluster1-1            true    true
cluster1-2            true    true
2 entries were displayed.
```

备份集群配置

在扩展集群之前，您应使用高级权限创建备份文件以保存集群配置信息，并可选择保存节点配置。

步骤

1. 使用 `set -privilege advanced` 命令将权限级别设置为 advanced 。
2. 使用带有 ` backup-type cluster` 参数的 `ssystem configuration backup create` 命令创建集群配置的备份文件。

```
cluster1::*> system configuration backup create -node cluster1-1 -backup
-name clusterbeforeexpansion.7z -backup-type cluster
[Job 5573] Job is queued: Cluster Backup OnDemand Job.
```

3. 使用 `ssystem configuration backup create` 命令以及每个节点的 ` backup-type node` 参数为每个节点的配置创建一个备份文件。
4. 使用 `set -privilege admin` 命令将权限级别恢复为 admin 。

生成有关开始扩展的 AutoSupport 消息

在扩展集群之前，您应立即发送 AutoSupport 消息以指示即将开始扩展过程。此消息将向内部和外部支持人员告知扩展情况，并用作稍后可能需要进行的任何故障排除的时间戳。

必须设置 AutoSupport 。

步骤

1. 对于集群中的每个节点，使用 `ssystem node AutoSupport invoke` 命令发送 AutoSupport 消息。

```
cluster1::> system node autosupport invoke -node * -message "cluster
expansion started" -type all
The AutoSupport was successfully invoked on node "cluster1-1". To view
the status
of the AutoSupport, use the "system node autosupport history show"
command.
Note: It may take several minutes for the AutoSupport to appear in the
history list.
The AutoSupport was successfully invoked on node "cluster1-2". To view
the status
of the AutoSupport, use the "system node autosupport history show"
command.
Note: It may take several minutes for the AutoSupport to appear in the
history list.
2 entries were acted on.
```

版权信息

版权所有©2022 NetApp、Inc.。保留所有权利。Printed in the U.S.版权所涵盖的本文档的任何部分不得以任何形式或任何手段复制、包括影印、录制、 磁带或存储在电子检索系统中—未经版权所有者事先书面许可。

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

本软件由NetApp按"原样"提供、不含任何明示或默示担保、包括但不限于适销性和特定用途适用性的默示担保、特此声明不承担任何责任。IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice.NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp.The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S.patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

商标信息

NetApp、NetApp标识和中列出的标记 http://www.netapp.com/TM 是NetApp、Inc.的商标。其他公司和产品名称可能是其各自所有者的商标。