佈線工作表範例和空白

ONTAP Systems Switches

NetApp
May 03, 2022

This PDF was generated from https://docs.netapp.com/zh-tw/ontap-systems-switches/switch-cisco-9336c-fx2/setup-worksheet-9336c.html on May 03, 2022. Always check docs.netapp.com for the latest.

目錄

佈線工作表範例和空白 1
Cisco Nexus 9336C-FX2纜線工作表 1
Cisco Nexus 2300YC佈線工作表 4
Cisco Nexus 3232C佈線工作表 10
Cisco Nexus 3132Q-V佈線工作表 14
Cisco Nexus 5596UP和5596T佈線工作表 17
佈線工作表範例和空白 20

佈線工作表範例和空白

Cisco Nexus 9336C-FX2纜線工作表

如果您想要記錄支援的平台、您必須使用完整的佈線工作表範例作為指南、填寫空白的佈線工作表。

佈線工作表範例

每對交換器的連接埠定義範例如下：

叢集交換器**A**		叢集交換器**B**	
交換器連接埠	節點與連接埠使用量	交換器連接埠	節點與連接埠使用量
1.	4個10GbE節點1	1.	4個10GbE節點1
2.	4個10GbE節點2.	2.	4個10GbE節點2.
3.	4個10GbE節點3.	3.	4個10GbE節點3.
4.	4個25GbE節點4.	4.	4個25GbE節點4.
5.	4個25GbE節點5	5.	4個25GbE節點5
6.	4個25GbE節點6	6.	4個25GbE節點6
7.	4個100GbE節點7	7.	4個100GbE節點7
8.	4個100GbE節點8	8.	4個100GbE節點8
9.	4個100GbE節點9	9.	4個100GbE節點9
10.	4個100GbE節點10	10.	4個100GbE節點10
11.	4x100GbE節點11	11.	4x100GbE節點11
12.	4個100GbE節點12	12.	4個100GbE節點12
13.	4個100GbE節點13	13.	4個100GbE節點13
14	4x100GbE節點14	14	4x100GbE節點14

叢集交換器**A**		叢集交換器**B**	
15	4x100GbE節點15	15	4x100GbE節點15
16	4x100GbE節點16	16	4x100GbE節點16
17	4x100GbE節點17	17	4x100GbE節點17
18	4x100GbE節點18	18	4x100GbE節點18
19	4x100GbE節點19	19	4x100GbE節點19
20	4x100GbE節點20	20	4x100GbE節點20
21	4x100GbE節點21	21	4x100GbE節點21
22	4x100GbE節點22	22	4x100GbE節點22
23	4個100GbE節點23	23	4個100GbE節點23
24	4個100GbE節點24	24	4個100GbE節點24
25至34	保留	25至34	保留
35	100G ISL至交換器B連接埠35	35	100G ISL至交換器A連接埠35
36	100G ISL至交換器B連接埠36	36	100G ISL至交換器A連接埠36

空白的佈線工作表

您可以使用空白的佈線工作表來記錄叢集中支援作為節點的平台。_Estret_的_支援叢集連線_區段Hardware Universe 定義平台所使用的叢集連接埠。

叢集交換器**A**		叢集交換器**B**	
1.		1.	
2.		2.	
3.		3.	
4.		4.	

叢集交换器**A**		叢集交换器**B**	
5.		5.	
6.		6.	
7.		7.	
8.		8.	
9.		9.	
10.		10.	
11.		11.	
12.		12.	
13.		13.	
14		14	
15		15	
16		16	
17		17	
18		18	
19		19	
20		20	
21		21	
22		22	
23		23	
24		24	
25至34	保留	25至34	保留

叢集交換器**A**		叢集交換器**B**	
35	100G ISL至交換器B連接埠35	35	100G ISL至交換器A連接埠35
36	100G ISL至交換器B連接埠36	36	100G ISL至交換器A連接埠36

Cisco Nexus 2300YC佈線工作表

如果您想要記錄支援的平台、您必須使用完整的佈線工作表範例作為指南、填寫空白的佈線工作表。

佈線工作表範例

每對交換器的連接埠定義範例如下：

叢集交換器**A**		叢集交換器**B**	
交換器連接埠	節點與連接埠使用量	交換器連接埠	節點與連接埠使用量
1.	10/25 GbE節點	1.	10/25 GbE節點
2.	10/25 GbE節點	2.	10/25 GbE節點
3.	10/25 GbE節點	3.	10/25 GbE節點
4.	10/25 GbE節點	4.	10/25 GbE節點
5.	10/25 GbE節點	5.	10/25 GbE節點
6.	10/25 GbE節點	6.	10/25 GbE節點
7.	10/25 GbE節點	7.	10/25 GbE節點
8.	10/25 GbE節點	8.	10/25 GbE節點
9.	10/25 GbE節點	9.	10/25 GbE節點
10.	10/25 GbE節點	10.	10/25 GbE節點
11.	10/25 GbE節點	11.	10/25 GbE節點
12.	10/25 GbE節點	12.	10/25 GbE節點

叢集交換器**A**		叢集交換器**B**	
13.	10/25 GbE節點	13.	10/25 GbE節點
14	10/25 GbE節點	14	10/25 GbE節點
15	10/25 GbE節點	15	10/25 GbE節點
16	10/25 GbE節點	16	10/25 GbE節點
17	10/25 GbE節點	17	10/25 GbE節點
18	10/25 GbE節點	18	10/25 GbE節點
19	10/25 GbE節點	19	10/25 GbE節點
20	10/25 GbE節點	20	10/25 GbE節點
21	10/25 GbE節點	21	10/25 GbE節點
22	10/25 GbE節點	22	10/25 GbE節點
23	10/25 GbE節點	23	10/25 GbE節點
24	10/25 GbE節點	24	10/25 GbE節點
25	10/25 GbE節點	25	10/25 GbE節點
26	10/25 GbE節點	26	10/25 GbE節點
27	10/25 GbE節點	27	10/25 GbE節點
28.28	10/25 GbE節點	28.28	10/25 GbE節點
29	10/25 GbE節點	29	10/25 GbE節點
30	10/25 GbE節點	30	10/25 GbE節點
31	10/25 GbE節點	31	10/25 GbE節點
32	10/25 GbE節點	32	10/25 GbE節點
33	10/25 GbE節點	33	10/25 GbE節點

叢集交換器**A**		叢集交換器**B**	
34	10/25 GbE節點	34	10/25 GbE節點
35	10/25 GbE節點	35	10/25 GbE節點
36	10/25 GbE節點	36	10/25 GbE節點
37	10/25 GbE節點	37	10/25 GbE節點
38	10/25 GbE節點	38	10/25 GbE節點
39	10/25 GbE節點	39	10/25 GbE節點
40	10/25 GbE節點	40	10/25 GbE節點
41.	10/25 GbE節點	41.	10/25 GbE節點
42.	10/25 GbE節點	42.	10/25 GbE節點
43.	10/25 GbE節點	43.	10/25 GbE節點
44	10/25 GbE節點	44	10/25 GbE節點
45	10/25 GbE節點	45	10/25 GbE節點
46	10/25 GbE節點	46	10/25 GbE節點
47	10/25 GbE節點	47	10/25 GbE節點
48	10/25 GbE節點	48	10/25 GbE節點
49	40/100 GbE節點	49	40/100 GbE節點
50	40/100 GbE節點	50	40/100 GbE節點
51.	40/100 GbE節點	51.	40/100 GbE節點
52.	40/100 GbE節點	52.	40/100 GbE節點
53.	40/100 GbE節點	53.	40/100 GbE節點
54	40/100 GbE節點	54	40/100 GbE節點

叢集交換器**A**		叢集交換器**B**	
55	40/100 GbE節點	55	40/100 GbE節點
56	40/100 GbE節點	56	40/100 GbE節點
57	40/100 GbE節點	57	40/100 GbE節點
58	40/100 GbE節點	58	40/100 GbE節點
59	40/100 GbE節點	59	40/100 GbE節點
60	40/100 GbE節點	60	40/100 GbE節點
61.	40/100 GbE節點	61.	40/100 GbE節點
62.	40/100 GbE節點	62.	40/100 GbE節點
63.	40/100 GbE節點	63.	40/100 GbE節點
64	40/100 GbE節點	64	40/100 GbE節點
65	100 GbE ISL至交換器B連接埠65	65	100 GbE ISL以交換器A連接埠65
66	100 GbE ISL至交換器B連接埠66	66	100 GbE ISL以交換器A連接埠65

空白的佈線工作表

您可以使用空白的佈線工作表來記錄叢集中支援作為節點的平台。_Estret_的_支援叢集連線_區段Hardware Universe 定義平台所使用的叢集連接埠。

叢集交換器**A**		叢集交換器**B**	
交換器連接埠	節點/連接埠使用量	交換器連接埠	節點/連接埠使用量
1.		1.	
2.		2.	
3.		3.	
4.		4.	

叢集交换器**A**		叢集交换器**B**	
5.		5.	
6.		6.	
7.		7.	
8.		8.	
9.		9.	
10.		10.	
11.		11.	
12.		12.	
13.		13.	
14		14	
15		15	
16		16	
17		17	
18		18	
19		19	
20		20	
21		21	
22		22	
23		23	
24		24	
25		25	
26		26	

叢集交换器**A**		叢集交换器**B**	
27		27	
28.28		28.28	
29		29	
30		30	
31		31	
32		32	
33		33	
34		34	
35		35	
36		36	
37		37	
38		38	
39		39	
40		40	
41.		41.	
42.		42.	
43.		43.	
44		44	
45		45	
46		46	
47		47	
48		48	

叢集交換器**A**		叢集交換器**B**	
49		49	
50		50	
51.		51.	
52.		52.	
53.		53.	
54		54	
55		55	
56		56	
57		57	
58		58	
59		59	
60		60	
61.		61.	
62.		62.	
63.		63.	
64		64	
65	ISL至交換器B連接埠65	65	ISL至交換器A連接埠65
66	ISL至交換器B連接埠66	66	ISL至交換器A連接埠66

Cisco Nexus 3232C佈線工作表

如果您想要記錄支援的平台、您必須使用完整的佈線工作表範例作為指南、填寫空白的佈線工作表。每個交換器可設定為單一100GbE、40GbE連接埠或4個10GbE連接埠。

佈線工作表範例

每對交換器的連接埠定義範例如下：

叢集交換器**A**		叢集交換器**B**	
交換器連接埠	節點與連接埠使用量	交換器連接埠	節點與連接埠使用量
1.	4個10G/40G/100G節點	1.	4個10G/40G/100G節點
2.	4個10G/40G/100G節點	2.	4個10G/40G/100G節點
3.	4個10G/40G/100G節點	3.	4個10G/40G/100G節點
4.	4個10G/40G/100G節點	4.	4個10G/40G/100G節點
5.	4個10G/40G/100G節點	5.	4個10G/40G/100G節點
6.	4個10G/40G/100G節點	6.	4個10G/40G/100G節點
7.	4個10G/40G/100G節點	7.	4個10G/40G/100G節點
8.	4個10G/40G/100G節點	8.	4個10G/40G/100G節點
9.	4個10G/40G/100G節點	9.	4個10G/40G/100G節點
10.	4個10G/40G/100G節點	10.	4個10G/40G/100G節點
11.	4個10G/40G/100G節點	11.	4個10G/40G/100G節點
12.	4個10G/40G/100G節點	12.	4個10G/40G/100G節點
13.	4個10G/40G/100G節點	13.	4個10G/40G/100G節點
14	4個10G/40G/100G節點	14	4個10G/40G/100G節點
15	4個10G/40G/100G節點	15	4個10G/40G/100G節點
16	4個10G/40G/100G節點	16	4個10G/40G/100G節點
17	4個10G/40G/100G節點	17	4個10G/40G/100G節點
18	4個10G/40G/100G節點	18	4個10G/40G/100G節點

叢集交換器**A**		叢集交換器**B**	
19	40g/100g節點19	19	40g/100g節點19
20	40g/100g節點20	20	40g/100g節點20
21	40g/100g節點21	21	40g/100g節點21
22	40g/100g節點22	22	40g/100g節點22
23	40g/100g節點23	23	40g/100g節點23
24	40g/100g節點24	24	40g/100g節點24
25至30	保留	25至30	保留
31	100G ISL至交換器B連接埠31	31	100G ISL至交換器A連接埠31
32	100G ISL至交換器B連接埠32	32	100G ISL可交換器A連接埠32

空白的佈線工作表

您可以使用空白的佈線工作表來記錄叢集中支援作為節點的平台。_Estret_的_支援叢集連線_區段Hardware Universe 定義平台所使用的叢集連接埠。

叢集交換器**A**		叢集交換器**B**	
交換器連接埠	節點/連接埠使用量	交換器連接埠	節點/連接埠使用量
1.		1.	
2.		2.	
3.		3.	
4.		4.	
5.		5.	
6.		6.	
7.		7.	

叢集交換器**A**		叢集交換器**B**	
8.		8.	
9.		9.	
10.		10.	
11.		11.	
12.		12.	
13.		13.	
14		14	
15		15	
16		16	
17		17	
18		18	
19		19	
20		20	
21		21	
22		22	
23		23	
24		24	
25至30	保留	25至30	保留
31	100G ISL至交換器B連接埠31	31	100G ISL至交換器A連接埠31
32	100G ISL至交換器B連接埠32	32	100G ISL可交換器A連接埠32

Cisco Nexus 3132Q-V佈線工作表

如果您想要記錄支援的平台、您必須使用完整的佈線工作表範例作為指南、填寫空白的佈線工作表。每個交換器可設定為單一40GbE連接埠或4個10GbE連接埠。

佈線工作表範例

每對交換器的連接埠定義範例如下：

叢集交換器**A**		叢集交換器**B**	
交換器連接埠	節點與連接埠使用量	交換器連接埠	節點與連接埠使用量
1.	4個10G/40G節點	1.	4個10G/40G節點
2.	4個10G/40G節點	2.	4個10G/40G節點
3.	4個10G/40G節點	3.	4個10G/40G節點
4.	4個10G/40G節點	4.	4個10G/40G節點
5.	4個10G/40G節點	5.	4個10G/40G節點
6.	4個10G/40G節點	6.	4個10G/40G節點
7.	4個10G/40G節點	7.	4個10G/40G節點
8.	4個10G/40G節點	8.	4個10G/40G節點
9.	4個10G/40G節點	9.	4個10G/40G節點
10.	4個10G/40G節點	10.	4個10G/40G節點
11.	4個10G/40G節點	11.	4個10G/40G節點
12.	4個10G/40G節點	12.	4個10G/40G節點
13.	4個10G/40G節點	13.	4個10G/40G節點
14	4個10G/40G節點	14	4個10G/40G節點
15	4個10G/40G節點	15	4個10G/40G節點
16	4個10G/40G節點	16	4個10G/40G節點

叢集交換器**A**		叢集交換器**B**	
17	4個10G/40G節點	17	4個10G/40G節點
18	4個10G/40G節點	18	4個10G/40G節點
19	40g節點19	19	40g節點19
20	40g節點20	20	40g節點20
21	40g節點21	21	40g節點21
22	40g節點22	22	40g節點22
23	40g節點23	23	40g節點23
24	40g節點24	24	40g節點24
25至30	保留	25至30	保留
31	40公克ISL至交換器B連接埠31	31	40公克ISL至交換器A連接埠31
32	40公克ISL至交換器B連接埠32	32	40公克ISL至交換器A連接埠32

空白的佈線工作表

您可以使用空白的佈線工作表來記錄叢集中支援作為節點的平台。_Estret_的_支援叢集連線_區段Hardware Universe 定義平台所使用的叢集連接埠。

叢集交換器**A**		叢集交換器**B**	
交換器連接埠	節點/連接埠使用量	交換器連接埠	節點/連接埠使用量
1.		1.	
2.		2.	
3.		3.	
4.		4.	
5.		5.	

叢集交換器**A**		叢集交換器**B**	
6.		6.	
7.		7.	
8.		8.	
9.		9.	
10.		10.	
11.		11.	
12.		12.	
13.		13.	
14		14	
15		15	
16		16	
17		17	
18		18	
19		19	
20		20	
21		21	
22		22	
23		23	
24		24	
25至30	保留	25至30	保留
31	40公克ISL至交換器B連接埠31	31	40公克ISL至交換器A連接埠31

叢集交換器A		叢集交換器B	
32	40公克ISL至交換器B連接埠32	32	40公克ISL至交換器A連接埠32

Cisco Nexus 5596UP和5596T佈線工作表

如果您想要記錄支援的平台、您必須使用完整的佈線工作表範例作為指南、填寫空白的佈線工作表。

佈線工作表範例

某些平台支援每個叢集互連交換器一個以上的10GbE叢集連接埠連線。若要支援其他叢集連線、您可以使用連接埠25到40、以及安裝擴充模組時使用連接埠49到80。

每對交換器的連接埠定義範例如下：

叢集交換器A		叢集交換器B	
交換器連接埠	節點與連接埠使用量	交換器連接埠	節點與連接埠使用量
1.	節點連接埠1	1.	節點連接埠1
2.	節點連接埠2	2.	節點連接埠2
3.	節點連接埠3.	3.	節點連接埠3.
4.	節點連接埠4.	4.	節點連接埠4.
5.	節點連接埠5.	5.	節點連接埠5.
6.	節點連接埠6.	6.	節點連接埠6.
7.	節點連接埠7.	7.	節點連接埠7.
8.	節點連接埠8.	8.	節點連接埠8.
9.	節點連接埠9.	9.	節點連接埠9.
10.	節點連接埠10	10.	節點連接埠10
11.	節點連接埠11.	11.	節點連接埠11.
12.	節點連接埠12.	12.	節點連接埠12.

叢集交換器**A**		叢集交換器**B**	
13.	節點連接埠13	13.	節點連接埠13
14	節點連接埠14	14	節點連接埠14
15	節點連接埠15	15	節點連接埠15
16	節點連接埠16	16	節點連接埠16
17	節點連接埠17	17	節點連接埠17
18	節點連接埠18	18	節點連接埠18
19	節點連接埠19	19	節點連接埠19
20	節點連接埠20	20	節點連接埠20
21	節點連接埠21	21	節點連接埠21
22	節點連接埠22	22	節點連接埠22
23	節點連接埠23	23	節點連接埠23
24	節點連接埠24	24	節點連接埠24
25至40	保留	25至40	保留
41.	ISL至交換器B連接埠41	41.	ISL至交換器A連接埠41
42.	ISL至交換器B連接埠42	42.	ISL至交換器A連接埠42
43.	ISL至交換器B連接埠43	43.	ISL至交換器A連接埠43
44	ISL至交換器B連接埠44	44	ISL至交換器A連接埠44
45	ISL至交換器B連接埠45	45	ISL至交換器A連接埠45
46	ISL至交換器B連接埠46	46	ISL至交換器A連接埠46
47	ISL至交換器B連接埠47	47	ISL至交換器A連接埠47
48	ISL至交換器B連接埠48	48	ISL至交換器A連接埠48

空白的佈線工作表

您可以使用空白的佈線工作表來記錄叢集中支援作為節點的平台。_Estret_的_支援叢集連線_區段Hardware Universe 定義平台所使用的叢集連接埠。

交換器連接埠1到24可做為10 GbE連接埠。交換器連接埠41到48保留給交換器間連結（ISL）。

叢集交換器**A**		叢集交換器**B**	
交換器連接埠	節點/連接埠使用量	交換器連接埠	節點/連接埠使用量
1.		1.	
2.		2.	
3.		3.	
4.		4.	
5.		5.	
6.		6.	
7.		7.	
8.		8.	
9.		9.	
10.		10.	
11.		11.	
12.		12.	
13.		13.	
14		14	
15		15	
16		16	
17		17	
18		18	

叢集交換器**A**		叢集交換器**B**	
19		19	
20		20	
21		21	
22		22	
23		23	
24		24	
25至40	保留	25至40	保留
41.	ISL至交換器B連接埠41	41.	ISL至交換器A連接埠41
42.	ISL至交換器B連接埠42	42.	ISL至交換器A連接埠42
43.	ISL至交換器B連接埠43	43.	ISL至交換器A連接埠43
44	ISL至交換器B連接埠44	44	ISL至交換器A連接埠44
45	ISL至交換器B連接埠45	45	ISL至交換器A連接埠45
46	ISL至交換器B連接埠46	46	ISL至交換器A連接埠46
47	ISL至交換器B連接埠47	47	ISL至交換器A連接埠47
48	ISL至交換器B連接埠48	48	ISL至交換器A連接埠48

佈線工作表範例和空白

佈線工作表範例提供從交換器到控制器的建議連接埠指派範例。空白工作表提供範本、可用於設定叢集。

Copyright Information

Copyright © 2022 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.