ローカル権限とは
ONTAP 9

NetApp
April 24, 2022

This PDF was generated from https://docs.netapp.com/ja-jp/ontap/smb-admin/list-supported-privileges-reference.html on April 24, 2022. Always check docs.netapp.com for the latest.

目次

ローカル権限とは 1
サポートされる権限のリスト 1
権限を割り当てます 2

ローカル権限とは

サポートされる権限のリスト

ONTAP には、一連のサポートされる権限があらかじめ定義されています特定の事前定義されたローカルグループには、これらの権限の一部がデフォルトで追加されています。事前定義グループの権限は追加または削除できます。また、新しいローカルユーザまたはローカルグループを作成して、そのグループや、既存のドメインユーザおよびグループに権限を追加することもできます。

次の表に、 Storage Virtual Machine （ SVM ）でサポートされる権限の一覧と、その権限が割り当てられている BUILTIN グループを示します。

権限の名前	デフォルトのセキュリティ設定	説明
'eTcbPrivilege]	なし	オペレーティングシステムの一部として機能します
'ebackupPrivilege] を選択します	'BUILTIN\Administrators"BUILTIN\Backup Operators' です	ACL を無視してファイルとディレクトリをバックアップします
'eRestorePrivilege] を選択します	'BUILTIN\Administrators"BUILTIN\Backup Operators' です	ファイルおよびディレクトリをリストアし、 ACL を上書きすべての有効なユーザまたはグループの SID をファイル所有者として設定します
'eTakeOwnershipPrivilege]	「 BUILTIN\Administrators 」	ファイルまたはその他のオブジェクトの所有権を取得します
「エレズ・ナイン」	「 BUILTIN\Administrators 」	監査の管理これには ' セキュリティ・ログの表示 ' ダンプ ' 消去が含まれます
「エレズ・ナイン」	「 BUILTIN\Administrators 」、「 BUILTIN\Backup Operators 」、「 BUILTIN\Power Users 」、「 BUILTIN\Users 」、「 Everyone 」	トラバースチェックのバイパスこの権限を持つユーザは、フォルダ、シンボリックリンク、またはジャンクションをトラバースするためのトラバース（ x ）権限は必要ありません。

ローカル権限の管理

トラバースチェックのバイパスの設定

権限を割り当てます

ローカルユーザまたはドメインユーザに権限を直接割り当てることができます。また、ユーザに付与する権限と一致する権限が割り当てられているローカルグループにユーザを割り当てることもできます。

- 作成したグループに一連の権限を割り当てることができます。

  その後、ユーザに付与する権限が割り当てられているグループにユーザを追加します。

- また、ローカルユーザおよびドメインユーザを、デフォルトの権限がユーザに付与する権限と一致している事前定義グループに割り当てることもできます。

ローカルまたはドメインのユーザまたはグループに対する権限の追加

ローカルまたはドメインのユーザまたはグループの権限を削除しています

ローカルまたはドメインのユーザまたはグループの権限をリセットしています

トラバースチェックのバイパスの設定

Copyright Information

Copyright © 2022 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.