使用 SMB 共享属性

ONTAP 9

NetApp
July 12, 2022

This PDF was generated from https://docs.netapp.com/zh-cn/ontap/smb-admin/share-properties-concept.html on July 12, 2022. Always check docs.netapp.com for the latest.

目录

使用 SMB 共享属性 1
使用 SMB 共享属性概述 1
在现有 SMB 共享上添加或删除共享属性 2

使用 SMB 共享属性

使用 SMB 共享属性概述

您可以自定义 SMB 共享的属性。

可用的共享属性如下：

共享属性	Description
机会锁	此属性指定共享使用机会锁，也称为客户端缓存。
可浏览	此属性允许 Windows 客户端浏览共享。
`showsnapshot`	此属性指定客户端可以查看和遍历 Snapshot 副本。
更改认证	此属性指定共享支持更改通知请求。对于 SVM 上的共享，这是默认的初始属性。
`attribtecache`	通过此属性，可以在 SMB 共享上缓存文件属性，从而加快属性访问速度。默认情况下，禁用属性缓存。只有当有客户端通过 SMB 1.0 连接到共享时，才应启用此属性。如果客户端通过 SMB 2.x 或 SMB 3.0 连接到共享，则此共享属性不适用。
持续可用	此属性允许支持它的 SMB 客户端以持久方式打开文件。以这种方式打开的文件不会受到故障转移和交还等中断事件的影响。
`BranchCache`	此属性指定共享允许客户端对此共享中的文件请求 BranchCache 哈希。只有在 CIFS BranchCache 配置中将 "`per-share` " 指定为操作模式时，此选项才有用。
基于访问的枚举	此属性指定已在此共享上启用 _Access Based 枚举 _（ABE ）。用户可以根据用户的访问权限查看 ABE 筛选的共享文件夹，从而防止显示用户无权访问的文件夹或其他共享资源。
命名空间缓存	此属性指定连接到此共享的 SMB 客户端可以缓存 CIFS 服务器返回的目录枚举结果，从而提高性能。默认情况下， SMB 1 客户端不会缓存目录枚举结果。由于默认情况下 SMB 2 和 SMB 3 客户端会缓存目录枚举结果，因此指定此共享属性仅会为 SMB 1 客户端连接提供性能优势。

共享属性	Description
`encrypt-data`	此属性指定访问此共享时必须使用 SMB 加密。访问 SMB 数据时不支持加密的 SMB 客户端将无法访问此共享。

在现有 SMB 共享上添加或删除共享属性

您可以通过添加或删除共享属性来自定义现有 SMB 共享。如果您要更改共享配置以满足环境中不断变化的要求，此功能将非常有用。

要修改其属性的共享必须存在。

添加共享属性的准则：

- 您可以使用逗号分隔列表添加一个或多个共享属性。
- 先前指定的任何共享属性仍有效。

  新添加的属性将附加到现有共享属性列表中。

- 如果为已应用于共享的共享属性指定新值，则新指定的值将替换原始值。
- 您不能使用 `vserver cifs share properties add` 命令删除共享属性。

  您可以使用 `vserver cifs share properties remove` 命令删除共享属性。

删除共享属性的准则：

- 您可以使用逗号分隔列表删除一个或多个共享属性。
- 先前指定但未删除的任何共享属性仍有效。

步骤

1. 输入相应的命令：

如果您要 ...	输入命令 ...
添加共享属性	` vserver cifs share properties add -vserver _vserver_name_ -share-name _share_name_ -share-properties _properties_ ， ...`
删除共享属性	` vserver cifs share properties remove -vserver _vserver_name_ -share-name _share_name_ -share-properties _properties_ ， ...`

2. 验证共享属性设置： `vserver cifs share show -vserver vserver_name -share-name share_name`

以下命令会将 `showsnapshot` share 属性添加到 SVM vs1 上名为 `share1` 的共享中：

```
cluster1::> vserver cifs share properties add -vserver vs1 -share-name
share1 -share-properties showsnapshot

cluster1::> vserver cifs share show -vserver vs1
Vserver    Share   Path      Properties   Comment    ACL
---------  ------  --------  ----------   --------   -----------
vs1        share1  /share1   oplocks      -          Everyone / Full
Control
                             browsable
                             changenotify
                             showsnapshot
```

以下命令将从 SVM vs1 上名为 `share2` 的共享中删除 `browable` share 属性：

```
cluster1::> vserver cifs share properties remove -vserver vs1 -share-name
share2 -share-properties browsable

cluster1::> vserver cifs share show -vserver vs1
Vserver    Share   Path      Properties   Comment    ACL
---------  ------  --------  ----------   --------   -----------
vs1        share2  /share2   oplocks      -          Everyone / Full
Control
                             changenotify
```

用于管理 SMB 共享的命令

版权信息

版权所有©2022 NetApp、Inc.。保留所有权利。Printed in the U.S.版权所涵盖的本文档的任何部分不得以任何形式或任何手段复制、包括影印、录制、 磁带或存储在电子检索系统中—未经版权所有者事先书面许可。

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

本软件由NetApp按"原样"提供、不含任何明示或默示担保、包括但不限于适销性和特定用途适用性的默示担保、特此声明不承担任何责任。IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice.NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp.The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S.patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

商标信息

NetApp、NetApp标识和中列出的标记 http://www.netapp.com/TM 是NetApp、Inc.的商标。其他公司和产品名称可能是其各自所有者的商标。