# 为 SMB 共享配置元数据缓存

ONTAP 9

NetApp
July 11, 2022

This PDF was generated from https://docs.netapp.com/zh-cn/ontap/smb-admin/metadata-caching-concept.html on July 11, 2022. Always check docs.netapp.com for the latest.

# 目录

为 SMB 共享配置元数据缓存 . . . . . 1
SMB 元数据缓存的工作原理 . . . . . 1
启用 SMB 元数据缓存 . . . . . 1
配置 SMB 元数据缓存条目的生命周期 . . . . . 1

# 为 SMB 共享配置元数据缓存

## SMB 元数据缓存的工作原理

通过元数据缓存， SMB 1.0 客户端上的文件属性缓存可以更快地访问文件和文件夹属性。您可以基于每个共享启用或禁用属性缓存。如果启用了元数据缓存，您还可以为缓存条目配置生存时间。如果客户端通过 SMB 2.x 或 SMB 3.0 连接到共享，则无需配置元数据缓存。

启用后， SMB 元数据缓存会将路径和文件属性数据存储一段有限的时间。这样可以提高具有常见工作负载的 SMB 1.0 客户端的 SMB 性能。

对于某些任务， SMB 会创建大量流量，其中可能包括对路径和文件元数据的多个相同查询。您可以改用 SMB 元数据缓存从缓存中提取信息，从而减少冗余查询的数量并提高 SMB 1.0 客户端的性能。

> 元数据缓存虽然不太可能为 SMB 1.0 客户端提供过时的信息。如果您的环境无法承担此风险，则不应启用此功能。

## 启用 SMB 元数据缓存

您可以通过启用 SMB 元数据缓存来提高 SMB 1.0 客户端的 SMB 性能。默认情况下，SMB 元数据缓存处于禁用状态。

步骤

1. 执行所需的操作：

| 如果您要 ... | 输入命令 ... |
|---|---|
| 创建共享时启用 SMB 元数据缓存 | `vserver cifs share create -vserver` *`vserver_name`* `-share-name` *`share_name`* `-path` *`path`* `-share-properties attributeache` |
| 在现有共享上启用 SMB 元数据缓存 | `vserver cifs share properties add -vserver` *`vserver_name`* `-share-name` *`share_name`* `-share-properties attributeache` |

配置 SMB 元数据缓存条目的生命周期

在现有 SMB 共享上添加或删除共享属性

## 配置 SMB 元数据缓存条目的生命周期

您可以配置 SMB 元数据缓存条目的生命周期，以优化环境中的 SMB 元数据缓存性能。默

认值为 10 秒。

您必须已启用 SMB 元数据缓存功能。如果未启用 SMB 元数据缓存，则不会使用 SMB 缓存 TTL 设置。

步骤

1. 执行所需的操作：

| 如果要在以下情况下配置 **SMB** 元数据缓存条目的生命周期 **...** | 输入命令 **...** |
|---|---|
| 创建共享 | `vserver cifs share -create -vserver` *`vserver_name`* `-share-name` *`share_name`* `-path` *`path`* `-attribute-cache-tl [integerh] [integem]` |
| 修改现有共享 | `vserver cifs share -modify -vserver` *`vserver_name`* `-share-name` *`share_name`* `-attribute-cache-tl [integerh] [integem]` |

您可以在创建或修改共享时指定其他共享配置选项和属性。有关详细信息，请参见手册页。

版权信息

版权所有©2022 NetApp、Inc.。保留所有权利。Printed in the U.S.版权所涵盖的本文档的任何部分不得以任何形式或任何手段复制、包括影印、录制、 磁带或存储在电子检索系统中—未经版权所有者事先书面许可。

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

本软件由NetApp按"原样"提供、不含任何明示或默示担保、包括但不限于适销性和特定用途适用性的默示担保、特此声明不承担任何责任。IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice.NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp.The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S.patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

商标信息

NetApp、NetApp标识和中列出的标记 http://www.netapp.com/TM 是NetApp、Inc.的商标。其他公司和产品名称可能是其各自所有者的商标。