監控FlexVol
磁帶備份與還原功能、以利執行各項功能
ONTAP 9

NetApp
May 14, 2022

This PDF was generated from https://docs.netapp.com/zh-tw/ontap/tape-backup/event-logging-concept.html on May 14, 2022. Always check docs.netapp.com for the latest.

目錄

監控FlexVol 磁帶備份與還原功能、以利執行各項功能 1
監控磁帶備份與還原作業FlexVol 、以利執行不中斷的作業 1
存取事件記錄檔 1
傾印與還原事件記錄訊息格式為何 1
啟用或停用事件記錄 4

監控FlexVol 磁帶備份與還原功能、以利執行各項功能

監控磁帶備份與還原作業FlexVol 、以利執行不中斷的作業

您可以檢視事件記錄檔、以監控磁帶備份與還原作業。系統會自動將重要的備份與還原事件記錄在控制器的「/etc/log/」目錄中的「備份」記錄檔中、以及這些事件發生的時間。ONTAP預設情況下、事件記錄會設為「On（開啟）」。

您可能會因為下列原因而想要檢視事件記錄檔：

- 檢查夜間備份是否成功
- 收集備份作業的統計資料
- 使用過去事件記錄檔中的資訊來協助診斷備份與還原作業的問題

每週會旋轉一次事件記錄檔。「/etc/log/Backup」檔案會重新命名為「/etc/log/backup.0」、「/etc/log/backup.0」檔案會重新命名為「/etc/log/backup.1」、依此類推。系統最多可將記錄檔儲存六週、因此您最多可儲存七個訊息檔案（如「/etc/log/backup」（檔案）、「0-5」（檔案）和目前的「/etc/log/Backup」（檔案）。

存取事件記錄檔

您可以使用nnodesdrodfile命令存取記錄檔、以便在「/etc/log/」目錄中進行磁帶備份與還原作業。您可以檢視這些事件記錄檔、以監控磁帶備份與還原作業。

此外、您也可以使用網頁瀏覽器來存取這些記錄檔、例如存取控制角色、存取「pi」網路服務或使用「http」存取方法設定的使用者帳戶。

步驟

1. 若要存取nodesdro解除、請輸入下列命令：

   ‘節點執行**-node_node_name_**

   「node_name」是節點的名稱。

2. 若要存取磁帶備份與還原作業的事件記錄檔、請輸入下列命令：

   ‘* rdfile /etc/log/backup*’

"系統管理"

"概念ONTAP"

傾印與還原事件記錄訊息格式為何

傾印與還原事件記錄訊息格式總覽

針對每個傾印與還原事件、會有一則訊息寫入備份記錄檔。

傾印與還原事件記錄訊息的格式如下：

「類型時間戳記識別碼事件（EVAT_info）_」

下列清單說明事件記錄訊息格式的欄位：

- 每則記錄訊息都會以下表所述的其中一種類型指標開頭：

類型	說明
記錄	記錄事件
DMP	傾印事件
RST	還原事件

- 時間戳記顯示事件的日期和時間。
- dump事件的「identifier」欄位包含傾印路徑和傾印的唯一ID。還原事件的「識別碼」欄位僅使用還原目的地路徑名稱做為唯一識別碼。與記錄相關的事件訊息不包含「識別碼」欄位。

什麼是記錄事件

以記錄開頭的訊息事件欄位會指定記錄的開頭或記錄的結尾。

其中包含下表所示的其中一個事件：

活動	說明
start_記錄	表示記錄的開始、或記錄功能在停用後重新開啟。
停止記錄	表示記錄功能已關閉。

什麼是傾印事件

傾印事件的事件欄位包含事件類型、並在括弧內加上事件特定資訊。

下表說明可能記錄的傾印作業事件、其說明及相關事件資訊：

活動	說明	活動資訊
開始	NDMP傾印已啟動	傾印層級和傾印類型

活動	說明	活動資訊
結束	成功完成傾印	處理的資料量
中止	作業隨即取消	處理的資料量
選項	會列出指定的選項	所有選項及其相關值、包括NDMP選項
磁帶開啟	磁帶已開啟以供讀取/寫入	新的磁帶設備名稱
磁帶_關閉	磁帶會關閉以供讀取/寫入	磁帶設備名稱
階段變更	傾印正在進入新的處理階段	新階段名稱
錯誤	傾印發生非預期的事件	錯誤訊息
Snapshot	建立或找到Snapshot複本	Snapshot複本的名稱和時間
base傾印	已在內部中繼檔中找到基礎傾印項目	基礎傾印的層級和時間（僅適用於遞增傾印）

什麼是還原事件

還原事件的事件欄位包含事件類型、後面加上事件特定資訊、並以括弧括住。

下表提供事件的相關資訊、其說明、以及可記錄用於還原作業的相關事件資訊：

活動	說明	活動資訊
開始	NDMP還原已啟動	還原層級和還原類型
結束	還原成功完成	檔案數量和處理的資料量
中止	作業隨即取消	檔案數量和處理的資料量
選項	會列出指定的選項	所有選項及其相關值、包括NDMP選項
磁帶開啟	磁帶已開啟以供讀取/寫入	新的磁帶設備名稱
磁帶_關閉	磁帶會關閉以供讀取/寫入	磁帶設備名稱
階段變更	還原正在進入新的處理階段	新階段名稱

活動	說明	活動資訊
錯誤	還原遇到非預期的事件	錯誤訊息

啟用或停用事件記錄

您可以開啟或關閉事件記錄。

步驟

1. 若要啟用或停用事件記錄、請在clusterShell輸入下列命令：

   hy*選項選項_名稱_備份.*log.enable* 選項值_ ｛開啟|關閉｝ *

   「開啟」會開啟事件記錄。

   「關」會關閉事件記錄功能。

   > 預設會開啟事件記錄。

Copyright Information

Copyright © 2022 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.