# 設定Active Directory網域控制器存取

ONTAP 9

NetApp
May 18, 2022

This PDF was generated from https://docs.netapp.com/zh-tw/ontap/authentication/enable-ad-users-groups-access-cluster-svm-task.html on May 18, 2022. Always check docs.netapp.com for the latest.

# 目錄

設定Active Directory網域控制器存取 . . . . . 1
設定Active Directory網域控制器存取總覽 . . . . . 1
設定驗證通道 . . . . . 1
在網域上建立SVM電腦帳戶 . . . . . 2

# 設定Active Directory網域控制器存取

## 設定Active Directory網域控制器存取總覽

### 您必須先設定AD網域控制器存取叢集或SVM、AD帳戶才能存取SVM。如果您已為資料SVM設定SMB伺服器、則可將SVM設定為閘道、或將_tunnel_設定為用於AD存取叢集的閘道。如果您尚未設定SMB伺服器、可以在AD網域上建立SVM的電腦帳戶。

支援下列網域控制器驗證服務：ONTAP

- Kerberos
- LDAP
- Netlogon
- 本機安全性授權（LSA）

支援下列工作階段金鑰演算法以確保Netlogon連線安全：ONTAP

| 工作階段金鑰演算法 | 提供於… |
|---|---|
| HMA-SHA256、以進階加密標準（AES）為基礎 | 更新版本ONTAP |
| DE和HMC-MD5（設定強式金鑰時） | 所有ONTAP 的版本 |

如果您想要在ONTAP 建立更新版本的支援網路登入安全通道時使用AES工作階段金鑰、您必須使用下列命令來啟用這些金鑰：

「CIFS安全性修改-vserver VS1 -AES-enabled-for netlogon-channel true」

預設值為「假」。

在9.10.1之前的版本中、如果網域控制器針對安全的Netlogon服務強制執行AES、連線就會失敗。ONTAP網域控制器必須設定為在ONTAP 這些版本中接受使用下列功能的強大金鑰連線。

## 設定驗證通道

### 如果您已經為資料SVM設定了SMB伺服器、可以使用「安全登入網域通道建立」命令、將SVM設定為閘道、或是_通道_、以便AD存取叢集。

您需要的是 **#8217** ；需要的是什麼

- 您必須為資料SVM設定SMB伺服器。
- 您必須啟用AD網域使用者帳戶、才能存取叢集的管理SVM。
- 您必須是叢集管理員才能執行此工作。

從ONTAP 《S209.10.1》開始、如果您有SVM閘道（網域通道）可供AD存取、則如果您在AD網域中停用了NTLM、就可以使用Kerberos進行系統管理驗證。在舊版中、不支援Kerberos搭配SVM閘道的管理驗證。此功能預設為可用、不需設定。

一律會先嘗試Kerberos驗證。一旦失敗、就會嘗試執行NTLM驗證。

步驟

1. 將啟用SMB的資料SVM設定為驗證通道、以便AD網域控制器存取叢集：

   「安全登入網域通道建立-vserver Svm_name」

   如需完整的命令語法、請參閱 "工作表"。

   > SVM必須執行、使用者才能通過驗證。

   下列命令可將啟用SMB的資料SVM'engData'設定為驗證通道。

   ```
   cluster1::>security login domain-tunnel create -vserver engData
   ```

# 在網域上建立SVM電腦帳戶

## 如果您尚未為資料SVM設定SMB伺服器、可以使用「vserver active-directorycreate」命令、為網域上的SVM建立電腦帳戶。

您必須是叢集或SVM管理員、才能執行此工作。

輸入「vserver active-directorycreate」命令後、系統會提示您提供AD使用者帳戶的認證、並提供足夠權限、以便將電腦新增至網域中指定的組織單位。帳戶密碼不可空白。

步驟

1. 在AD網域上建立SVM的電腦帳戶：

   「vserver active-directorycreate -vserver *Svm_name*-account-name *netbios_account_name*-domain_-ou *Organization_unit*」

   如需完整的命令語法、請參閱 "工作表"。

   下列命令會在SVM「engData」的網域「example.com」上建立一個名為「ADERVER1」的電腦帳戶。輸入命令後、系統會提示您輸入AD使用者帳戶認證。

```
cluster1::>vserver active-directory create -vserver engData -account
-name ADSERVER1 -domain example.com

In order to create an Active Directory machine account, you must supply
the name and password of a Windows account with sufficient privileges to
add computers to the "CN=Computers" container within the "example.com"
domain.

Enter the user name: Administrator

Enter the password:
```

**Copyright Information**

Copyright © 2022 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

**Trademark Information**

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.