# 使用統計資料、透過SMB監控Hyper-V和SQL Server活動

ONTAP 9

NetApp
June 14, 2022

This PDF was generated from https://docs.netapp.com/zh-tw/ontap/smb-hyper-v-sql/determine-statistics-objects-counters-task.html on June 14, 2022. Always check docs.netapp.com for the latest.

# 目錄

使用統計資料、透過SMB監控Hyper-V和SQL Server活動 . . . . . 1
判斷可用的統計資料物件和計數器 . . . . . 1
顯示SMB統計資料 . . . . . 4

# 使用統計資料、透過SMB監控Hyper-V和SQL Server活動

## 判斷可用的統計資料物件和計數器

在取得CIFS、SMB、稽核和BranchCache雜湊統計資料的相關資訊及監控效能之前、您必須先知道哪些物件和計數器可供您取得資料。

步驟

1. 將權限層級設為進階：

   「設定-權限進階」

2. 執行下列其中一項動作：

| 如果您想要判斷... | 輸入... |
|---|---|
| 可用的物件 | ’統計目錄物件**show** |
| 可用的特定物件 | ‘統計資料目錄物件顯示物件**_object_name_** |
| 可用的計數器 | ‘統計目錄計數器顯示對象**_object_name_** |

   請參閱手冊頁、以取得可用物件和計數器的詳細資訊。

3. 返回管理權限層級：

   「設定-權限管理」

下列命令會顯示與叢集中CIFS和SMB存取相關之所選統計物件的說明、如進階權限層級所示：

```
cluster1::> set -privilege advanced

Warning: These advanced commands are potentially dangerous; use them only
when directed to do so by support personnel.
Do you want to continue? {y|n}: y

cluster1::*> statistics catalog object show -object audit
    audit_ng                    CM object for exporting audit_ng
performance counters

cluster1::*> statistics catalog object show -object cifs
    cifs                        The CIFS object reports activity of the
                                Common Internet File System protocol
                                ...

cluster1::*> statistics catalog object show -object nblade_cifs
    nblade_cifs                 The Common Internet File System (CIFS)
                                protocol is an implementation of the
Server
                                ...

cluster1::*> statistics catalog object show -object smb1
    smb1                        These counters report activity from the
SMB
                                revision of the protocol. For information
                                ...

cluster1::*> statistics catalog object show -object smb2
    smb2                        These counters report activity from the
                                SMB2/SMB3 revision of the protocol. For
                                ...

cluster1::*> statistics catalog object show -object hashd
    hashd                       The hashd object provides counters to
measure
                                the performance of the BranchCache hash
daemon.
cluster1::*> set -privilege admin
```

下列命令會顯示進階權限層級中「CIFS」物件的部分計數器相關資訊：

> 此範例不會顯示「CIFS」物件的所有可用計數器、輸出會被刪減。

```
cluster1::> set -privilege advanced

Warning: These advanced commands are potentially dangerous; use them only
when directed to do so by support personnel.
Do you want to continue? {y|n}: y

cluster1::*> statistics catalog counter show -object cifs

Object: cifs
    Counter                     Description
    ---------------------------
----------------------------------------------
    active_searches             Number of active searches over SMB and
SMB2
    auth_reject_too_many        Authentication refused after too many
                                requests were made in rapid succession
    avg_directory_depth         Average number of directories crossed by
SMB
                                and SMB2 path-based commands
    ...                         ...

cluster2::> statistics start -object client -sample-id
Object: client
    Counter                                                     Value
    -------------------------------- --------------------------------
    cifs_ops                                                        0
    cifs_read_ops                                                   0
    cifs_read_recv_ops                                              0
    cifs_read_recv_size                                            0B
    cifs_read_size                                                 0B
    cifs_write_ops                                                  0
    cifs_write_recv_ops                                             0
    cifs_write_recv_size                                           0B
    cifs_write_size                                                0B
    instance_name                             vserver_1:10.72.205.179
    instance_uuid                                     2:10.72.205.179
    local_ops                                                       0
    mount_ops                                                       0


[...]
```

# 顯示SMB統計資料

## 您可以顯示各種SMB統計資料、以監控效能及診斷問題。

步驟

1. 使用「統計資料開始」和選用的「統計資料停止」命令來收集資料樣本。

   如需這些命令的詳細資訊、請參閱 "系統管理參考資料"。

2. 執行下列其中一項動作：

| 如果您要顯示下列項目的統計資料... | 輸入下列命令... |
|---|---|
| SMB的所有版本 | '*統計資料顯示-object CIFS * |
| SMB 1.0 | '統計資料顯示**-object SMB1** |
| SMB 2.x和SMB 3.0 | '統計資料顯示**-object smb2** |
| 節點的CIFS子系統 | '*統計資料顯示-object nblet_CIFS * |

如需詳細資訊、請參閱手冊頁。

版權資訊

Copyright©2022 NetApp、Inc.版權所有。美國印製本文件中版權所涵蓋的任何部分、不得以任何形式或任何方式（包括影印、錄製、 在未事先取得版權擁有者書面許可的情況下、在電子擷取系統中進行錄音或儲存。

衍生自受版權保護之NetApp資料的軟體必須遵守下列授權與免責聲明：

本軟體係由NetApp「依現狀」提供、不含任何明示或暗示的保證、包括但不限於適售性及特定用途適用性的暗示保證、特此聲明。在任何情況下、NetApp均不對任何直接、間接、偶發、特殊、示範、 或衍生性損害（包括但不限於採購替代商品或服務；使用損失、資料或利潤損失； 或業務中斷）、無論是在合約、嚴格責任或侵權行為（包括疏忽或其他）中、無論是因使用本軟體而產生的任何責任理論（包括疏忽或其他）、即使已被告知可能造成此類損害。

NetApp保留隨時變更本文所述之任何產品的權利、恕不另行通知。除非NetApp以書面明確同意、否則NetApp不承擔因使用本文所述產品而產生的任何責任或責任。使用或購買本產品並不代表NetApp擁有任何專利權利、商標權利或任何其他智慧財產權。

本手冊所述產品可能受到一或多個美國國家/地區的保護專利、國外專利或申請中。

限制權利圖例：政府使用、複製或揭露受DFARS 252.277-7103（1988年10月）和FAR 52-227-19（1987年6月）技術資料與電腦軟體權利條款（c）（1）（ii）分段所述限制。

商標資訊

NetApp、NetApp標誌及所列的標章 http://www.netapp.com/TM 為NetApp、Inc.的商標。其他公司和產品名稱可能為其各自所有者的商標。