使用SMB共用ACL來保護檔案存取安全

ONTAP 9

NetApp
May 19, 2022

This PDF was generated from https://docs.netapp.com/zh-tw/ontap/smb-admin/manage-smb-level-acls-concept.html on May 19, 2022. Always check docs.netapp.com for the latest.

目錄

使用SMB共用ACL來保護檔案存取安全 1
管理SMB共用層級ACL的準則 1
建立SMB共用存取控制清單 1
管理SMB共用存取控制清單的命令 3

使用SMB共用ACL來保護檔案存取安全

管理SMB共用層級ACL的準則

您可以變更共用層級的ACL、讓使用者擁有更多或更少的共用存取權限。您可以使用Windows使用者和群組或UNIX使用者和群組來設定共用層級ACL。

建立共用之後、根據預設、共用層級ACL會提供對名為「所有人」的標準群組的讀取存取權。ACL中的讀取存取權表示網域和所有信任網域中的所有使用者都擁有共用的唯讀存取權。

您可以使用Windows用戶端上的Microsoft管理主控台（MMC）或ONTAP 是使用Windows命令列來變更共用層級的ACL。

當您使用MMC時、適用下列準則：

- 指定的使用者和群組名稱必須是Windows名稱。
- 您只能指定Windows權限。

當您使用ONTAP flexfuse命令列時、適用下列準則：

- 指定的使用者和群組名稱可以是Windows名稱或UNIX名稱。

  如果在建立或修改ACL時未指定使用者和群組類型、則預設類型為Windows使用者和群組。

- 您只能指定Windows權限。

建立SMB共用存取控制清單

建立SMB共用區的存取控制清單（ACL）來設定共用權限、可讓您控制使用者和群組對共用區的存取層級。

您可以使用本機或網域Windows使用者或群組名稱、或UNIX使用者或群組名稱來設定共用層級ACL。

在建立新的ACL之前、您應該刪除預設的共用ACL「任何人/完全控制」、這會造成安全風險。

在工作群組模式中、本機網域名稱是SMB伺服器名稱。

步驟

1. 刪除預設的共用ACL：'vserver CIFS共用存取控制刪除-vserver *vserver_name*-share_share_name_-user-or group eapeuse任何人'
2. 設定新ACL：

如果您想要使用…來設定**ACL**	輸入命令…
Windows使用者	「Vserver CIFS共用存取控制create -vserver *vserver_name*-share_share_name_-user-group類型的windows -user-or群組_windows_windows_domain_name\user_name_-permission _access_Right _」
Windows群組	「Vserver CIFS共用存取控制create -vserver *vserver_name*-share_share_name_-user-group型windows -user-or group *windows_windows_group name*-permission _access_Right _」
UNIX使用者	「Vserver CIFS共用存取控制create -vserver *vserver_name*-share_share_name_-user-group類型_unix-user_-user-or group *unix_user_name* -permission access_Right」
UNIX群組	「Vserver CIFS共用存取控制create -vserver *vserver_name*-share_share_name_-user-group類型_unix-group *-user-or group _unix_group name* -permission access_Right」

3. 使用「vserver CIFS共用存取控制show」命令、確認套用至共用區的ACL正確無誤。

以下命令賦予「Change（變更）」權限給「'Sales Team（銷售團隊）」Windows群組、以取得「vs1.example.com`"SVM:」上的「shes（銷售）」共用區

```
cluster1::> vserver cifs share access-control create -vserver
vs1.example.com -share sales -user-or-group "Sales Team" -permission
Change

cluster1::> vserver cifs share access-control show
                 Share       User/Group              User/Group  Access
Vserver          Name        Name                    Type
Permission
---------------- ----------- --------------------    ---------
-----------
vs1.example.com  c$          BUILTIN\Administrators  windows
Full_Control
vs1.example.com  sales       DOMAIN\"Sales Team"     windows     Change
```

下列命令會針對「vs2.example.com`"SVM:」上的「'eng'」共用區、授予「'eng'」UNIX群組「讀取」權限

```
cluster1::> vserver cifs share access-control create -vserver
vs2.example.com -share eng -user-group-type unix-group -user-or-group  eng
-permission Read

cluster1::> vserver cifs share access-control show
                 Share       User/Group                User/Group  Access
Vserver          Name        Name                      Type
Permission
---------------- ----------- -------------------       -----------
-----------
vs2.example.com  c$          BUILTIN\Administrators    windows
Full_Control
vs2.example.com  eng         engineering               unix-group  Read
```

下列命令會將本機Windows群組的「Change（變更）」權限授予名為「老虎團隊（tigerTeam）」的本機Windows使用者「Full_Control（完整控制）」權限、以「'VS1'"SVM上的「datavol5（datavol5）」共用區的「Shue Chang'（英文）」使用者：

```
cluster1::> vserver cifs share access-control create -vserver vs1 -share
datavol5 -user-group-type windows -user-or-group "Tiger Team" -permission
Change

cluster1::> vserver cifs share access-control create -vserver vs1 -share
datavol5 -user-group-type windows -user-or-group "Sue Chang" -permission
Full_Control

cluster1::> vserver cifs share access-control show -vserver vs1
               Share       User/Group                  User/Group  Access
Vserver        Name        Name                        Type
Permission
-------------- ----------- --------------------------- -----------
-----------
vs1            c$          BUILTIN\Administrators      windows
Full_Control
vs1            datavol5    DOMAIN\"Tiger Team"         windows     Change
vs1            datavol5    DOMAIN\"Sue Chang"          windows
Full_Control
```

管理SMB共用存取控制清單的命令

您需要知道管理SMB存取控制清單（ACL）的命令、包括建立、顯示、修改及刪除這些清單。

如果您想要...	使用此命令...
建立新的ACL	「Vserver CIFS共用存取控制建立」
顯示ACL	「Vserver CIFS共享存取控制節目」
修改ACL	「Vserver CIFS共享存取控制修改」
刪除ACL	「Vserver CIFS共用存取控制刪除」

Copyright Information

Copyright © 2022 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.