バックアップの保持期間を更新しています

SaaS Backup For Office 365

Amanda Stroman, Rachel Lithman
February 13, 2021

This PDF was generated from https://docs.netapp.com/us-en/saasbackupO365/task_updating_backup_retention_period.html on March 06, 2021. Always check docs.netapp.com for the latest.

目次

バックアップの保持期間を更新しています 1
特定の階層のバックアップ保持期間を更新しています 1
個々のユーザとテナントのバックアップ保持期間を更新する 1

バックアップの保持期間を更新しています

個々の階層、メールボックス、サイト、および MySites のデータが保持される期間を、10 年または無制限に更新することができます。サブスクリプションがアクティブな場合、 SaaS Backup はバックアップデータを保持して保持期間を設定します。すべてのバックアップ階層の保持期間が同じ場合は、グローバル更新を実行してすべてのテナントの保持期間を同時に変更できます。

特定の階層のバックアップ保持期間を更新しています

手順

1. ダッシュボード * で、任意のサービスをクリックします。
2. [* バックアップ・ポリシー *] で、変更する階層の [* 保持期間 *] の横にあるドロップダウン・メニューをクリックします。
3. 事前定義されたリストから必要な保持期間を選択します。
4. ［ * 保持期間の更新 * ］ をクリックします。

個々のユーザとテナントのバックアップ保持期間を更新する

手順

1. 設定アイコンをクリックします 左上にある SaaS Backup のユーザー ID の横に表示されます。
2. 「 * アカウント設定 * 」をクリックします。
3. [* retain and purge] をクリックします。
4. 特定のサービス内の特定のユーザのデータ保持ポリシーを更新するには、次の手順を実行します。
   a. [**Data Retention Policies**] で、 [**type of provide**] の横にあるドロップダウンメニューをクリックし、プロバイダを選択します。
   b. [**service name**] の横にあるドロップダウンメニューをクリックして、サービスを選択します。
   c. 保持期間 * の横にあるドロップダウン・メニューをクリックし、プリセットされた時間のリストから期間を選択します。
   d. 検索ボックスで、更新するユーザー、サイト、または個人用サイトの入力を開始します。
   e. 一致する結果から、目的のユーザ、サイト、または個人用サイトを選択します。
   f. をクリックします 。
   g. 必要に応じて、個々のメールボックス、サイト、または個人用サイトを検索して追加します。
   h. [保存（ Save ）] をクリックします。選択した個々のメールボックス、サイト、または個人サイトが、選択した保持期間に更新されます。
5. テナントレベルでデータ保持ポリシーを更新するには、次の手順を実行します。
   a. [* テナント・レベル・データ保持ポリシー *] で、 [* 保持期間 *] の横にあるドロップダウン・メニューをクリックし、プリセットされた時間のリストから期間を選択します。

b. [保存（ Save ）] をクリックします。すべてのバックアップポリシー階層が、選択した保持期間に更新されます。

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.