MaxDB 件

Snap Creator Framework

Zachary Wambold
August 04, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/snap-creator-framework/administration/reference_maxdb_plug_in.html on October 27, 2021. Always check docs.netapp.com for the latest.

目□

MaxDB □件 1

MaxDB □件

MaxDB □件可自□□ MaxDB 数据□□行□□和□原操作。

> 有□支持或□看兼容性列表的最新信息，□参□互操作性表。

MaxDB □件提供以下功能：

- 用于□□，□原和克隆 MaxDB 数据□的集中式框架
- 与数据□集成并提供□用程序一致性
- 利用 Snapshot 技□□建数据□的□□点副本
- 无□文件的容量或数量如何，均可在数秒内利用 SnapRestore 恢□先前的 Snapshot 副本，从而□□□用程序一致的数据□
- 利用 FlexClone 技□基于 Snapshot 副本□□□数据□□建□省空□的快速克隆

下表列出了 MaxDB □件参数，提供了□些参数的□置并□其□行了□明：

参数	正在□置 ...	Description
□用程序名称	最大数据□数	指定□用程序名称。
XUSER_ENABLE	Y	不包括
□用或禁用□ MaxDB 使用 xuser，以便数据□用□不需要密□。	Handle_LOGWRITER	Y
不包括	□行□停日志写入程序（ N ）或恢□日志写入程序（ Y ）操作。	DBMCLICMD
path_to_dbmcli_cmd	指定 MaxDB dbmcli 命令的路径。如果未□置，□使用搜索路径上的 dbmcli 。 > 如果在 Windows □境中，□路径需要包含在双引号（ "…" ）中。	SQLCLICMD
path_to_sqlcli_cmd	指定 MaxDB sqlcli 命令的路径。如果未□置，□在搜索路径上使用 sqlcli 。	MaxDB_update_HIST_LOG
Y	不包括	指示 MaxDB □□程序是否更新 MaxDB □史□□日志。

参数	正在□置 ...	Description
MaxDB_Databases	DB_name ： user_name/ 密□	列出要使用用□名和密□□□的数据□。可以使用逗号分隔列表指定多个数据□和用□名：例如， `dB1` ：用□ `1/` 密□， `DB2` ：用□ `2/密□` 。
MaxDB_check_snapshot_DIR	示例：`+ SID1 ：目□（，目□）…] ；（ SID2 ：目□（，目□） …]+`	□□ Snap Creator Snapshot 副本操作是否成功，并□保已□建 Snapshot 副本。□限此□用□景 NFS 。此目□必□指向包含 .snapshot 目□的位置。 多个目□可以包含在一个逗号分隔列表中。可以将多个数据□指定□分号分隔的列表。 在 MaxDB 7.8 及更高版本中，数据□□□□求在□□□史□□中□□□失□。
MaxDB_backup_templates	template_name 示例： `na_snap`	□□个数据□指定一个□□模板。此模板必□已存在，并且是外部□型的□□模板。 要□ MaxDB 7.8 及更高版本□用 Snapshot 副本集成，□必□具有 MaxDB 后台服□器功能并已配置 MaxDB □□模板。
MaxDB_BG_SERVER_PREFIX	bG_server_prefix 示例： `na_bg`	指定后台服□器名称的前□。如果□置了 MaxDB_backup_templates 参数，□□必□□置 MaxDB_BG_SERVER_PREFIXP参数 。如果未□置前□，□会使用默□□ `na_bg_database` 。

- 相□信息 *

"互操作性表工具： mysupport.netapp.com/matrix"

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.