Snap Creator 量和参数明

Snap Creator Framework

Zachary Wambold
August 04, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/snap-creator-framework/administration/reference_snap_creator_variable_and_parameter_descriptions.html on October 27, 2021. Always check docs.netapp.com for the latest.

目□

Snap Creator □量和参数□明 1

Snap Creator □量和参数□明

Snap Creator 包括基本配置所需的内置□量和参数。

□量	Description
%snap_type	在□行 Snap Creator □使用，并且保留策略□□日，□周，□月
%snap_time	在□ Snapshot 副本命名□使用的□□□（YYMMDDhmmss），用于□□个 Snapshot 副本□建有保障的唯一名称。它□用于命名□□□告和 Sybase 事□日志。
% 操作	□行 Snap Creator □可以□行的操作列表：（□□
cloneVol	cloneLun
Arch	□原
backupDel	□□列表
cloneList	pmsetup
OSSV）	%MSG
用于向□子□件或 Tivoli 等其他程序□送□□消息只能与 send□唱 功能□合使用。	%user_defined

下表列出并介□了基本配置中使用的 Snap Creator 参数：

参数	正在□置 …	Description
sname		指定 Snapshot 副本命名□定，它□是唯一的。Snapshot 副本将根据命名□定□行□除。
snap_timestamp_only	Y	不包括
□置 Snapshot 命名□定如果□置□ Y，□ Snapshot 副本以 YYMMDDHMMSS. □尾。否□，新的 Snapshot 副本将重命名□以 YYMMDDHMMSS. □尾。	Volumes	

列出要□建 Snapshot 副本的主存□控制器和卷，例如： `controller1:vol1,vol2,vol3;controller2:vol1;controller3:vol2,vol3`	volume_groups	vol_1， vol_2， vol_n

将多个卷定□□一个□。多个卷指定□逗号分隔列表，例如：
 	
`VOLUMES_01=filer1:vol1,vol2,vol3;filer2:vol1`
`VOLUMES_02=filer1:vol3,vol4`
`VOLUMES_03=filer2:vol3,vol4`
`VOLUME_GROUPS=VOLUMES_01,VOLUMES_02,VOLUMES_03`
 	
只有□□操作才支持 volume_groups 。如果□置了此参数，□在□□期□将忽略 volumes 参数。
	ntap_snapshot_rettents.	

□定□定策略要保留的 Snapshot 副本数，例如： `daily:7,weekly:4,monthly:1`	ntap_users	

列出存□系□及其相□的用□名和密□，例如： `controller1:joe/password1;controller2:bob/password2;controller3:ken/password3` 密□必□至少包含□个字符。	ntap_pWD 保□	Y
不包括	□用或禁用密□保□□必□□所有密□（存□系□和□用程序或□件）□行加密，并将加密的密□保存在配置文件中。	□□
HTTP	HTTPS	用于使用 HTTP 或 HTTPS □接到存□控制器。 * 注意： * HTTPS 可能需要 openssl-devel □。
Port		配置存□控制器使用的端口号；通常□ 80 和 443
log_nUM		指定 Snap Creator 必□保留的 .debug 和 .out □告的数量
config_type	□件	□准
指定配置□型有□□配置□型：□件和□准。□可以使用多个□件配置来□建□□的静默和取消静默□□工作流。	CMODE_cluster_Users	

（□于集群模式 Data ONTAP □必需）列出了主和二□集群模式 Data ONTAP 集群及其□□的用□名和密□，例如： `cluster1:joe/password1;cluster2:bob/password2` 密□必□至少包含□个字符。	CMODE_cluster_name	
（□于集群模式 Data ONTAP □必需□）指定主集群模式 Data ONTAP 集群的名称	CMODE_snapshot_force_delete	Y
不包括	□保□除□根据集群模式 Data ONTAP 中的 Snapshot 副本策略□除的 Snapshot 副本，如果□些副本具有任何依□□系，例如克隆，□不会□除□些副本。	log_trace_enable
Y	不包括	□用或禁用所有事件的日志□□如果禁用，□不会□□管理 ONTAP 解决方案□果□象。
ntap_timeout	秒	□置所有存□控制器管理 ONTAP 解决方案□用的超□□；默□□□ 60 秒
使用 _global_config	Y	不包括
用于使用全局配置存□□	□合□用程序	
列出配置下□合□用程序的配置和配置文件名称，例如： `databases@db2;databases@oracle`	CMODE_SET	Y
不包括	定□配置是□用于集群模式 Data ONTAP □是在 7- 模式下□行的 Data ONTAP	allow_duplicate_snAME

Y	不包括	（可□）□用或禁用使用重□的 Snapshot 名称□建配置文件的功能此参数不□用于全局（超□全局或全局配置文件）配置文件。
SNAPCREATOR_MISSEDJOB_RUN	Y	不包括

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.