Commands used to manage Snap Creator user access

Snap Creator Framework

Aksel Davis, Zachary Wambold
January 19, 2021

This PDF was generated from https://docs.netapp.com/us-en/snap-creator-framework/administration/reference_cli_command_for_snap_creator_rbac_actions.html on August 04, 2021. Always check docs.netapp.com for the latest.

Table of Contents

Commands used to manage Snap Creator user access 1

Commands used to manage Snap Creator user access

You can perform Snap Creator RBAC actions using CLI commands.

The following table provides the command-line equivalent for Snap Creator GUI-based RBAC actions:

RBAC area	Action	Command and associated parameters
Users	Create a new user.	`snapcreator --server IP --port Port --user User --passwd Password --action userAdd --username user_name --userPwd user_passwd --verbose`
Delete a user.	`snapcreator --server IP --port Port --user User --passwd Password --action userDelete --username user_name --verbose`	List all users.
`snapcreator --server IP --port Port --user User --passwd Password --action userList --verbose`	List all assigned users for a role.	`snapcreator --server IP --port Port --user User --passwd Password --action userListAssigned --roleName role_name --verbose`

RBAC area	Action	Command and associated parameters
List all users who are assigned a profile.	`snapcreator --server IP --port Port --user User --passwd Password --profile Profile --action userListForProfile --verbose`	Roles
Create a new role.	`snapcreator --server IP --port Port --user User --passwd Password --action roleAdd --roleName role_name --roleDesc role_description --verbose`	Delete a role.
`snapcreator --server IP --port Port --user User --passwd Password --action roleDelete --roleName role_name --verbose`	Assign a role to a user.	`snapcreator --server IP --port Port --user User --passwd Password --action roleAssign --userName user_name --roleName role_name --verbose`

RBAC area	Action	Command and associated parameters
Unassign a role from a user.	`snapcreator --server IP --port Port --user User --passwd Password --action roleUnassign --userName user_name --roleName role_name --verbose`	List all assigned roles for a user.
`snapcreator --server IP --port Port --user User --passwd Password --action roleListAssigned --userName user_name --verbose`	Permissions	Create a new permission.
`snapcreator --server IP --port Port --user User --passwd Password --action permAdd --permName permission_name --permDesc permission_descriptio n --verbose`	Delete a permission.	`snapcreator --server IP --port Port --user User --passwd Password --action permDelete --permName permission_name --verbose`

RBAC area	Action	Command and associated parameters
Assign a permission to a user.	`snapcreator --server IP --port Port --user User --passwd Password --action permAssign --permName permission_name --roleName role_name --verbose`	Unassign a permission from a user.
`snapcreator --server IP --port Port --user User --passwd Password --action permUnaspermission_namesign --permName --roleName role_name --verbose`	List all permissions.	`snapcreator --server IP --port Port --user User --passwd Password --action permList --verbose`
List all permissions assigned to a role.	`snapcreator --server IP --port Port --user User --passwd Password --action permListAssigned --roleName role_name --verbose`	Operations

RBAC area	Action	Command and associated parameters
Assign an operation to a permission.	`snapcreator --server IP --port Port --user User --passwd Password --action opAssign --opName operation_name --permName permission_name --verbose`	Unassign an operation from a permission.
`snapcreator --server IP --port Port --user User --passwd Password --action opUnassign --opName operation_name --permName permission_name --verbose`	List all operations.	`snapcreator --server IP --port Port --user User --passwd Password --action opList --verbose`
List all operations assigned to a permission.	`snapcreator --server IP --port Port --user User --passwd Password --action opListAssigned --permName permission_name --verbose`	Profiles

RBAC area	Action	Command and associated parameters
Assign a profile to a user.	`snapcreator --server IP --port Port --user User --passwd Password --profile Profile --action profileAssign --userName user_name --verbose`	Unassign a profile from a user.
`snapcreator --server IP --port Port --user User --passwd Password --profile Profile --action profileUnassign --userName user_name --verbose`	List all profiles assigned to a user.	`snapcreator --server IP --port Port --user User --passwd Password --action profileListForUser --userName user_name --verbose`

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.